Package 'PakPMICS2014Ch'

July 21, 2025

Type Package	
Title Multiple Indicator Cluster Survey (MICS) 2014 Child Questionnaire Data for Punjab, Pakistan	
Version 0.1.0	
Maintainer Muhammad Yaseen <myaseen208@gmail.com></myaseen208@gmail.com>	
Description Provides data set and functions for exploration of Multiple Indicator Cluster Survey (MICS) 2014 Child questionnaire data for Punjab, Pakistan (http://www.mics.unicef.org/surveys).	
Depends R (>= 3.1)	
Imports data.table, stats	
License GPL-2	
<pre>URL https://github.com/MYaseen208/PakPMICS2014Ch</pre>	
LazyData TRUE	
RoxygenNote 6.0.1	
NeedsCompilation no	
Author Muhammad Yaseen [aut, cre], Muhammad Usman [ctb]	
Repository CRAN	
Date/Publication 2017-09-07 11:23:53 UTC	
Contents	
MICS2014Ch	2
Index	10

MICS2014Ch

Multiple Indicator Cluster Survey (MICS) 2014 Child Questionnaire
Data for Punjab, Pakistan

Description

MICS2014Ch data of Child questionnaire, MICS Punjab, 2014.

Usage

data(MICS2014Ch)

Format

A data frame with 31083 rows and 270 variables:

HH1 Cluster number

HH2 Household number

LN Line number

UF1 Cluster number

UF2 Household number

UF4 Child's line number

UF6 Mother / Caretaker's line number

UF7 Interviewer number

UF8D Day of interview

UF8M Month of interview

UF8Y Year of interview

UF9 Result of interview for children under 5

UF10 Field editor

UF11 Main data entry clerk

UF12H Start of interview - Hour

UF12M Start of interview - Minutes

UF13H End of interview - Hour

UF13M End of interview - Minutes

AG1D Day of birth of child

AG1M Month of birth of child

AG1Y Year of birth of child

AG2 Age of child

BR1 Birth certificate

BR2 Birth registered

- BR3 Know how to register birth
- EC1 Number of children's books or picture books for child
- EC2A Homemade toys
- EC2B Toys from shops
- EC2C Household objects or outside objects
- EC3A In past week, days left alone for more than 1 hour
- EC3B In past week, days left with other child for more than 1 hour
- EC5 Attends early childhood education programme
- EC7AA Read books Mother
- EC7AB Read books Father
- EC7AX Read books Other
- EC7AY Read books No one
- EC7BA Tell stories Mother
- EC7BB Tell stories Father
- EC7BX Tell stories Other
- EC7BY Tell stories No one
- EC7CA Sang songs Mother
- EC7CB Sang songs Father
- EC7CX Sang songs Other
- EC7CY Sang songs No one
- EC7DA Took outside Mother
- EC7DB Took outside Father
- EC7DX Took outside Other
- EC7DY Took outside No one
- EC7EA Played with Mother
- EC7EB Played with Father
- EC7EX Played with Other
- EC7EY Played with No one
- EC7FA Named/counted Mother
- EC7FB Named/counted Father
- EC7FX Named/counted Other
- EC7FY Named/counted No one
- EC8 Child identifies at least ten letters of the alphabet
- EC9 Child reads at least four simple, popular words
- EC10 Child knows name and recognizes symbol of all numbers from 1-10
- EC11 Child able to pick up small object with 2 fingers
- EC12 Child sometimes too sick to play

- EC13 Child follows simple directions
- EC14 Child able to do something independently
- EC15 Child gets along well with other children
- EC16 Child kicks, bites or hits other children or adults
- EC17 Child gets distracted easily
- BD2 Child ever been breastfed
- BD3 Child still being breastfed
- BD4 Child drank anything else from the bottle with a nipple yesterday
- BD5 Child drank ORS yesterday
- BD6 Child drank or ate vitamin or mineral supplements yesterday
- BD7A Child drank plain water yesterday
- BD7B Child drank juice or juice drinks yesterday
- BD7C Child drank clear soup (any type) yesterday
- BD7D Child drank milk such as tinned, powdered, fresh animal milk or Cured shake (Lasi) yesterday
- BD7DN Times child drank milk
- BD7E Child drank infant formula yesterday
- BD7EN Times child drank infant formula
- BD7F Child drank any other liquid yesterday
- BD8A Child drank or ate yogurt yesterday
- BD8AN Times drank or ate yogurt
- BD8B Child ate cerelac or any fortified baby food
- BD8C Child ate foods made from grains (Dalia etc)
- BD8D Child ate pumpkin, carrots, squash etc.
- BD8E Child ate white potatoes, white yams, manioc, turnip, spinach, green beans etc.
- BD8F Child ate green leafy vegetables
- BD8G Child ate ripe mangoes, papayas
- BD8H Child ate other fruits or vegetables
- BD8I Child ate liver, kidney, heart or other organ meat
- BD8J Child ate meat, such as beef, pork, lamb, goat, chicken, duck
- BD8K Child ate eggs
- BD8L Child ate fresh or dried fish or shellfish
- BD8M Child ate beans, lentils or nuts
- BD8N Child ate cheese or other food made from milk
- BD80 Child ate other solid, semi-solid or soft food yesterday
- BD11 Times child ate solid or semi-solid food
- IM1 Vaccination card for child
- IM2 Ever had vaccination card

- IM3BD Day of BCG immunization
- IM3BM Month of BCG immunization
- IM3BY Year of BCG immunization
- IM3P0D Day of Polio at birth immunization
- IM3P0M Month of Polio at birth immunization
- IM3P0Y Year of Polio at birth immunization
- IM3P1D Day of Polio1 immunization
- IM3P1M Month of Polio1 immunization
- IM3P1Y Year of Polio1 immunization
- IM3P2D Day of Polio2 immunization
- IM3P2M Month of Polio2 immunization
- IM3P2Y Year of Polio2 immunization
- IM3P3D Day of Polio3 immunization
- IM3P3M Month of Polio3 immunization
- IM3P3Y Year of Polio3 immunization
- IM3T1D Day of PENTA1 immunization
- IM3T1M Month of PENTA1 immunization
- **IM3T1Y Year of PENTA1 immunization**
- IM3T2D Day of PENTA2 immunization
- IM3T2M Month of PENTA2 immunization
- IM3T2Y Year of PENTA2 immunization
- IM3T3D Day of PENTA3 immunization
- IM3T3M Month of PENTA3 immunization
- IM3T3Y Year of PENTA3 immunization
- IM3M1D Day measles1 or MMR immunization
- IM3M1M Month Measles1 or MMR immunization
- IM3M1Y Year of Measles1 or MMR immunization
- IM3M2D Day Measles2 or MMR immunization
- IM3M2M Month Measles2 or MMR immunization
- IM3M2Y Year Measles2 or MMR immunization
- IM5 Child received any other vaccinations
- IM6 Child ever received any vaccinations
- IM7 Child ever given BCG vaccination
- IM8 Child ever given Polio vaccination
- IM9 Polio first given just after birth or later
- IM10 Times child given Polio vaccination
- IM11 Child ever given DPT vaccination

IM12 Times child given DPT vaccination
IM15A Child ever given Pentavalent vaccination
IM15B Times child given Pentavalent vaccination
IM16 Child ever given Measles or MMR vaccination
IM19A Child participated in: Anti-Polio campaign - NID (———-
IM19B Child participated in: Mother and Child week (———)
IM19C Child participated in: Child Health Day (———)
VS1 Child received a Vitamin A dose within the last 6 months
CA1 Child had diarrhoea in last 2 weeks
CA2 Child drank less or more during illness
CA3 Child ate less or more during illness
CA3A Sought advice or treatment for the illness from any source
CA3BA Place sought care: (public sector) Government hospital
CA3BB Place sought care: (public sector) Government health center
CA3BC Place sought care: (public sector) Government health post/dispensary
CA3BD Place sought care: (public sector) Lady health worker (LHW)
CA3BE Place sought care: (public sector) Mobile / Outreach clinic
CA3BH Place sought care: Other public
CA3BI Place sought care: Private hospital / clinic
CA3BJ Place sought care: Private physician
CA3BK Place sought care: Private pharmacy
CA3BL Place sought care: Mobile clinic
CA3BO Place sought care: Other private medical
CA3BP Place sought care: Relative / Friend
CA3BQ Place sought care: Shop
CA3BR Place sought care: Traditional practitioner
CA3BX Place sought care: Other
CA4A Drank fluid made from special packet (ORS)
CA4B Pre-packaged ORS fluid for diarrhoea
CA4BB Place where ORS was obtained
CA4CA Child given zinc tablets
CA4CB Child given zinc syrup
CA4E Place where zinc was obtained
CA4FA Child given home made fluid (boiled water, sugar and salt)
CA4FB Child given home made fluid (Others - specify)
CA5 Anything else given to treat the diarrhoea
CA6A Other treatment (pill or syrup): Antibiotic

- CA6B Other treatment (pill or syrup): Antimotility
- CA6G Other treatment (pill or syrup): Other (not antibiotic, antimotility or zinc)
- CA6H Other treatment (pill or syrup): Unknown
- CA6L Other treatment (injection): Antibiotic
- CA6M Other treatment (injection): Non-antibiotic
- CA6N Other treatment (injection): Unknown
- CA60 Other treatment: Intravenous
- CA6Q Other treatment: Home remedy/Herbal medicine
- CA6X Other treatment: Other
- CA6AA Child ill with fever in last 2 weeks
- CA6BB During fever blood was taken from his/her finger of heel
- CA7 Child ill with cough in last 2 weeks
- CA8 Difficulty breathing during illness with cough
- CA9 Symptoms due to problem in chest or blocked nose
- CA10 Sought advice or treatment for illness
- CA11A Place sought care: (public sector) Government hospital
- CA11B Place sought care: (public sector) Government health center
- CA11C Place sought care: (public sector) Government health post/dispensary
- CA11D Place sought care: (public sector) Lady health worker (LHW)
- CA11E Place sought care: (public sector) Mobile / Outreach clinic
- CA11H Place sought care: Other public
- CA11I Place sought care: Private hospital / clinic
- CA11J Place sought care: Private physician
- CA11K Place sought care: Private pharmacy
- CA11L Place sought care: Mobile clinic
- CA110 Place sought care: Other private medical
- CA11P Place sought care: Relative / Friend
- CA11Q Place sought care: Shop
- CA11R Place sought care: Traditional practitioner
- CA11X Place sought care: Other
- CA12 Given medicine to treat this illness
- CA13A Medicine: SP / Fansidar
- CA13B Medicine: Chloroquine
- CA13C Medicine: Amodiaquine
- CA13D Medicine: Quinine
- CA13E Medicine: Combiniation with Artemisinin
- CA13H Medicine: Other anti-malarial

CA13I Medicine: Antibiotic pill / syrup CA13J Medicine: Antibiotic injection

CA13P Medicine: Paracetamol / Panadol / Acetaminophen

CA13Q Medicine: Aspirin
CA13R Medicine: Ibupropfen
CA13X Medicine: Other
CA13Z Medicine: DK

CA13BB Place where antibiotics were obtained CA13DD Place where anti-malarials were obtained

CA13EE When was anti-malarial first taken
CA15 What was done to dispose of the stools

AN1 Measurer's identification code

AN2 Result of height / length and weight measurement

AN3 Child's weight (kilograms)

AN3A Child undressed to the minimum

AN4 Child's length or height (centimetres)

AN4A Child measured lying or standing

HAP Height for age percentile NCHS

HAZ Height for age z-score NCHS

HAM Height for age percent of reference median NCHS

WAP Weight for age percentile NCHS

WAZ Weight for age z-score NCHS

WAM Weight for age percent of reference median NCHS

WHP Weight for height percentile NCHS

WHZ Weight for height z-score NCHS

WHM Weight for height percent of reference median NCHS

FLAG Flag for anthropometric indicators

BMI Body Mass Index WHO

ZBMI Body Mass Index z-score WHO

HAZ2 Height for age z-score WHO

WAZ2 Weight for age z-score WHO

WHZ2 Weight for height z-score WHO

HAZFLAG Height for age flag WHO

WAZFLAG Weight for age flag WHO

WHZFLAG Weight for height flag WHO

BMIFLAG BMI flag WHO

WHZNOAGE Weight for height - Age flag WHO

```
HH6 Area (Original)
HH7 District (Original)
HL4 Sex
ED4A Highest level of education attended
ED4B Highest grade completed at that level
CDOI Date of interview child (CMC)
CDOB Date of birth of child (CMC)
CAGE Age (months)
CAGE.6 Age
CAGE.11 Age
CAGED Age in days
melevel Mother's education
division Division
hh7r District
hh6r Area
suburban
stratum Straum (Original)
wscore Combined wealth score
windex5 Wealth index quintile
wscoreu Urban wealth score
windex5u Urban wealth index quintile
wscorer Rural wealth score
windex5r Rural wealth index quintile
chweight Children's sample weight

    Muhammad Yaseen (<myaseen208@gmail.com>)
```

Author(s)

- 2. Muhammad Usman (<usmann75@hotmail.com>)

References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

Examples

data(MICS2014Ch)

Index

* datasets
MICS2014Ch, 2