

Package ‘dimRed’

July 22, 2025

Title A Framework for Dimensionality Reduction

Version 0.2.7

Description A collection of dimensionality reduction techniques from R packages and a common interface for calling the methods.

Depends R (>= 3.0.0), DRR

Imports magrittr, methods

Suggests NMF, MASS, Matrix, RANN, RSpectra, Rtsne, ccccd, coRanking, diffusionMap, energy, fastICA, ggplot2, graphics, igraph, keras, kernlab, knitr, optimx, pcaL1, pcaPP, reticulate, rgl, scales, scatterplot3d, stats, tensorflow, testthat, tidyr, tinytex, umap, vegan

VignetteBuilder knitr

License GPL-3 | file LICENSE

BugReports <https://github.com/gdkrmr/dimRed/issues>

URL <https://www.guido-kraemer.com/software/dimred/>

Encoding UTF-8

Collate 'autoencoder.R' 'misc.R' 'dimRedData-class.R' 'dataSets.R' 'dimRedMethod-class.R' 'dimRedResult-class.R' 'diffmap.R' 'dimRed.R' 'drr.R' 'embed.R' 'fastica.R' 'get_info.R' 'graph_embed.R' 'hlle.R' 'isomap.R' 'kpca.R' 'l1pca.R' 'leim.R' 'lle.R' 'loe.R' 'mds.R' 'mixColorSpaces.R' 'nmds.R' 'nnmf.R' 'pca.R' 'plot.R' 'quality.R' 'rotate.R' 'soe.R' 'tsne.R' 'umap.R'

RoxygenNote 7.3.2

Config/testthat/edition 3

NeedsCompilation yes

Author Guido Kraemer [aut, cre] (ORCID: <https://orcid.org/0000-0003-4865-5041>)

Maintainer Guido Kraemer <guido.kraemer@uni-leipzig.de>

Repository CRAN

Date/Publication 2025-04-23 15:00:02 UTC

Contents

dimRed-package	3
as.data.frame	4
as.dimRedData	4
AUC_lnK_R_NX,dimRedResult-method	5
cophenetic_correlation,dimRedResult-method	6
dataSets	6
DiffusionMaps-class	7
dimRedData-class	9
dimRedMethod-class	11
dimRedMethodList	12
dimRedResult-class	12
distance_correlation,dimRedResult-method	15
DrL-class	15
DRR-class	17
embed	19
FastICA-class	21
FruchtermanReingold-class	22
getData	23
getDimRedData	24
getMeta	24
getNDim	24
getOrgData	25
getOtherData	25
getPars	25
getRotationMatrix	26
HLLE-class	27
installSuggests	28
Isomap-class	29
KamadaKawai-class	30
kPCA-class	31
LCMC,dimRedResult-method	33
makeKNNgraph	33
maximize_correlation,dimRedResult-method	34
MDS-class	34
mean_R_NX,dimRedResult-method	36
mixColorRamps	36
ndims	37
nMDS-class	38
NNMF-class	39
PCA-class	40
PCA_L1-class	42
plot	43
plot_R_NX	45
print	46
quality,dimRedResult-method	46
Q_global,dimRedResult-method	48

Q_local,dimRedResult-method	49
Q_NX,dimRedResult-method	49
reconstruction_error,dimRedResult-method	50
reconstruction_rmse,dimRedResult-method	51
R_NX,dimRedResult-method	52
total_correlation,dimRedResult-method	52
tSNE-class	53
UMAP-class	54

Index	57
--------------	-----------

dimRed-package	<i>The dimRed package</i>
----------------	---------------------------

Description

This package simplifies dimensionality reduction in R by providing a framework of S4 classes and methods. dimRed collects dimensionality reduction methods that are implemented in R and implements others. It gives them a common interface and provides plotting functions for visualization and functions for quality assessment.

Funding provided by the Department for Biogeochemical Integration, Empirical Inference of the Earth System Group, at the Max Plack Institute for Biogeochemistry, Jena.

Author(s)

Maintainer: Guido Kraemer <guido.kraemer@uni-leipzig.de> ([ORCID](#))

References

Lee, J.A., Renard, E., Bernard, G., Dupont, P., Verleysen, M., 2013. Type 1 and 2 mixtures of Kullback-Leibler divergences as cost functions in dimensionality reduction based on similarity preservation. *Neurocomputing*. 112, 92-107. doi:10.1016/j.neucom.2012.12.036

Lee, J.A., Lee, J.A., Verleysen, M., 2008. Rank-based quality assessment of nonlinear dimensionality reduction. *Proceedings of ESANN 2008* 49-54.

Chen, L., Buja, A., 2006. Local Multidimensional Scaling for Nonlinear Dimension Reduction, Graph Layout and Proximity Analysis.

See Also

Useful links:

- <https://www.guido-kraemer.com/software/dimred/>
- Report bugs at <https://github.com/gdkrmr/dimRed/issues>

as.data.frame	<i>Converts to data.frame</i>
---------------	-------------------------------

Description

General conversions of objects created by dimRed to data.frame. See class documentations for details ([dimRedData](#), [dimRedResult](#)). For the documentation of this function in base package, see here: [as.data.frame.default](#).

Usage

```
as.data.frame(x, row.names, optional, ...)
```

Arguments

x	The object to be converted
row.names	unused in dimRed
optional	unused in dimRed
...	other arguments.

as.dimRedData	<i>Converts to dimRedData</i>
---------------	-------------------------------

Description

Conversion functions to dimRedData.

Usage

```
as.dimRedData(formula, ...)

## S4 method for signature 'formula'
as.dimRedData(formula, data)
```

Arguments

formula	The formula, left hand side is assigned to the meta slot right hand side is assigned to the data slot.
...	other arguments.
data	Will be coerced into a data.frame with as.data.frame

Methods (by class)

- as.dimRedData(formula): Convert a data.frame to a dimRedData object using a formula

See Also

Other dimRedData: [dimRedData-class](#)

Examples

```
## create a dimRedData object using a formula
as.dimRedData(Species ~ Sepal.Length + Sepal.Width + Petal.Length + Petal.Width,
              iris)[1:5]
```

AUC_InK_R_NX,dimRedResult-method

Method AUC_InK_R_NX

Description

Calculate the Area under the $R_{NX}(\ln K)$, used in Lee et. al. (2015). Note that despite the name, this does not weight the mean by the logarithm, but by $1/K$. If explicit weighting by the logarithm is desired use `weight = "log"` or `weight = "log10"`

Usage

```
## S4 method for signature 'dimRedResult'
AUC_InK_R_NX(object, weight = "inv")
```

Arguments

object	of class dimRedResult
weight	the weight function used, one of <code>c("inv", "log", "log10")</code>

Details

The naming confusion originated from equation 17 in Lee et al (2015) and the name of this method may change in the future to avoid confusion.

References

Lee, J.A., Peluffo-Ordóñez, D.H., Verleysen, M., 2015. Multi-scale similarities in stochastic neighbour embedding: Reducing dimensionality while preserving both local and global structure. *Neurocomputing* 169, 246-261. <https://doi.org/10.1016/j.neucom.2014.12.095>

See Also

Other Quality scores for dimensionality reduction: [LCMC,dimRedResult-method](#), [Q_NX,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [Q_local,dimRedResult-method](#), [R_NX,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [distance_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_error,dimRedResult-method](#), [reconstruction_rmse,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

`cophenetic_correlation`, `dimRedResult`-method
Method cophenetic_correlation

Description

Calculate the correlation between the distance matrices in high and low dimensional space.

Usage

```
## S4 method for signature 'dimRedResult'
cophenetic_correlation(object, d = stats::dist, cor_method = "pearson")
```

Arguments

<code>object</code>	of class <code>dimRedResult</code>
<code>d</code>	the distance function to use.
<code>cor_method</code>	The correlation method.

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX](#), [dimRedResult-method](#), [LCMC](#), [dimRedResult-method](#), [Q_NX](#), [dimRedResult-method](#), [Q_global](#), [dimRedResult-method](#), [Q_local](#), [dimRedResult-method](#), [R_NX](#), [dimRedResult-method](#), [distance_correlation](#), [dimRedResult-method](#), [mean_R_NX](#), [dimRedResult-method](#), [plot_R_NX\(\)](#), [quality](#), [dimRedResult-method](#), [reconstruction_error](#), [dimRedResult-method](#), [reconstruction_rmse](#), [dimRedResult-method](#), [total_correlation](#), [dimRedResult-method](#)

`dataSets` *Example Data Sets for dimensionality reduction*

Description

A compilation of standard data sets that are often being used to showcase dimensionality reduction techniques.

Usage

```
loadDataSet(name = dataSetList(), n = 2000, sigma = 0.05)

dataSetList()
```

Arguments

<code>name</code>	A character vector that specifies the name of the data set.
<code>n</code>	In generated data sets the number of points to be generated, else ignored.
<code>sigma</code>	In generated data sets the standard deviation of the noise added, else ignored.

Details

The argument name should be one of `dataSetList()`. Partial matching is possible, see [match.arg](#). Generated data sets contain the internal coordinates of the manifold in the meta slot. Call `dataSetList()` to see what data sets are available.

Value

`loadDataSet` an object of class `dimRedData`. `dataSetList()` return a character string with the implemented data sets

Examples

```
## a list of available data sets:
dataSetList()

## Load a data set:
swissRoll <- loadDataSet("Swiss Roll")

if(requireNamespace("scatterplot3d", quietly = TRUE))
  plot(swissRoll, type = "3vars")

## Load Iris data set, partial matching:
loadDataSet("I")
```

DiffusionMaps-class	<i>Diffusion Maps</i>
---------------------	-----------------------

Description

An S4 Class implementing Diffusion Maps

Details

Diffusion Maps uses a diffusion probability matrix to robustly approximate a manifold.

Slots

`fun` A function that does the embedding and returns a `dimRedResult` object.
`stdpars` The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

Diffusion Maps can take the following parameters:

d a function transforming a matrix row wise into a distance matrix or dist object, e.g. [dist](#).

ndim The number of dimensions

eps The epsilon parameter that determines the diffusion weight matrix from a distance matrix d , $\exp(-d^2/eps)$, if set to "auto" it will be set to the median distance to the 0.01*n nearest neighbor.

t Time-scale parameter. The recommended value, 0, uses multiscale geometry.

delta Sparsity cut-off for the symmetric graph Laplacian, a higher value results in more sparsity and faster calculation. The predefined value is 10^{-5} .

Implementation

Wraps around [diffuse](#), see there for details. It uses the notation of Richards et al. (2009) which is slightly different from the one in the original paper (Coifman and Lafon, 2006) and there is no α parameter. There is also an out-of-sample extension, see examples.

References

Richards, J.W., Freeman, P.E., Lee, A.B., Schafer, C.M., 2009. Exploiting Low-Dimensional Structure in Astronomical Spectra. *ApJ* 691, 32. doi:10.1088/0004-637X/691/1/32

Coifman, R.R., Lafon, S., 2006. Diffusion maps. *Applied and Computational Harmonic Analysis* 21, 5-30. doi:10.1016/j.acha.2006.04.006

See Also

Other dimensionality reduction methods: [DRR-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLL-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
if(requireNamespace("diffusionMap", quietly = TRUE)) {
  dat <- loadDataSet("3D S Curve", n = 300)
  emb <- embed(dat, "DiffusionMaps")

  plot(emb, type = "2vars")

  # predicting is possible:
  samp <- sample(floor(nrow(dat) / 10))
  emb2 <- embed(dat[samp])
  emb3 <- predict(emb2, dat[-samp])

  plot(emb2, type = "2vars")
  points(getData(emb3))
}
```

dimRedData-class	Class " <i>dimRedData</i> "
------------------	-----------------------------

Description

A class to hold data for dimensionality reduction and methods.

Usage

```
## S4 method for signature 'dimRedData'
as.data.frame(x, meta.prefix = "meta.", data.prefix = "")

## S4 method for signature 'dimRedData'
getData(object)

## S4 method for signature 'dimRedData'
getMeta(object)

## S4 method for signature 'dimRedData'
nrow(x)

## S4 method for signature 'dimRedData,ANY,ANY,ANY'
x[i]

## S4 method for signature 'dimRedData'
ndims(object)
```

Arguments

x	Of class dimRedData
meta.prefix	Prefix for the columns of the meta data names.
data.prefix	Prefix for the columns of the variable names.
object	Of class dimRedData.
i	a valid index for subsetting rows.

Details

The class has two slots, data and meta. The data slot contains a numeric matrix with variables in columns and observations in rows. The meta slot may contain a data.frame with additional information. Both slots need to have the same number of rows or the meta slot needs to contain an empty data.frame.

See examples for easy conversion from and to data.frame.

For plotting functions see [plot.dimRedData](#).

Methods (by generic)

- `as.data.frame(dimRedData)`: convert to data.frame
- `getData(dimRedData)`: Get the data slot.
- `getMeta(dimRedData)`: Get the meta slot.
- `nrow(dimRedData)`: Get the number of observations.
- `x[i]`: Subset rows.
- `ndims(dimRedData)`: Extract the number of Variables from the data.

Slots

`data` of class `matrix`, holds the data, observations in rows, variables in columns

`meta` of class `data.frame`, holds meta data such as classes, internal manifold coordinates, or simply additional data of the data set. Must have the same number of rows as the data slot or be an empty data frame.

See Also

Other dimRedData: [as.dimRedData\(\)](#)

Other dimRedData: [as.dimRedData\(\)](#)

Examples

```
## Load an example data set:
s3d <- loadDataSet("3D S Curve")

## Create using a constructor:

### without meta information:
dimRedData(iris[, 1:4])

### with meta information:
dimRedData(iris[, 1:4], iris[, 5])

### using slot names:
dimRedData(data = iris[, 1:4], meta = iris[, 5])

## Convert to a dimRedData objects:
Iris <- as(iris[, 1:4], "dimRedData")

## Convert to data.frame:
head(as(s3d, "data.frame"))
head(as.data.frame(s3d))
head(as.data.frame(as(iris[, 1:4], "dimRedData"))))

## Extract slots:
head(getData(s3d))
head(getMeta(s3d))

## Get the number of observations:
```

```

nrow(s3d)

## Subset:
s3d[1:5, ]

## Shuffle data:
s3 <- s3d[nrow(s3d)]

## Get the number of variables:
ndims(s3d)

```

dimRedMethod-class	<i>Class "dimRedMethod"</i>
--------------------	-----------------------------

Description

A virtual class "dimRedMethod" to serve as a template to implement methods for dimensionality reduction.

Details

Implementations of dimensionality reductions should inherit from this class.

The fun slot should be a function that takes three arguments

data An object of class [dimRedData](#).

pars A list with the standard parameters.

keep.org.data Logical. If the original data should be kept in the output.

and returns an object of class [dimRedResult](#).

The stdpars slot should take a list that contains standard parameters for the implemented methods.

This way the method can be called by `embed(data, "method-name", ...)`, where ... can be used to change single parameters.

Slots

fun A function that does the embedding.

stdpars A list with the default parameters for the fun slot.

requires A vector with all packages R packages that need to be installed to run the method. In some occasions a method may work without one of the packages. Does not include Python dependencies such as Tensorflow. Used to auto skip tests

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

dimRedMethodList	<i>dimRedMethodList</i>
------------------	-------------------------

Description

Get the names of all methods for dimensionality reduction.

Usage

dimRedMethodList(filter = FALSE)

Arguments

filter filter methods by methods that have their dependencies installed

Details

Returns the name of all classes that inherit from [dimRedMethod-class](#) to use with [embed](#).

Value

a character vector with the names of classes that inherit from dimRedMethod.

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

dimRedMethodList()

dimRedResult-class	<i>Class "dimRedResult"</i>
--------------------	-----------------------------

Description

A class to hold the results of of a dimensionality reduction.

Usage

```
## S4 method for signature 'dimRedResult'
predict(object, xnew)

## S4 method for signature 'dimRedResult'
inverse(object, ynew)

## S4 method for signature 'dimRedResult'
as.data.frame(
  x,
  org.data.prefix = "org.",
  meta.prefix = "meta.",
  data.prefix = ""
)

## S4 method for signature 'dimRedResult'
getPars(object)

## S4 method for signature 'dimRedResult'
getNDim(object)

## S4 method for signature 'dimRedResult'
print(x)

## S4 method for signature 'dimRedResult'
getOrgData(object)

## S4 method for signature 'dimRedResult'
getDimRedData(object)

## S4 method for signature 'dimRedResult'
ndims(object)

## S4 method for signature 'dimRedResult'
getOtherData(object)
```

Arguments

object	Of class dimRedResult
xnew	new data, of type dimRedData
ynew	embedded data, of type dimRedData
x	Of class dimRedResult
org.data.prefix	Prefix for the columns of the org.data slot.
meta.prefix	Prefix for the columns of x@data@meta.
data.prefix	Prefix for the columns of x@data@data.

Methods (by generic)

- `predict(dimRedResult)`: apply a trained method to new data, does not work with all methods, will give an error if there is no apply. In some cases the apply function may only be an approximation.
- `inverse(dimRedResult)`: inverse transformation of embedded data, does not work with all methods, will give an error if there is no inverse. In some cases the apply function may only be an approximation.
- `as.data.frame(dimRedResult)`: convert to `data.frame`
- `getPars(dimRedResult)`: Get the parameters with which the method was called.
- `getNDim(dimRedResult)`: Get the number of embedding dimensions.
- `print(dimRedResult)`: Method for printing.
- `getOrgData(dimRedResult)`: Get the original data and `meta.data`
- `getDimRedData(dimRedResult)`: Get the embedded data
- `ndims(dimRedResult)`: Extract the number of embedding dimensions.
- `getOtherData(dimRedResult)`: Get other data produced by the method

Slots

`data` Output data of class `dimRedData`.

`org.data` original data, a matrix.

`apply` a function to apply the method to out-of-sampled data, may not exist.

`inverse` a function to calculate the original coordinates from reduced space, may not exist.

`has.org.data` logical, if the original data is included in the object.

`has.apply` logical, if a forward method exists.

`has.inverse` logical if an inverse method exists.

`method` saves the method used.

`pars` saves the parameters used.

`other.data` other data produced by the method, e.g. a distance matrix.

Examples

```
## Create object by embedding data
iris.pca <- embed(loadDataSet("Iris"), "PCA")

## Convert the result to a data.frame
head(as(iris.pca, "data.frame"))
head(as.data.frame(iris.pca))

## There are no nameclashes to avoid here:
head(as.data.frame(iris.pca,
                   org.data.prefix = "",
                   meta.prefix     = "",
                   data.prefix      = ""))
```

```
## Print it more or less nicely:
print(iris.pca)

## Get the embedded data as a dimRedData object:
getDimRedData(iris.pca)

## Get the original data including meta information:
getOrgData(iris.pca)

## Get the number of variables:
ndims(iris.pca)
```

distance_correlation,dimRedResult-method
Method distance_correlation

Description

Calculate the distance correlation between the distance matrices in high and low dimensional space.

Usage

```
## S4 method for signature 'dimRedResult'
distance_correlation(object)
```

Arguments

object of class dimRedResult

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX,dimRedResult-method](#), [LCMC,dimRedResult-method](#), [Q_NX,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [Q_local,dimRedResult-method](#), [R_NX,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_error,dimRedResult-method](#), [reconstruction_rmse,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

DrL-class *Distributed Recursive Graph Layout*

Description

An S4 Class implementing Distributed recursive Graph Layout.

Details

DrL uses a complex algorithm to avoid local minima in the graph embedding which uses several steps.

Slots

fun A function that does the embedding and returns a `dimRedResult` object.

stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

DrL can take the following parameters:

ndim The number of dimensions, defaults to 2. Can only be 2 or 3

knn Reduce the graph to keep only the nearest neighbors. Defaults to 100.

d The distance function to determine the weights of the graph edges. Defaults to euclidean distances.

Implementation

Wraps around `layout_with_drl`. The parameters `maxiter`, `epsilon` and `kkconst` are set to the default values and cannot be set, this may change in a future release. The DimRed Package adds an extra sparsity parameter by constructing a knn graph which also may improve visualization quality.

References

Martin, S., Brown, W.M., Wylie, B.N., 2007. DrL: Distributed Recursive (graph) Layout (No. dRL; 002182MLTPL00). Sandia National Laboratories.

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
## Not run:
if(requireNamespace(c("igraph", "coRanking"), quietly = TRUE)) {

dat <- loadDataSet("Swiss Roll", n = 200)
```

```
emb <- embed(dat, "DrL")
plot(emb, type = "2vars")
}
```

```
## End(Not run)
```

DRR-class

Dimensionality Reduction via Regression

Description

An S4 Class implementing Dimensionality Reduction via Regression (DRR).

Details

DRR is a non-linear extension of PCA that uses Kernel Ridge regression.

Slots

fun A function that does the embedding and returns a `dimRedResult` object.

stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

DRR can take the following parameters:

ndim The number of dimensions

lambda The regularization parameter for the ridge regression.

kernel The kernel to use for KRR, defaults to "rbfdot".

kernel.pars A list with kernel parameters, elements depend on the kernel used, "rbfdot" uses "sigma".

pca logical, should an initial pca step be performed, defaults to TRUE.

pca.center logical, should the data be centered before the pca step. Defaults to TRUE.

pca.scale logical, should the data be scaled before the pca ste. Defaults to FALSE.

fastcv logical, should [fastCV](#) from the CVST package be used instead of normal cross-validation.

fastcv.test If `fastcv = TRUE`, separate test data set for fastcv.

cv.folds if `fastcv = FALSE`, specifies the number of folds for crossvalidation.

fastkrr.nblocks integer, higher values sacrifice numerical accuracy for speed and less memory, see below for details.

verbose logical, should the cross-validation results be printed out.

Implementation

Wraps around [drr](#), see there for details. DRR is a non-linear extension of principal components analysis using Kernel Ridge Regression (KRR, details see [constructKRRLearner](#) and [constructFastKRRLearner](#)). Non-linear regression is used to explain more variance than PCA. DRR provides an out-of-sample extension and a backward projection.

The most expensive computations are matrix inversions therefore the implementation profits a lot from a multithreaded BLAS library. The best parameters for each KRR are determined by cross-validation over all parameter combinations of `lambda` and `kernel.pars`, using less parameter values will speed up computation time. Calculation of KRR can be accelerated by increasing `fastkrr.nblocks`, it should be smaller than $n^{1/3}$ up to sacrificing some accuracy, for details see [constructFastKRRLearner](#). Another way to speed up is to use `pars$fastcv = TRUE` which might provide a more efficient way to search the parameter space but may also miss the global maximum, I have not ran tests on the accuracy of this method.

References

Laparra, V., Malo, J., Camps-Valls, G., 2015. Dimensionality Reduction via Regression in Hyper-spectral Imagery. IEEE Journal of Selected Topics in Signal Processing 9, 1026-1036. doi:10.1109/JSTSP.2015.2417833

See Also

Other dimensionality reduction methods: [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
## Not run:
if(requireNamespace(c("kernlab", "DRR"), quietly = TRUE)) {

  dat <- loadDataSet("variable Noise Helix", n = 200)[sample(200)]

  emb <- embed(dat, "DRR", ndim = 3)

  plot(dat, type = "3vars")
  plot(emb, type = "3vars")

  # We even have function to reconstruct, also working for only the first few dimensions
  rec <- inverse(emb, getData(getDimRedData(emb))[, 1, drop = FALSE])
  plot(rec, type = "3vars")
}
```

```
## End(Not run)
```

embed

dispatches the different methods for dimensionality reduction

Description

wraps around all dimensionality reduction functions.

Usage

```
embed(.data, ...)  
  
## S4 method for signature 'formula'  
embed(  
  .formula,  
  .data,  
  .method = dimRedMethodList(),  
  .mute = character(0),  
  .keep.org.data = TRUE,  
  ...  
)  
  
## S4 method for signature 'ANY'  
embed(  
  .data,  
  .method = dimRedMethodList(),  
  .mute = character(0),  
  .keep.org.data = TRUE,  
  ...  
)  
  
## S4 method for signature 'dimRedData'  
embed(  
  .data,  
  .method = dimRedMethodList(),  
  .mute = character(0),  
  .keep.org.data = TRUE,  
  ...  
)
```

Arguments

<code>.data</code>	object of class <code>dimRedData</code> , will be converted to be of class <code>dimRedData</code> if necessary; see examples for details.
--------------------	--

... the parameters, internally passed as a list to the dimensionality reduction method as `pars = list(...)`

`.formula` a formula, see [as.dimRedData](#).

`.method` character vector naming one of the dimensionality reduction techniques.

`.mute` a character vector containing the elements you want to mute (`c("message", "output")`), defaults to `character(0)`.

`.keep.org.data` TRUE/FALSE keep the original data.

Details

Method must be one of `dimRedMethodList()`, partial matching is performed. All parameters start with a dot, to avoid clashes with partial argument matching (see the R manual section 4.3.2), if there should ever occur any clashes in the arguments, call the function with all arguments named, e.g. `embed(.data = dat, .method = "mymethod", .d = "some parameter")`.

Value

an object of class `dimRedResult`

Methods (by class)

- `embed(formula)`: embed a data.frame using a formula.
- `embed(ANY)`: Embed anything as long as it can be coerced to `dimRedData`.
- `embed(dimRedData)`: Embed a `dimRedData` object

Examples

```
## embed a data.frame using a formula:
as.data.frame(
  embed(Sepal.Length ~ Sepal.Width + Petal.Length + Petal.Width,
        iris, "PCA")
)

## embed a data.frame and return a data.frame
as.data.frame(embed(iris[, 1:4], "PCA"))

## embed a matrix and return a data.frame
as.data.frame(embed(as.matrix(iris[, 1:4]), "PCA"))

## Not run:
## embed dimRedData objects
embed_methods <- dimRedMethodList()
quality_methods <- dimRedQualityList()
dataset <- loadDataSet("Iris")

quality_results <- matrix(NA, length(embed_methods), length(quality_methods),
                          dimnames = list(embed_methods, quality_methods))
embedded_data <- list()
```

```

for (e in embed_methods) {
  message("embedding: ", e)
  embedded_data[[e]] <- embed(dataset, e, .mute = c("message", "output"))
  for (q in quality_methods) {
    message("  quality: ", q)
    quality_results[e, q] <- tryCatch(
      quality(embedded_data[[e]], q),
      error = function(e) NA
    )
  }
}

print(quality_results)

## End(Not run)

```

FastICA-class

*Independent Component Analysis***Description**

An S4 Class implementing the FastICA algorithm for Independent Component Analysis.

Details

ICA is used for blind signal separation of different sources. It is a linear Projection.

Slots

`fun` A function that does the embedding and returns a `dimRedResult` object.

`stdpars` The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

FastICA can take the following parameters:

ndim The number of output dimensions. Defaults to 2

Implementation

Wraps around [fastICA](#). FastICA uses a very fast approximation for negentropy to estimate statistical independences between signals. Because it is a simple rotation/projection, forward and backward functions can be given.

References

Hyvarinen, A., 1999. Fast and robust fixed-point algorithms for independent component analysis. IEEE Transactions on Neural Networks 10, 626-634. <https://doi.org/10.1109/72.761722>

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
if(requireNamespace("fastICA", quietly = TRUE)) {

  dat <- loadDataSet("3D S Curve")
  emb <- embed(dat, "FastICA", ndim = 2)
  plot(getData(getDimRedData(emb)))

}
```

FruchtermanReingold-class

Fruchterman Reingold Graph Layout

Description

An S4 Class implementing the Fruchterman Reingold Graph Layout algorithm.

Slots

fun A function that does the embedding and returns a dimRedResult object.
stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the @fun() slot, or the method name be passed to the embed function and parameters can be given to the ..., in which case missing parameters will be replaced by the ones in the @stdpars.

Parameters

ndim The number of dimensions, defaults to 2. Can only be 2 or 3
knn Reduce the graph to keep only the nearest neighbors. Defaults to 100.
d The distance function to determine the weights of the graph edges. Defaults to euclidean distances.

Implementation

Wraps around [layout_with_fr](#), see there for details. The Fruchterman Reingold algorithm puts the data into a circle and puts connected points close to each other.

References

Fruchterman, T.M.J., Reingold, E.M., 1991. Graph drawing by force-directed placement. *Softw: Pract. Exper.* 21, 1129-1164. <https://doi.org/10.1002/spe.4380211102>

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
if(requireNamespace(c("igraph", "coRanking"), quietly = TRUE)) {

  dat <- loadDataSet("Swiss Roll", n = 100)
  emb <- embed(dat, "FruchtermanReingold")
  plot(emb, type = "2vars")

}
```

getData

Method getData

Description

Extracts the data slot.

Usage

```
getData(object)
```

Arguments

object The object to be converted.

getDimRedData	<i>Method getDimRedData</i>
---------------	-----------------------------

Description

Extract dimRedData.

Usage

```
getDimRedData(object, ...)
```

Arguments

object	The object to extract data from.
...	other arguments.

getMeta	<i>Method getMeta</i>
---------	-----------------------

Description

Extracts the meta slot.

Usage

```
getMeta(object, ...)
```

Arguments

object	The object to be converted.
...	other arguments.

getNDim	<i>Method getNDim</i>
---------	-----------------------

Description

Extract the number of embedding dimensions.

Usage

```
getNDim(object, ...)
```

Arguments

object	The object to get the dimensions from.
...	other arguments.

getOrgData	<i>Method getOrgData</i>
------------	--------------------------

Description

Extract the Original data.

Usage

```
getOrgData(object, ...)
```

Arguments

object	The object to extract data from.
...	other arguments.

getOtherData	<i>Method getOtherData</i>
--------------	----------------------------

Description

Extract other data produced by a dimRedMethod

Usage

```
getOtherData(object, ...)
```

Arguments

object	The object to extract data from.
...	other arguments.

getPars	<i>Method getPars</i>
---------	-----------------------

Description

Extracts the pars slot.

Usage

```
getPars(object, ...)
```

Arguments

object	The object to be converted.
...	other arguments.

getRotationMatrix	<i>getRotationMatrix</i>
-------------------	--------------------------

Description

Extract the rotation matrix from `dimRedResult` objects derived from PCA and FastICA

Usage

```
getRotationMatrix(x)
```

Arguments

`x` of type `dimRedResult`

Details

The data has to be pre-processed the same way as the method does, e.g. centering and/or scaling.

Value

a matrix

Examples

```
dat <- loadDataSet("Iris")

pca <- embed(dat, "PCA")
rot_pca <- getRotationMatrix(pca)
scale(getData(dat), TRUE, FALSE) %*% rot_pca - getData(getDimRedData(pca))

if(requireNamespace("fastICA", quietly = TRUE)) {
  ica <- embed(dat, "FastICA")
  rot_ica <- getRotationMatrix(ica)
  scale(getData(dat), TRUE, FALSE) %*% rot_ica - getData(getDimRedData(ica))
}
```

HLLE-class

*Hessian Locally Linear Embedding***Description**

An S4 Class implementing Hessian Locally Linear Embedding (HLLE)

Details

HLLE uses local Hessians to approximate the curvatures and is an extension to non-convex subsets in low-dimensional space.

Slots

`fun` A function that does the embedding and returns a `dimRedResult` object.

`stdpars` The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

HLLE can take the following parameters:

knn neighborhood size

ndim number of output dimensions

Implementation

Own implementation, sticks to the algorithm in Donoho and Grimes (2003). Makes use of sparsity to speed up final embedding.

References

Donoho, D.L., Grimes, C., 2003. Hessian eigenmaps: Locally linear embedding techniques for high-dimensional data. PNAS 100, 5591-5596. doi:10.1073/pnas.1031596100

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```

if(requireNamespace(c("RSpectra", "Matrix", "RANN"), quietly = TRUE)) {

  dat <- loadDataSet("3D S Curve", n = 300)
  emb <- embed(dat, "HLL", knn = 15)
  plot(emb, type = "2vars")

}

```

installSuggests	<i>getSuggests</i>
-----------------	--------------------

Description

Install packages which are suggested by dimRed.

Usage

```
installSuggests(...)
```

Arguments

... additional options passed to install.packages.

Details

By default dimRed will not install all the dependencies, because there are quite a lot and in case some of them are not available for your platform you will not be able to install dimRed without problems.

To solve this I provide a function which automatically installs all the suggested packages.

Examples

```

## Not run:
installSuggests()

## End(Not run)

```

Isomap-class

*Isomap embedding***Description**

An S4 Class implementing the Isomap Algorithm

Details

The Isomap algorithm approximates a manifold using geodesic distances on a k nearest neighbor graph. Then classical scaling is performed on the resulting distance matrix.

Slots

`fun` A function that does the embedding and returns a `dimRedResult` object.

`stdpars` The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

Isomap can take the following parameters:

knn The number of nearest neighbors in the graph. Defaults to 50.

ndim The number of embedding dimensions, defaults to 2.

get_geod Should the geodesic distance matrix be kept, if TRUE, access it as `getOtherData(x)$geod`

Implementation

The `dimRed` package uses its own implementation of Isomap which also comes with an out of sample extension (known as landmark Isomap). The default Isomap algorithm scales computationally not very well, the implementation here uses [nn2](#) for a faster search of the nearest neighbors. If data are too large it may be useful to fit a subsample of the data and use the out-of-sample extension for the other points.

References

Tenenbaum, J.B., Silva, V. de, Langford, J.C., 2000. A Global Geometric Framework for Nonlinear Dimensionality Reduction. *Science* 290, 2319-2323. <https://doi.org/10.1126/science.290.5500.2319>

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
if(requireNamespace(c("RSpectra", "igraph", "RANN"), quietly = TRUE)) {

  dat <- loadDataSet("3D S Curve", n = 500)
  emb <- embed(dat, "Isomap", knn = 10)
  plot(emb)

  ## or simpler, use embed():
  samp <- sample(nrow(dat), size = 200)
  emb2 <- embed(dat[samp], "Isomap", .mute = NULL, knn = 10)
  emb3 <- predict(emb2, dat[-samp])

  plot(emb2, type = "2vars")
  plot(emb3, type = "2vars")

}
```

KamadaKawai-class

Graph Embedding via the Kamada Kawai Algorithm

Description

An S4 Class implementing the Kamada Kawai Algorithm for graph embedding.

Details

Graph embedding algorithms see the data as a graph. Between the nodes of the graph exist attracting and repelling forces which can be modeled as electrical fields or springs connecting the nodes. The graph is then forced into a lower dimensional representation that tries to represent the forces between the nodes accurately by minimizing the total energy of the attracting and repelling forces.

Slots

`fun` A function that does the embedding and returns a `dimRedResult` object.

`stdpars` The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

KamadaKawai can take the following parameters:

ndim The number of dimensions, defaults to 2. Can only be 2 or 3

knn Reduce the graph to keep only the nearest neighbors. Defaults to 100.

d The distance function to determine the weights of the graph edges. Defaults to euclidean distances.

Implementation

Wraps around [layout_with_kk](#). The parameters maxiter, epsilon and kkconst are set to the default values and cannot be set, this may change in a future release. The DimRed Package adds an extra sparsity parameter by constructing a knn graph which also may improve visualization quality.

References

Kamada, T., Kawai, S., 1989. An algorithm for drawing general undirected graphs. Information Processing Letters 31, 7-15. [https://doi.org/10.1016/0020-0190\(89\)90102-6](https://doi.org/10.1016/0020-0190(89)90102-6)

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLE-class](#), [Isomap-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
if(requireNamespace(c("igraph", "coRanking"), quietly = TRUE)) {

  dat <- loadDataSet("Swiss Roll", n = 200)
  emb <- embed(dat, "KamadaKawai")
  plot(emb, type = "2vars")

}
```

kPCA-class

Kernel PCA

Description

An S4 Class implementing Kernel PCA

Details

Kernel PCA is a nonlinear extension of PCA using kernel methods.

Slots

fun A function that does the embedding and returns a `dimRedResult` object.
stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

Kernel PCA can take the following parameters:

ndim the number of output dimensions, defaults to 2
kernel The kernel function, either as a function or a character vector with the name of the kernel.
 Defaults to "rbfdot"
kpar A list with the parameters for the kernel function, defaults to `list(sigma = 0.1)`

The most comprehensive collection of kernel functions can be found in [kpca](#). In case the function does not take any parameters `kpar` has to be an empty list.

Implementation

Wraps around [kpca](#), but provides additionally forward and backward projections.

References

Schölkopf, B., Smola, A., Müller, K.-R., 1998. Nonlinear Component Analysis as a Kernel Eigenvalue Problem. *Neural Computation* 10, 1299-1319. <https://doi.org/10.1162/089976698300017467>

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
## Not run:
if(requireNamespace("kernlab", quietly = TRUE)) {

  dat <- loadDataSet("3D S Curve")
  emb <- embed(dat, "kPCA")
  plot(emb, type = "2vars")
}

## End(Not run)
```

LCMC,dimRedResult-method
Method LCMC

Description

Calculates the Local Continuity Meta Criterion, which is [Q_NX](#) adjusted for random overlap inside the K-ary neighborhood.

Usage

```
## S4 method for signature 'dimRedResult'
LCMC(object)
```

Arguments

object of class dimRedResult

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX,dimRedResult-method](#), [Q_NX,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [Q_local,dimRedResult-method](#), [R_NX,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [distance_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_error,dimRedResult-method](#), [reconstruction_rmse,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

makeKNNgraph *makeKNNgraph*

Description

Create a K-nearest neighbor graph from data x. Uses [nn2](#) as a fast way to find the nearest neighbors.

Usage

```
makeKNNgraph(x, k, eps = 0, diag = FALSE)
```

Arguments

x data, a matrix, observations in rows, dimensions in columns
k the number of nearest neighbors.
eps number, if eps > 0 the KNN search is approximate, see [nn2](#)
diag logical, if TRUE every edge of the returned graph will have an edge with weight 0 to itself.

Value

an object of type `igraph` with edge weight being the distances.

`maximize_correlation`, `dimRedResult`-method
Maximize Correlation with the Axes

Description

Rotates the data in such a way that the correlation with the first `naxes` axes is maximized.

Usage

```
## S4 method for signature 'dimRedResult'
maximize_correlation(
  object,
  naxes = ncol(object@data@data),
  cor_method = "pearson"
)
```

Arguments

<code>object</code>	A <code>dimRedResult</code> object
<code>naxes</code>	the number of axes to optimize for.
<code>cor_method</code>	which correlation method to use

Details

Methods that do not use eigenvector decomposition, like t-SNE often do not align the data with axes according to the correlation of variables with the data. `maximize_correlation` uses the `optimx` package to rotate the data in such a way that the original variables have maximum correlation with the embedding axes.

MDS-class	<i>Metric Dimensional Scaling</i>
-----------	-----------------------------------

Description

An S4 Class implementing classical scaling (MDS).

Details

MDS tries to maintain distances in high- and low-dimensional space, it has the advantage over PCA that arbitrary distance functions can be used, but it is computationally more demanding.

Slots

fun A function that does the embedding and returns a `dimRedResult` object.

stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

MDS can take the following parameters:

ndim The number of dimensions.

d The function to calculate the distance matrix from the input coordinates, defaults to euclidean distances.

Implementation

Wraps around [cmdscale](#). The implementation also provides an out-of-sample extension which is not completely optimized yet.

References

Torgerson, W.S., 1952. Multidimensional scaling: I. Theory and method. *Psychometrika* 17, 401-419. <https://doi.org/10.1007/BF02288916>

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
## Not run:
dat <- loadDataSet("3D S Curve")
emb <- embed(dat, "MDS")
plot(emb, type = "2vars")

# a "manual" kPCA:
emb2 <- embed(dat, "MDS", d = function(x) exp(stats::dist(x)))
plot(emb2, type = "2vars")

# a "manual", more customizable, and slower Isomap:
emb3 <- embed(dat, "MDS", d = function(x) vegan::isomapdist(vegan::vegdist(x, "manhattan"), k = 20))
plot(emb3)
```

```
## End(Not run)
```

```
mean_R_NX, dimRedResult-method
```

Method mean_R_NX

Description

Calculate the mean_R_NX score to assess the quality of a dimensionality reduction.

Usage

```
## S4 method for signature 'dimRedResult'
mean_R_NX(object)
```

Arguments

object of class dimRedResult

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX, dimRedResult-method](#), [LCMC, dimRedResult-method](#), [Q_NX, dimRedResult-method](#), [Q_global, dimRedResult-method](#), [Q_local, dimRedResult-method](#), [R_NX, dimRedResult-method](#), [cophenetic_correlation, dimRedResult-method](#), [distance_correlation, dimRedResult-method](#), [plot_R_NX\(\)](#), [quality, dimRedResult-method](#), [reconstruction_error, dimRedResult-method](#), [reconstruction_rmse, dimRedResult-method](#), [total_correlation, dimRedResult-method](#)

```
mixColorRamps                      Mixing color ramps
```

Description

mix different color ramps

Usage

```
mixColorRamps(vars, ramps)

mixColor1Ramps(vars, ramps = colorRamp(c("blue", "black", "red")))

mixColor2Ramps(
  vars,
  ramps = list(colorRamp(c("blue", "green")), colorRamp(c("blue", "red")))
)
```

```

mixColor3Ramps(
  vars,
  ramps = list(colorRamp(c("#001A00", "#00E600")), colorRamp(c("#00001A", "#0000E6")),
    colorRamp(c("#1A0000", "#E60000")))
)

```

Arguments

vars a list of variables

ramps a list of color ramps, one for each variable.

Details

automatically create colors to represent a varying number of dimensions.

Examples

```

cols <- expand.grid(x = seq(0, 1, length.out = 10),
  y = seq(0, 1, length.out = 10),
  z = seq(0, 1, length.out = 10))
mixed <- mixColor3Ramps(cols)

## Not run:
if(requireNamespace("rgl", quietly = TRUE)) {
  rgl::plot3d(cols$x, cols$y, cols$z, col = mixed, pch = 15)
}

cols <- expand.grid(x = seq(0, 1, length.out = 10),
  y = seq(0, 1, length.out = 10))
mixed <- mixColor2Ramps(cols)

if(requireNamespace("graphics", quietly = TRUE)) {
  plot(cols$x, cols$y, col = mixed, pch = 15)
}

## End(Not run)

```

ndims

Method ndims

Description

Extract the number of dimensions.

Usage

```
ndims(object, ...)
```

Arguments

object To extract the number of dimensions from.
 ... Arguments for further methods

nMDS-class

Non-Metric Dimensional Scaling

Description

An S4 Class implementing Non-Metric Dimensional Scaling.

Details

A non-linear extension of MDS using monotonic regression

Slots

fun A function that does the embedding and returns a dimRedResult object.
 stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the @fun() slot, or the method name be passed to the embed function and parameters can be given to the ..., in which case missing parameters will be replaced by the ones in the @stdpars.

Parameters

nMDS can take the following parameters:

d A distance function.

ndim The number of embedding dimensions.

Implementation

Wraps around the [monoMDS](#). For parameters that are not available here, the standard configuration is used.

References

Kruskal, J.B., 1964. Nonmetric multidimensional scaling: A numerical method. Psychometrika 29, 115-129. <https://doi.org/10.1007/BF02289694>

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [tSNE-class](#)

Examples

```
if(requireNamespace("vegan", quietly = TRUE)) {

  dat <- loadDataSet("3D S Curve", n = 300)
  emb <- embed(dat, "nMDS")
  plot(emb, type = "2vars")

}
```

NNMF-class

*Non-Negative Matrix Factorization***Description**

S4 Class implementing NNMF.

Details

NNMF is a method for decomposing a matrix into a smaller dimension such that the constraint that the data (and the projection) are not negative is taken into account.

Slots

fun A function that does the embedding and returns a `dimRedResult` object.

stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

The method can take the following parameters:

ndim The number of output dimensions.

method character, which algorithm should be used. See [nmf](#) for possible values. Defaults to "brunet"

nrun integer, the number of times the computations are conducted. See [nmf](#)

seed integer, a value to control the random numbers used.

options named list, other options to pass to [nmf](#)

Implementation

Wraps around [nmf](#). Note that the estimation uses random numbers. To create reproducible results, set the random number seed in the function call. Also, in many cases, the computations will be conducted in parallel using multiple cores. To disable this, use the option `.pbackend = NULL`.

References

Lee, D.D., Seung, H.S., 1999. Learning the parts of objects by non-negative matrix factorization. Nature 401, 788-791. <https://doi.org/10.1038/44565>

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
if(requireNamespace(c("NNMF", "MASS"), quietly = TRUE)) {

  set.seed(4646)
  dat <- loadDataSet("Iris")
  emb <- embed(dat, "NNMF")

  plot(emb)

  # project new values:
  nn_proj <- predict(emb, dat[1:7])
  plot(nn_proj)

}
```

PCA-class

Principal Component Analysis

Description

S4 Class implementing PCA.

Details

PCA transforms the data in orthogonal components so that the first axis accounts for the largest variance in the data, all the following axes account for the highest variance under the constraint that they are orthogonal to the preceding axes. PCA is sensitive to the scaling of the variables. PCA is by far the fastest and simplest method of dimensionality reduction and should probably always be applied as a baseline if other methods are tested.

Slots

fun A function that does the embedding and returns a `dimRedResult` object.

stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

PCA can take the following parameters:

ndim The number of output dimensions.

center logical, should the data be centered, defaults to TRUE.

scale. logical, should the data be scaled, defaults to FALSE.

Implementation

Wraps around [prcomp](#). Because PCA can be reduced to a simple rotation, forward and backward projection functions are supplied.

References

Pearson, K., 1901. On lines and planes of closest fit to systems of points in space. *Philosophical Magazine* 2, 559-572.

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
dat <- loadDataSet("Iris")
emb <- embed(dat, "PCA")

plot(emb, type = "2vars")
if(requireNamespace("scatterplot3d", quietly = TRUE))
  plot(inverse(emb, getDimRedData(emb)), type = "3vars")
```

PCA_L1-class

Principal Component Analysis with L1 error.

Description

S4 Class implementing PCA with L1 error.

Details

PCA transforms the data so that the L2 reconstruction error is minimized or the variance of the projected data is maximized. This is sensitive to outliers, L1 PCA minimizes the L1 reconstruction error or maximizes the sum of the L1 norm of the projected observations.

Slots

fun A function that does the embedding and returns a dimRedResult object.
stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the @fun() slot, or the method name be passed to the embed function and parameters can be given to the ..., in which case missing parameters will be replaced by the ones in the @stdpars.

Parameters

PCA can take the following parameters:

ndim The number of output dimensions.

center logical, should the data be centered, defaults to TRUE.

scale. logical, should the data be scaled, defaults to FALSE.

fun character or function, the method to apply, see the pcaL1 package

... other parameters for fun

Implementation

Wraps around the different methods is the pcaL1 package. Because PCA can be reduced to a simple rotation, forward and backward projection functions are supplied.

References

Park, Y.W., Klabjan, D., 2016. Iteratively Reweighted Least Squares Algorithms for L1-Norm Principal Component Analysis, in: Data Mining (ICDM), 2016 IEEE 16th International Conference On. IEEE, pp. 430-438.

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
if(requireNamespace("pcaL1", quietly = TRUE)) {

  dat <- loadDataSet("Iris")
  emb <- embed(dat, "PCA_L1")

  plot(emb, type = "2vars")
  plot(inverse(emb, getData(getDimRedData((emb)))), type = "3vars")

}
```

plot

Plotting of dimRed objects*

Description

Plots a object of class `dimRedResult` and `dimRedData`. For the documentation of the plotting function in base see here: [plot.default](#).

Usage

```
plot(x, y, ...)

## S4 method for signature 'dimRedData,ANY'
plot(
  x,
  type = "pairs",
  vars = seq_len(ncol(x@data)),
  col = seq_len(min(3, ncol(x@meta))),
  ...
)

## S4 method for signature 'dimRedResult,ANY'
plot(
```

```

x,
type = "pairs",
vars = seq_len(ncol(x@data@data)),
col = seq_len(min(3, ncol(x@data@meta))),
...
)

```

Arguments

<code>x</code>	dimRedResult/dimRedData class, e.g. output of <code>embedded/loadDataSet</code>
<code>y</code>	Ignored
<code>...</code>	handed over to the underlying plotting function.
<code>type</code>	plot type, one of <code>c("pairs", "parpl", "2vars", "3vars", "3varsrgl")</code>
<code>vars</code>	the axes of the embedding to use for plotting
<code>col</code>	the columns of the meta slot to use for coloring, can be referenced as the column names or number of <code>x@data</code>

Details

Plotting functions for the classes used in `dimRed`. they are intended to give a quick overview over the results, so they are somewhat inflexible, e.g. it is hard to modify color scales or plotting parameters.

If you require more control over plotting, it is better to convert the object to a `data.frame` first and use the standard functions for plotting.

Methods (by class)

- `plot(x = dimRedData, y = ANY)`: Plotting of `dimRedData` objects
- `plot(x = dimRedResult, y = ANY)`: Plotting of `dimRedResult` objects.

Examples

```

scurve = loadDataSet("3D S Curve")
if(requireNamespace("graphics", quietly = TRUE))
  plot(scurve, type = "pairs", main = "pairs plot of S curve")
if(requireNamespace("MASS", quietly = TRUE))
  plot(scurve, type = "parpl")
if(requireNamespace("graphics", quietly = TRUE))
  plot(scurve, type = "2vars", vars = c("y", "z"))
if(requireNamespace("scatterplot3d", quietly = TRUE))
  plot(scurve, type = "3vars")
if(requireNamespace("rgl", quietly = TRUE))
  plot(scurve, type = "3varsrgl")

```

plot_R_NX

plot_R_NX

Description

Plot the R_NX curve for different embeddings. Takes a list of [dimRedResult](#) objects as input. Also the Area under the curve values are computed for a weighted K (see [AUC_InK_R_NX](#) for details) and appear in the legend.

Usage

```
plot_R_NX(x, ndim = NA, weight = "inv")
```

Arguments

x	a list of dimRedResult objects. The names of the list will appear in the legend with the AUC_InK value.
ndim	the number of dimensions, if NA the original number of embedding dimensions is used, can be a vector giving the embedding dimensionality for each single list element of x.
weight	the weight function used for K when calculating the AUC, one of c("inv", "log", "log10")

Value

A ggplot object, the design can be changed by appending `theme(...)`

See Also

Other Quality scores for dimensionality reduction: [AUC_InK_R_NX](#), [dimRedResult-method](#), [LCMC](#), [dimRedResult-method](#), [Q_NX](#), [dimRedResult-method](#), [Q_global](#), [dimRedResult-method](#), [Q_local](#), [dimRedResult-method](#), [R_NX](#), [dimRedResult-method](#), [cophenetic_correlation](#), [dimRedResult-method](#), [distance_correlation](#), [dimRedResult-method](#), [mean_R_NX](#), [dimRedResult-method](#), [quality](#), [dimRedResult-method](#), [reconstruction_error](#), [dimRedResult-method](#), [reconstruction_rmse](#), [dimRedResult-method](#), [total_correlation](#), [dimRedResult-method](#)

Examples

```
if(requireNamespace(c("RSpectra", "igraph", "RANN", "ggplot2", "tidyr", "scales"), quietly = TRUE)) {
  ## define which methods to apply
  embed_methods <- c("Isomap", "PCA")
  ## load test data set
  data_set <- loadDataSet("3D S Curve", n = 200)
  ## apply dimensionality reduction
  data_emb <- lapply(embed_methods, function(x) embed(data_set, x))
  names(data_emb) <- embed_methods
  ## plot the R_NX curves:
  plot_R_NX(data_emb) +
    ggplot2::theme(legend.title = ggplot2::element_blank(),
```

```
    legend.position = c(0.5, 0.1),
    legend.justification = c(0.5, 0.1))
}
```

print	<i>Method print</i>
-------	---------------------

Description

Imports the print method into the package namespace.

Usage

```
print(x, ...)
```

Arguments

- x The object to be printed.
- ... Other arguments for printing.

quality,dimRedResult-method
<i>Quality Criteria for dimensionality reduction.</i>

Description

A collection of functions to compute quality measures on `dimRedResult` objects.

Usage

```
## S4 method for signature 'dimRedResult'
quality(.data, .method = dimRedQualityList(), .mute = character(0), ...)

dimRedQualityList(filter = FALSE)
```

Arguments

- .data object of class `dimRedResult`
- .method character vector naming one of the methods
- .mute what output from the embedding method should be muted.
- ... the parameters, internally passed as a list to the quality method as `pars = list(...)`
- filter filter methods by installed packages

Value

a number

Methods (by class)

- `quality(dimRedResult)`: Calculate a quality index from a `dimRedResult` object.

Implemented methods

Method must be one of `"Q_local"`, `"Q_global"`, `"mean_R_NX"`, `"total_correlation"`, `"cophenetic_correlation"`, `"distance_correlation"`, `"reconstruction_rmse"`

Rank based criteria

`Q_local`, `Q_global`, and `mean_R_NX` are quality criteria based on the Co-ranking matrix. `Q_local` and `Q_global` determine the local/global quality of the embedding, while `mean_R_NX` determines the quality of the overall embedding. They are parameter free and return a single number. The object must include the original data. The number returns is in the range [0, 1], higher values mean a better local/global embedding.

Correlation based criteria

`total_correlation` calculates the sum of the mean squared correlations of the original axes with the axes in reduced dimensions, because some methods do not care about correlations with axes, there is an option to rotate data in reduced space to maximize this criterium. The number may be greater than one if more dimensions are summed up.

`cophenetic_correlation` calculate the correlation between the lower triangles of distance matrices, the correlation and distance methods may be specified. The result is in range [-1, 1].

`distance_correlation` measures the independes of samples by calculating the correlation of distances. For details see [dcor](#).

Reconstruction error

`reconstruction_rmse` calculates the root mean squared error of the reconstrucion. object requires an inverse function.

Author(s)

Guido Kraemer

References

- Lueks, W., Mokbel, B., Biehl, M., Hammer, B., 2011. How to Evaluate Dimensionality Reduction? - Improving the Co-ranking Matrix. arXiv:1110.3917 [cs].
- Szekely, G.J., Rizzo, M.L., Bakirov, N.K., 2007. Measuring and testing dependence by correlation of distances. Ann. Statist. 35, 2769-2794. doi:10.1214/009053607000000505
- Lee, J.A., Peluffo-Ordóñez, D.H., Verleysen, M., 2015. Multi-scale similarities in stochastic neighbour embedding: Reducing dimensionality while preserving both local and global structure. Neurocomputing, 169, 246-261. doi:10.1016/j.neucom.2014.12.095

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX, dimRedResult-method](#), [LCMC, dimRedResult-method](#), [Q_NX, dimRedResult-method](#), [Q_global, dimRedResult-method](#), [Q_local, dimRedResult-method](#), [R_NX, dimRedResult-method](#), [cophenetic_correlation, dimRedResult-method](#), [distance_correlation, dimRedResult-method](#), [mean_R_NX, dimRedResult-method](#), [plot_R_NX\(\)](#), [reconstruction_error, dimRedResult-method](#), [reconstruction_rmse, dimRedResult-method](#), [total_correlation, dimRedResult-method](#)

Examples

```
## Not run:
embed_methods <- dimRedMethodList()
quality_methods <- dimRedQualityList()
scurve <- loadDataSet("Iris")

quality_results <- matrix(NA, length(embed_methods), length(quality_methods),
                          dimnames = list(embed_methods, quality_methods))
embedded_data <- list()

for (e in embed_methods) {
  message("embedding: ", e)
  embedded_data[[e]] <- embed(scurve, e, .mute = c("message", "output"))
  for (q in quality_methods) {
    message("  quality: ", q)
    quality_results[e, q] <- tryCatch(
      quality(embedded_data[[e]], q),
      error = function (e) NA
    )
  }
}

print(quality_results)

## End(Not run)
```

Q_global, dimRedResult-method

Method Q_global

Description

Calculate the *Q_global* score to assess the quality of a dimensionality reduction.

Usage

```
## S4 method for signature 'dimRedResult'
Q_global(object)
```

Arguments

object of class *dimRedResult*

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX,dimRedResult-method](#), [LCMC,dimRedResult-method](#), [Q_NX,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [R_NX,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [distance_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_error,dimRedResult-method](#), [reconstruction_rmse,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

<code>Q_local,dimRedResult-method</code>
<i>Method <code>Q_local</code></i>

Description

Calculate the `Q_local` score to assess the quality of a dimensionality reduction.

Usage

```
## S4 method for signature 'dimRedResult'
Q_local(object, ndim = getNDim(object))
```

Arguments

<code>object</code>	of class <code>dimRedResult</code> .
<code>ndim</code>	use the first <code>ndim</code> columns of the embedded data for calculation.

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX,dimRedResult-method](#), [LCMC,dimRedResult-method](#), [Q_NX,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [R_NX,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [distance_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_error,dimRedResult-method](#), [reconstruction_rmse,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

<code>Q_NX,dimRedResult-method</code>
<i>Method <code>Q_NX</code></i>

Description

Calculate the `Q_NX` score (Chen & Buja 2006, the notation in the publication is M_k). Which is the fraction of points that remain inside the same K -ary neighborhood in high and low dimensional space.

Usage

```
## S4 method for signature 'dimRedResult'
Q_NX(object)
```

Arguments

object of class dimRedResult

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX,dimRedResult-method](#), [LCMC,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [Q_local,dimRedResult-method](#), [R_NX,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [distance_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_error,dimRedResult-method](#), [reconstruction_rmse,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

reconstruction_error,dimRedResult-method
Method reconstruction_error

Description

Calculate the error using only the first n dimensions of the embedded data. error_fun can either be one of c("rmse", "mae") to calculate the root mean square error or the mean absolute error respectively, or a function that takes to equally sized vectors as input and returns a single number as output.

Usage

```
## S4 method for signature 'dimRedResult'
reconstruction_error(object, n = seq_len(ndims(object)), error_fun = "rmse")
```

Arguments

object of class dimRedResult

n a positive integer or vector of integers <= ndims(object)

error_fun a function or string indicating an error function, if indication a function it must take to matrices of the same size and return a scalar.

Value

a vector of number with the same length as n with the

Author(s)

Guido Kraemer

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX,dimRedResult-method](#), [LCMC,dimRedResult-method](#), [Q_NX,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [Q_local,dimRedResult-method](#), [R_NX,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [distance_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_rmse,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

Examples

```
## Not run:
ir <- loadDataSet("Iris")
ir.drr <- embed(ir, "DRR", ndim = ndims(ir))
ir.pca <- embed(ir, "PCA", ndim = ndims(ir))

rmse <- data.frame(
  rmse_drr = reconstruction_error(ir.drr),
  rmse_pca = reconstruction_error(ir.pca)
)

matplot(rmse, type = "l")
plot(ir)
plot(ir.drr)
plot(ir.pca)

## End(Not run)
```

```
reconstruction_rmse,dimRedResult-method
      Method reconstruction_rmse
```

Description

Calculate the reconstruction root mean squared error a dimensionality reduction, the method must have an inverse mapping.

Usage

```
## S4 method for signature 'dimRedResult'
reconstruction_rmse(object)
```

Arguments

object of class dimRedResult

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX,dimRedResult-method](#), [LCMC,dimRedResult-method](#), [Q_NX,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [Q_local,dimRedResult-method](#), [R_NX,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [distance_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_error,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

<code>R_NX,dimRedResult-method</code>
<i>Method R_NX</i>

Description

Calculate the R_NX score from Lee et. al. (2013) which shows the neighborhood preservation for the Kth nearest neighbors, corrected for random point distributions and scaled to range [0, 1].

Usage

```
## S4 method for signature 'dimRedResult'
R_NX(object, ndim = getNDim(object))
```

Arguments

<code>object</code>	of class <code>dimRedResult</code>
<code>ndim</code>	the number of dimensions to take from the embedded data.

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX,dimRedResult-method](#), [LCMC,dimRedResult-method](#), [Q_NX,dimRedResult-method](#), [Q_global,dimRedResult-method](#), [Q_local,dimRedResult-method](#), [cophenetic_correlation,dimRedResult-method](#), [distance_correlation,dimRedResult-method](#), [mean_R_NX,dimRedResult-method](#), [plot_R_NX\(\)](#), [quality,dimRedResult-method](#), [reconstruction_error,dimRedResult-method](#), [reconstruction_rmse,dimRedResult-method](#), [total_correlation,dimRedResult-method](#)

<code>total_correlation,dimRedResult-method</code>
<i>Method total_correlation</i>

Description

Calculate the total correlation of the variables with the axes to assess the quality of a dimensionality reduction.

Usage

```
## S4 method for signature 'dimRedResult'
total_correlation(
  object,
  naxes = ndims(object),
  cor_method = "pearson",
  is.rotated = FALSE
)
```

Arguments

- object of class dimRedResult
- naxes the number of axes to use for optimization.
- cor_method the correlation method to use.
- is.rotated if FALSE the object is rotated.

See Also

Other Quality scores for dimensionality reduction: [AUC_lnk_R_NX, dimRedResult-method](#), [LCMC, dimRedResult-method](#), [Q_NX, dimRedResult-method](#), [Q_global, dimRedResult-method](#), [Q_local, dimRedResult-method](#), [R_NX, dimRedResult-method](#), [cophenetic_correlation, dimRedResult-method](#), [distance_correlation, dimRedResult-method](#), [mean_R_NX, dimRedResult-method](#), [plot_R_NX\(\)](#), [quality, dimRedResult-method](#), [reconstruction_error, dimRedResult-method](#), [reconstruction_rmse, dimRedResult-method](#)

tSNE-class	<i>t-Distributed Stochastic Neighborhood Embedding</i>
------------	--

Description

An S4 Class for t-SNE.

Details

t-SNE is a method that uses Kullback-Leibler divergence between the distance matrices in high and low-dimensional space to embed the data. The method is very well suited to visualize complex structures in low dimensions.

Slots

- fun A function that does the embedding and returns a dimRedResult object.
- stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the @fun() slot, or the method name be passed to the embed function and parameters can be given to the ..., in which case missing parameters will be replaced by the ones in the @stdpars.

Parameters

t-SNE can take the following parameters:

d A distance function, defaults to euclidean distances

perplexity The perplexity parameter, roughly equivalent to neighborhood size.

theta Approximation for the nearest neighbour search, large values are more inaccurate.

ndim The number of embedding dimensions.

Implementation

Wraps around [Rtsne](#), which is very well documented. Setting `theta = 0` does a normal t-SNE, larger values for `theta < 1` use the Barnes-Hut algorithm which scales much nicer with data size. Larger values for perplexity take larger neighborhoods into account.

References

Maaten, L. van der, 2014. Accelerating t-SNE using Tree-Based Algorithms. Journal of Machine Learning Research 15, 3221-3245.

van der Maaten, L., Hinton, G., 2008. Visualizing Data using t-SNE. J. Mach. Learn. Res. 9, 2579-2605.

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [UMAP-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#)

Examples

```
## Not run:
dat <- loadDataSet("3D S Curve", n = 300)
emb <- embed(dat, "tSNE", perplexity = 80)
plot(emb, type = "2vars")

## End(Not run)
```

UMAP-class

Umap embedding

Description

An S4 Class implementing the UMAP algorithm

Details

Uniform Manifold Approximation is a gradient descend based algorithm that gives results similar to t-SNE, but scales better with the number of points.

Slots

fun A function that does the embedding and returns a `dimRedResult` object.

stdpars The standard parameters for the function.

General usage

Dimensionality reduction methods are S4 Classes that either be used directly, in which case they have to be initialized and a full list with parameters has to be handed to the `@fun()` slot, or the method name be passed to the `embed` function and parameters can be given to the `...`, in which case missing parameters will be replaced by the ones in the `@stdpars`.

Parameters

UMAP can take the following parameters:

ndim The number of embedding dimensions.

knn The number of neighbors to be used.

d The distance metric to use.

method "naive" for an R implementation, "python" for the reference implementation.

Other method parameters can also be passed, see [umap.defaults](#) for details. The ones above have been standardized for the use with `dimRed` and will get automatically translated for `umap`.

Implementation

The `dimRed` package wraps the [umap](#) packages which provides an implementation in pure R and also a wrapper around the original python package `umap-learn` (<https://github.com/lmcinnes/umap/>). This requires `umap-learn` version 0.4 installed, at the time of writing, there is already `umap-learn` 0.5 but it is not supported by the R package `umap`.

The "naive" implementation is a pure R implementation and considered experimental at the point of writing this, it is also much slower than the python implementation.

The "python" implementation is the reference implementation used by McInnes et. al. (2018). It requires the [reticulate](#) package for the interaction with python and the python package `umap-learn` installed (use `pip install umap-learn`).

References

McInnes, Leland, and John Healy. "UMAP: Uniform Manifold Approximation and Projection for Dimension Reduction." <https://arxiv.org/abs/1802.03426>

See Also

Other dimensionality reduction methods: [DRR-class](#), [DiffusionMaps-class](#), [DrL-class](#), [FastICA-class](#), [FruchtermanReingold-class](#), [HLLC-class](#), [Isomap-class](#), [KamadaKawai-class](#), [MDS-class](#), [NNMF-class](#), [PCA-class](#), [PCA_L1-class](#), [dimRedMethod-class](#), [dimRedMethodList\(\)](#), [kPCA-class](#), [nMDS-class](#), [tSNE-class](#)

Examples

```
## Not run:  
dat <- loadDataSet("3D S Curve", n = 300)  
emb <- embed(dat, "UMAP", .mute = NULL, knn = 10)  
plot(emb, type = "2vars")  
  
## End(Not run)
```

Index

* Quality scores for dimensionality

reduction

AUC_lnk_R_NX, dimRedResult-method,

5

cophenetic_correlation, dimRedResult-method,

6

distance_correlation, dimRedResult-method,

15

LCMC, dimRedResult-method, 33

mean_R_NX, dimRedResult-method, 36

plot_R_NX, 45

Q_global, dimRedResult-method, 48

Q_local, dimRedResult-method, 49

Q_NX, dimRedResult-method, 49

quality, dimRedResult-method, 46

R_NX, dimRedResult-method, 52

reconstruction_error, dimRedResult-method,

50

reconstruction_rmse, dimRedResult-method,

51

total_correlation, dimRedResult-method,

52

* convenience functions

getRotationMatrix, 26

* dimRedData

as.dimRedData, 4

dimRedData-class, 9

* dimRedResult

dimRedResult-class, 12

* dimensionality reduction methods

DiffusionMaps-class, 7

dimRedMethod-class, 11

dimRedMethodList, 12

DrL-class, 15

DRR-class, 17

FastICA-class, 21

FruchtermanReingold-class, 22

HLLC-class, 27

Isomap-class, 29

KamadaKawai-class, 30

kPCA-class, 31

MDS-class, 34

nMDS-class, 38

NNMF-class, 39

PCA-class, 40

PCA_L1-class, 42

tSNE-class, 53

UMAP-class, 54

[, dimRedData, ANY, ANY, ANY-method
(dimRedData-class), 9

as.data.frame, 4, 4

as.data.frame, dimRedData-method
(dimRedData-class), 9

as.data.frame, dimRedResult-method
(dimRedResult-class), 12

as.data.frame.default, 4

as.dimRedData, 4, 10, 20

as.dimRedData, formula-method
(as.dimRedData), 4

AUC_lnk_R_NX, 45

AUC_lnk_R_NX

(AUC_lnk_R_NX, dimRedResult-method),
5

AUC_lnk_R_NX, dimRedResult-method, 5

cmdscales, 35

constructFastKRRLearner, 18

constructKRRLearner, 18

cophenetic_correlation, 47

cophenetic_correlation

(cophenetic_correlation, dimRedResult-method),
6

cophenetic_correlation, dimRedResult-method,
6

data.frame, 4

dataSetList (dataSets), 6

dataSets, 6

- dcor, [47](#)
- diffuse, [8](#)
- DiffusionMaps (DiffusionMaps-class), [7](#)
- DiffusionMaps-class, [7](#)
- dimRed (dimRed-package), [3](#)
- dimRed-package, [3](#)
- dimRedData, [4](#), [7](#), [11](#), [13](#), [19](#), [20](#)
- dimRedData (dimRedData-class), [9](#)
- dimRedData-class, [9](#)
- dimRedMethod-class, [11](#)
- dimRedMethodList, [8](#), [11](#), [12](#), [16](#), [18](#), [20](#), [22](#), [23](#), [27](#), [30–32](#), [35](#), [39–41](#), [43](#), [54](#), [55](#)
- dimRedQualityList
 - (quality, dimRedResult-method), [46](#)
- dimRedResult, [4](#), [11](#), [20](#), [26](#), [45](#), [46](#)
- dimRedResult (dimRedResult-class), [12](#)
- dimRedResult-class, [12](#)
- dist, [8](#)
- distance_correlation, [47](#)
- distance_correlation
 - (distance_correlation, dimRedResult-method), [15](#)
- distance_correlation, dimRedResult-method, [15](#)
- DrL (DrL-class), [15](#)
- DrL-class, [15](#)
- DRR (DRR-class), [17](#)
- drr, [18](#)
- DRR-class, [17](#)
- embed, [12](#), [19](#)
- embed, ANY-method (embed), [19](#)
- embed, dimRedData-method (embed), [19](#)
- embed, formula-method (embed), [19](#)
- fastCV, [17](#)
- FastICA (FastICA-class), [21](#)
- fastICA, [21](#)
- FastICA-class, [21](#)
- FruchtermanReingold
 - (FruchtermanReingold-class), [22](#)
- FruchtermanReingold-class, [22](#)
- getData, [23](#)
- getData, dimRedData-method
 - (dimRedData-class), [9](#)
- getDimRedData, [24](#)
- getDimRedData, dimRedResult-method
 - (dimRedResult-class), [12](#)
- getMeta, [24](#)
- getMeta, dimRedData-method
 - (dimRedData-class), [9](#)
- getNDim, [24](#)
- getNDim, dimRedResult-method
 - (dimRedResult-class), [12](#)
- getOrgData, [25](#)
- getOrgData, dimRedResult-method
 - (dimRedResult-class), [12](#)
- getOtherData, [25](#)
- getOtherData, dimRedResult-method
 - (dimRedResult-class), [12](#)
- getPars, [25](#)
- getPars, dimRedResult-method
 - (dimRedResult-class), [12](#)
- getRotationMatrix, [26](#)
- HLLE (HLLE-class), [27](#)
- HLLE-class, [27](#)
- Igraph, [34](#)
- installSuggests, [28](#)
- inverse (dimRedResult-class), [12](#)
- inverse, dimRedResult-method
 - (dimRedResult-class), [12](#)
- Isomap (Isomap-class), [29](#)
- Isomap-class, [29](#)
- KamadaKawai (KamadaKawai-class), [30](#)
- KamadaKawai-class, [30](#)
- kPCA (kPCA-class), [31](#)
- kpca, [32](#)
- kPCA-class, [31](#)
- layout_with_drl, [16](#)
- layout_with_fr, [23](#)
- layout_with_kk, [31](#)
- LCMC (LCMC, dimRedResult-method), [33](#)
- LCMC, dimRedResult-method, [33](#)
- loadDataSet (dataSets), [6](#)
- makeKNNgraph, [33](#)
- match.arg, [7](#)
- maximize_correlation
 - (maximize_correlation, dimRedResult-method), [34](#)
- maximize_correlation, dimRedResult-method, [34](#)

- MDS (MDS-class), 34
- MDS-class, 34
- mean_R_NX, 47
- mean_R_NX
 - (mean_R_NX,dimRedResult-method), 36
- mean_R_NX,dimRedResult-method, 36
- mixColor1Ramps (mixColorRamps), 36
- mixColor2Ramps (mixColorRamps), 36
- mixColor3Ramps (mixColorRamps), 36
- mixColorRamps, 36
- monoMDS, 38
- ndims, 37
- ndims,dimRedData-method
 - (dimRedData-class), 9
- ndims,dimRedResult-method
 - (dimRedResult-class), 12
- nMDS (nMDS-class), 38
- nMDS-class, 38
- nmf, 39, 40
- nn2, 29, 33
- NNMF (NNMF-class), 39
- NNMF-class, 39
- nrow,dimRedData-method
 - (dimRedData-class), 9
- optimx, 34
- PCA (PCA-class), 40
- PCA-class, 40
- PCA_L1 (PCA_L1-class), 42
- PCA_L1-class, 42
- plot, 43
- plot,dimRedData,ANY-method (plot), 43
- plot,dimRedResult,ANY-method (plot), 43
- plot.default, 43
- plot.dimRed (plot), 43
- plot.dimRedData, 9
- plot.dimRedData (plot), 43
- plot.dimRedResult (plot), 43
- plot_R_NX, 5, 6, 15, 33, 36, 45, 48–53
- prcomp, 41
- predict,dimRedResult-method
 - (dimRedResult-class), 12
- print, 46
- print,dimRedResult-method
 - (dimRedResult-class), 12
- Q_global, 47
- Q_global
 - (Q_global,dimRedResult-method), 48
- Q_global,dimRedResult-method, 48
- Q_local, 47
- Q_local (Q_local,dimRedResult-method), 49
- Q_local,dimRedResult-method, 49
- Q_NX, 33
- Q_NX (Q_NX,dimRedResult-method), 49
- Q_NX,dimRedResult-method, 49
- quality (quality,dimRedResult-method), 46
- quality,dimRedResult-method, 46
- quality.dimRedResult
 - (quality,dimRedResult-method), 46
- R_NX (R_NX,dimRedResult-method), 52
- R_NX,dimRedResult-method, 52
- reconstruction_error
 - (reconstruction_error,dimRedResult-method), 50
- reconstruction_error,dimRedResult-method, 50
- reconstruction_rmse, 47
- reconstruction_rmse
 - (reconstruction_rmse,dimRedResult-method), 51
- reconstruction_rmse,dimRedResult-method, 51
- reticulate, 55
- Rtsne, 54
- total_correlation, 47
- total_correlation
 - (total_correlation,dimRedResult-method), 52
- total_correlation,dimRedResult-method, 52
- tSNE (tSNE-class), 53
- tSNE-class, 53
- UMAP (UMAP-class), 54
- umap, 55
- UMAP-class, 54
- umap.defaults, 55