

# Package ‘fitzRoy’

July 22, 2025

**Title** Easily Scrape and Process AFL Data

**Version** 1.6.0

**Description** An easy package for scraping and processing Australia Rules Football (AFL) data. 'fitzRoy' provides a range of functions for accessing publicly available data from 'AFL Tables' <[https://afltables.com/afl/afl\\_index.html](https://afltables.com/afl/afl_index.html)>, 'Footy Wire' <<https://www.footywire.com>> and 'The Squiggle' <<https://squiggle.com.au>>. Further functions allow for easy processing, cleaning and transformation of this data into formats that can be used for analysis.

**License** MIT + file LICENSE

**URL** <https://jimmyday12.github.io/fitzRoy/>,  
<https://github.com/jimmyday12/fitzRoy>,  
<https://github.com/jimmyday12/fitzroy>

**BugReports** <https://github.com/jimmyday12/fitzRoy/issues>

**Depends** R (>= 4.1)

**Imports** dplyr, httr, jsonlite, lubridate, magrittr, purrr, readr,  
rlang (>= 0.1.2), rvest, stringr (>= 1.3.0), tidyr (>= 1.0.0),  
tidyselect, xml2, tibble, glue, cli, lifecycle, httr2, janitor

**Suggests** covr, elo, ggplot2, knitr, rmarkdown, testthat (>= 3.0.0),  
roxygen2, spelling, curl

**VignetteBuilder** knitr

**ByteCompile** true

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Language** en-US

**Config/testthat/edition** 3

**Config/testthat/parallel** true

**Config/testthat/start-first** fetch-player-stats, fetch-results,  
fetch-lineup, fetch-fixture, fetch\*, helpers-footywire

**LazyData** true

**NeedsCompilation** no

**Author** James Day [cre, aut],  
Robert Nguyen [aut],  
Matthew Erbs [ctb],  
Oscar Lane [aut],  
Jason Zivkovic [ctb],  
Jacob Holden [ctb]

**Maintainer** James Day <jamesthomasday@gmail.com>

**Repository** CRAN

**Date/Publication** 2024-12-10 08:40:15 UTC

Contents

calculate_coaches_vote_possibilities . . . . .	3
fetch_betting_odds_footywire . . . . .	4
fetch_coaches_votes . . . . .	5
fetch_fixture . . . . .	6
fetch_ladder . . . . .	7
fetch_lineup . . . . .	9
fetch_player_details . . . . .	11
fetch_player_stats . . . . .	12
fetch_results . . . . .	14
fetch_score_worm_data . . . . .	16
fetch_squiggle_data . . . . .	16
get_aflw_detailed_data . . . . .	17
get_aflw_detailed_match_data . . . . .	18
get_aflw_rounds . . . . .	19
get_aflw_round_data . . . . .	19
get_afl_colour_palettes . . . . .	20
get_afl_cookie . . . . .	20
get_score_progression_raw . . . . .	21
parse_team_abbr . . . . .	21
plot_score_worm . . . . .	22
plot_score_worm_totals . . . . .	22
replace_teams . . . . .	23
replace_venues . . . . .	23
team_abr_afl . . . . .	24
<b>Index</b>	<b>25</b>

---

calculate\_coaches\_vote\_possibilities  
*Calculate Coaches Vote Possibilities*

---

## Description

calculate\_coaches\_vote\_possibilities returns all possible breakdowns of coaches votes between two coaches, given a breakdown of AFLCA coaches votes

## Usage

```
calculate_coaches_vote_possibilities(df, output_type)
```

## Arguments

df	Requires the following column names: Player.Name, Coaches.Votes. These can be returned from the function fetch_coaches_votes.
output_type	One of "Coach View", "Player View". Defaults to "Coach View".

## Value

Data frame For output\_type "Coach View" - A list of data frames with columns: Votes, C1, C2 For output\_type "Player View" - A list of data frames with columns: Player, V1, V2

## Examples

```
## Not run:
# Return coaches votes for a particular match, then find the possibilities
df <- fetch_coaches_votes(comp = "AFLM", season = 2021, round = 24, team = "Western Bulldogs")
calculate_coaches_vote_possibilities(df, "Coach View")

df <- fetch_coaches_votes(comp = "AFLW", season = 2021, round = 9, team = "Western Bulldogs")
calculate_coaches_vote_possibilities(df, "Player View")

# Create a manual data frame to calculate possibilities
df <- data.frame(
  Player.Name = c(
    "Tom Liberatore", "Jack Macrae",
    "Marcus Bontempelli", "Cody Weightman",
    "Darcy Parish", "Aaron Naughton", "Jordan Ridley"
  ),
  Coaches.Votes = c(7, 6, 5, 5, 4, 2, 1)
)
calculate_coaches_vote_possibilities(df, "Player View")

## End(Not run)
```

fetch\_betting\_odds\_footywire

*Fetch AFL match betting odds from <https://www.footywire.com>*

---

## Description

fetch\_betting\_odds\_footywire returns a data frame containing betting odds and basic match info for Men's AFL matches.

## Usage

```
fetch_betting_odds_footywire(  
  start_season = "2010",  
  end_season = lubridate::year(Sys.Date())  
)
```

## Arguments

start_season	First season to return, in yyyy format. Earliest season with data available is 2010.
end_season	Last season to return, in yyyy format

## Details

The data frame contains the home and away team as well as venue.

## Value

Returns a data frame containing betting odds and basic match info

## Examples

```
## Not run:  
fetch_betting_odds_footywire(2012, 2018)  
  
## End(Not run)
```

---

fetch_coaches_votes	<i>Fetch Coaches Votes</i>
---------------------	----------------------------

---

### Description

fetch\_coaches\_votes returns all coaches votes for input season/s, round/s, and/or team's matches. The function calls a core scrape\_coaches\_votes function which scrapes the AFLCA website for coaches votes for a particular season, round and competition.

### Usage

```
fetch_coaches_votes(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  team = NULL
)
```

### Arguments

season	Season in YYYY format. This can be an array of seasons. Defaults to null in which case the season that matches Sys.Date() is used.
round_number	Round number. For finals this is the number of H&A rounds plus the Finals week. Defaults to null in which case all rounds are used.
comp	One of "AFLM" (default) or "AFLW"
team	Team or teams whose matches should be retrieved. Defaults to null in which case all teams are used.

### Value

A data frame with columns: Season, Round, Finals, Home.Team, Away.Team, Player.Name, Coaches.Votes

### Examples

```
## Not run:
# Return all coaches votes across all seasons
fetch_coaches_votes(season = 2007:2021, comp = "AFLM")
fetch_coaches_votes(season = 2018:2021, comp = "AFLW")

# Return all coaches votes for a particular round
fetch_coaches_votes(season = 2021, round_number = 24, comp = "AFLM")
fetch_coaches_votes(season = 2021, round_number = 9, comp = "AFLW")

# Return all coaches votes for a particular team
fetch_coaches_votes(season = 2021, comp = "AFLM", team = "Western Bulldogs")
fetch_coaches_votes(season = 2021, comp = "AFLW", team = "Western Bulldogs")

# Return all coaches votes for a particular match
```

```

fetch_coaches_votes(season = 2021, round_number = 24, comp = "AFLM", team = "Western Bulldogs")
fetch_coaches_votes(season = 2021, round_number = 9, comp = "AFLW", team = "Western Bulldogs")

## End(Not run)

```

---

fetch_fixture	<i>Return the fixture for a particular round of matches</i>
---------------	---

---

## Description

fetch\_fixture returns the Fixture for a given AFL Round. Internally, it calls a corresponding fetch\_fixture\_\* function that depends on the source given. By default the source used will be the official AFL website.

[fetch\\_fixture\\_afl\(\)](#), [fetch\\_fixture\\_footywire\(\)](#), [fetch\\_fixture\\_squiggle\(\)](#) can be called directly and return data from AFL website, AFL Tables and Squiggle, respectively.

## Usage

```

fetch_fixture(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)

fetch_fixture_afl(season = NULL, round_number = NULL, comp = "AFLM")

fetch_fixture_footywire(
  season = NULL,
  round_number = NULL,
  convert_date = FALSE
)

fetch_fixture_squiggle(season = NULL, round_number = NULL)

```

## Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default), "AFLW", "VFL", "VFLW", "WAFL", "U18B" or "U18G." Not all data sources will have non-AFL data
source	One of "AFL" (default), "footywire", "fryzigg", "afltables", "squiggle"
...	Optional parameters passed onto various functions depending on source.
convert_date	logical, if TRUE, converts date column to date format instead of date time.

**Value**

A Tibble with the fixture from the relevant season and round.

**See Also**

- [fetch\\_fixture\\_afl](#) for official AFL data.
- [fetch\\_fixture\\_footywire](#) for AFL Tables data.
- [fetch\\_fixture\\_squiggle](#) for Squiggle data.

Other fetch fixture functions: [fetch\\_player\\_stats\(\)](#)

**Examples**

```
## Not run:
# Return data for whole season from AFL Website
fetch_fixture(2020)

# This is equivalent to
fetch_fixture(2020, source = "AFL")
fetch_fixture_afl(2020)

# Return AFLW data
fetch_fixture(2020, comp = "AFLW", source = "AFL")
fetch_fixture_afl(2020, comp = "AFLW")

# Not all sources have AFLW data and will return a warning
fetch_fixture(2020, comp = "AFLW", source = "footywire")
fetch_fixture(2020, comp = "AFLW", source = "squiggle")

# Different sources
fetch_fixture(2015, round = 5, source = "footywire")
fetch_fixture(2015, round = 5, source = "squiggle")

# Directly call functions for each source
fetch_fixture_afl(2018, round = 9)
fetch_fixture_footywire(2018, round = 9)
fetch_fixture_squiggle(2018, round = 9)

## End(Not run)
```

---

fetch\_ladder

*Fetch Ladder*

---

**Description**

fetch\_ladder returns the Ladder for a given AFL Round. Internally, it calls a corresponding fetch\_ladder\_\* function that depends on the source given. By default the source used will be the official AFL website.

[fetch\\_ladder\\_afl\(\)](#), [fetch\\_ladder\\_afltables\(\)](#), [fetch\\_ladder\\_squiggle\(\)](#) can be called directly and return data from AFL website, AFL Tables and Squiggle, respectively.

### Usage

```
fetch_ladder(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)

fetch_ladder_afl(season = NULL, round_number = NULL, comp = "AFLM")

fetch_ladder_afltables(
  season = NULL,
  round_number = NULL,
  match_results_df = NULL
)

fetch_ladder_squiggle(season = NULL, round_number = NULL)
```

### Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default), "AFLW", "VFL", "VFLW", "WAFL", "U18B" or "U18G." Not all data sources will have non-AFL data
source	One of "AFL" (default), "footywire", "fryzigg", "afltables", "squiggle"
...	Optional parameters passed onto various functions depending on source.
match_results_df	(optional) A dataframe from <a href="#">fetch_results_afltables()</a> , provide this to prevent having to download results again.

### Value

A Tibble with the ladder from the relevant season and round.

### See Also

- [fetch\\_ladder\\_afl](#) for official AFL data.
- [fetch\\_ladder\\_afltables](#) for AFL Tables data.
- [fetch\\_ladder\\_squiggle](#) for Squiggle data.



**Examples**

```
## Not run:
# Return data from AFL Website
fetch_ladder(2020, round = 1)

# This is equivalent to
fetch_ladder(2020, round = 1, source = "AFL")
fetch_ladder_afl(2020, round = 1)

# Return AFLW data
fetch_ladder(2020, round = 1, comp = "AFLW", source = "AFL")
fetch_ladder_afl(2020, round = 1, comp = "AFLW")

# Not all sources have AFLW data and will return a warning
fetch_ladder(2020, round = 1, comp = "AFLW", source = "afltables")
fetch_ladder(2020, round = 1, comp = "AFLW", source = "squiggle")

# Different sources
fetch_ladder(2015, round = 5, source = "afltables")
fetch_ladder(2015, round = 5, source = "squiggle")

# Directly call functions for each source
fetch_ladder_afl(2018, round = 9)
fetch_ladder_afltables(2018, round = 9)
fetch_ladder_squiggle(2018, round = 9)

## End(Not run)
```

---

fetch\_lineup

---

Return the selected lineup for any completed or upcoming matches

---

**Description**

fetch\_lineup returns the Lineup for matches in given AFL Round. Internally, it calls a corresponding fetch\_lineup\_\* function that depends on the source given. By default the source used will be the official AFL website.

[fetch\\_lineup\\_afl\(\)](#) can be called directly and return data from AFL website.

**Usage**

```
fetch_lineup(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)

fetch_lineup_afl(season = NULL, round_number = NULL, comp = "AFLM")
```

**Arguments**

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default), "AFLW", "VFL", "VFLW", "WAFL", "U18B" or "U18G." Not all data sources will have non-AFL data
source	One of "AFL" (default), "footywire", "fryzigg", "afltables", "squiggle"
...	Optional parameters passed onto various functions depending on source.

**Value**

A Tibble with the lineup from the relevant season and round.

**See Also**

- [fetch\\_lineup\\_afl](#) for official AFL data.

**Examples**

```
## Not run:
# Return data for whole season from AFL Website
fetch_lineup(2020)

# This is equivalent to
fetch_lineup(2020, source = "AFL")
fetch_lineup_afl(2020)

# Return AFLW data
fetch_lineup(2020, comp = "AFLW", source = "AFL")
fetch_lineup_afl(2020, comp = "AFLW")

# Not all sources have lineup data and will return a warning
fetch_lineup(2020, source = "footywire")
fetch_lineup(2020, source = "squiggle")

# Directly call functions for each source
fetch_lineup_afl(2018, round = 9)

## End(Not run)
```

---

 fetch\_player\_details    *Fetch Player Details*


---

**Description**

fetch\_player\_details returns player details such as date of birth, debut and other details. The exact details that are returned will depend on which source is provided.

By default the source used will be the official AFL website.

[fetch\\_player\\_details\\_afl\(\)](#), [fetch\\_player\\_details\\_afltables\(\)](#) and [fetch\\_player\\_details\\_footywire\(\)](#) can be called directly and return data from the AFL website, AFL Tables and Footywire respectively.

The function will typically be used to return the current team lists. For historical data, you can use the current argument set to FALSE. This will return all historical data for AFL.com and Footywire data. AFLTables data will always return historical data.

**Usage**

```
fetch_player_details(
  team = NULL,
  season = NULL,
  current = TRUE,
  comp = "AFLM",
  source = "AFL",
  ...
)

fetch_player_details_afl(
  season = NULL,
  team = NULL,
  current = TRUE,
  comp = "AFLM",
  official_teams = FALSE
)

fetch_player_details_afltables(team = NULL)

fetch_player_details_footywire(team = NULL, current = TRUE)
```

**Arguments**

team	team the player played for in the season for, defaults to NULL which returns all teams
season	Season in YYYY format
current	logical, return the current team list for the current calendar year or all historical data
comp	One of "AFLM" (default) or "AFLW"

source	One of "AFL" (default), "footywire", "afltables"
...	Optional parameters passed onto various functions depending on source.
official_teams	boolean, defaults to FALSE. Indicates if we should match team to the official list from the API. If this is TRUE, it will use the list from the API and you can use fetch_teams_afl to see what these names should be

### Value

A Tibble with the details of the relevant players.

### See Also

- [fetch\\_player\\_details\\_afl](#) for AFL.com data.
- [fetch\\_player\\_details\\_footywire](#) for Footywire data.
- [fetch\\_player\\_details\\_footywire](#) for AFL Tables data.

### Examples

```
## Not run:
# Return data for current Hawthorn players
fetch_player_details("Hawthorn")
fetch_player_details("Adelaide", current = FALSE, comp = "AFLW")
fetch_player_details("GWS", current = TRUE, csource = "footywire")

## End(Not run)
```

---

fetch_player_stats	<i>Fetch Player Stats</i>
--------------------	---------------------------

---

### Description

fetch\_player\_stats returns the Individual Player Statistics for AFL games. Internally, it calls a corresponding fetch\_player\_stats\_\* function that depends on the source given. By default the source used will be the official AFL website.

[fetch\\_player\\_stats\\_footywire\(\)](#), [fetch\\_player\\_stats\\_afltables\(\)](#), [fetch\\_player\\_stats\\_fryzigg\(\)](#) can be called directly and return data from AFL website, AFL Tables and Squiggle, respectively.

### Usage

```
fetch_player_stats(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)
```

```

fetch_player_stats_afl(season = NULL, round_number = NULL, comp = "AFLM")

fetch_player_stats_afltables(
  season = NULL,
  round_number = NULL,
  rescrape = FALSE,
  rescrape_start_season = NULL
)

fetch_player_stats_fryzigg(season = NULL, round_number = NULL, comp = "AFLM")

fetch_player_stats_footywire(
  season = NULL,
  round_number = NULL,
  check_existing = TRUE
)

```

### Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default), "AFLW", "VFL", "VFLW", "WAFL", "U18B" or "U18G." Not all data sources will have non-AFL data
source	One of "AFL" (default), "footywire", "fryzigg", "afltables", "squiggle"
...	Optional parameters passed onto various functions depending on source.
rescrape	Logical, defaults to FALSE. Determines if we should re-scrape data for a given season. By default, we return cached data which is much faster. Re-scraping is slow but sometimes needed if historical data has changed.
rescrape_start_season	Numeric, if rescrape = TRUE, which season should we start scraping from. Defaults to minimum value of season
check_existing	logical, should we check existing data. This will likely be removed in future version as it takes a long time to re-scrape data

### Value

A Tibble with the player stats from the relevant season and round.

### See Also

- [fetch\\_player\\_stats\\_footywire](#) for Footywire data.
- [fetch\\_player\\_stats\\_afltables](#) for AFL Tables data.
- [fetch\\_player\\_stats\\_fryzigg](#) for Fryzigg data.

Other fetch fixture functions: [fetch\\_fixture\(\)](#)

## Examples

```
## Not run:
# Return data for whole season from footywire
fetch_player_stats(source = "footywire")

# This is equivalent to
fetch_player_stats_footywire()

# Currently there is no AFLW data and will return a warning
fetch_player_stats(2020, comp = "AFLW", source = "footywire")

# Different sources
fetch_player_stats(2015, round = 5, source = "footywire")
fetch_player_stats(2015, round = 5, source = "fryzigg")

# Directly call functions for each source
fetch_player_stats_afltables(2020)
fetch_fixture_fryzigg(2020)
fetch_player_stats_footywire(2020)

## End(Not run)
```

---

fetch\_results

*Fetch Results*

---

## Description

`fetch_results` returns the results for a given AFL Round. Internally, it calls a corresponding `fetch_results_*` function that depends on the source given. By default the source used will be the official AFL website.

`fetch_results_afl()`, `fetch_results_afltables()`, `fetch_results_footywire()`, `fetch_results_squiggle()` can be called directly and return data from AFL website, AFL Tables, Footywire and Squiggle, respectively.

## Usage

```
fetch_results(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)

fetch_results_afl(season = NULL, round_number = NULL, comp = "AFLM")

fetch_results_afltables(season = NULL, round_number = NULL)
```

```

fetch_results_footywire(
  season = NULL,
  round_number = NULL,
  last_n_matches = NULL
)

fetch_results_squiggle(season = NULL, round_number = NULL)

```

### Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns all rounds
comp	One of "AFLM" (default), "AFLW", "VFL", "VFLW", "WAFL", "U18B" or "U18G." Not all data sources will have non-AFL data
source	One of "AFL" (default), "footywire", "fryzigg", "afltables", "squiggle"
...	Optional parameters passed onto various functions depending on source.
last_n_matches	number of matches to return, starting from the most recent

### Value

A Tibble with the results from the relevant season and round.

### See Also

- [fetch\\_results\\_afl](#) for official AFL data.
- [fetch\\_results\\_afltables](#) for AFL Tables data.
- [fetch\\_results\\_footywire](#) for Footywire data.
- [fetch\\_results\\_squiggle](#) for Squiggle data.

### Examples

```

## Not run:
# Return data for whole season from AFL Website
fetch_results(2020)

# This is equivalent to
fetch_results(2020, source = "AFL")
fetch_results_afl(2020)

# Return AFLW data
fetch_results(2020, comp = "AFLW", source = "AFL")
fetch_results_afl(2020, comp = "AFLW")

# Not all sources have AFLW data and will return a warning
fetch_results(2020, comp = "AFLW", source = "footywire")
fetch_results(2020, comp = "AFLW", source = "afltables")

```

```

fetch_results(2020, comp = "AFLW", source = "squiggle")

# Different sources
fetch_results(2015, round = 5, source = "footywire")
fetch_results(2015, round = 5, source = "afltables")
fetch_results(2015, round = 5, source = "squiggle")

# Directly call functions for each source
fetch_results_afl(2018, round = 9)
fetch_results_footywire(2018, round = 9)
fetch_results_afltables(2018, round = 9)
fetch_results_squiggle(2018, round = 9)

## End(Not run)

```

---

fetch\_score\_worm\_data *Plot Score Worm*

---

### Description

This function plots the score difference score worms for AFL games.

### Usage

```
fetch_score_worm_data(match_id)
```

### Arguments

match\_id            AFL match ID (providerId) can be found using `fetch_fixture_afl()`

### Value

A ggplot object showing the score worm.

---

fetch\_squiggle\_data    *Access Squiggle data using the squiggle API service.*

---

### Description

Use `fetch_squiggle_data` to access the [Squiggle API](https://api.squiggle.com.au). See instructions at [api.squiggle.com.au](https://api.squiggle.com.au).

### Usage

```

fetch_squiggle_data(
  query,
  ...,
  user_agent = "fitzRoy Package https://github.com/jimmyday12/fitzRoy"
)

```



**Arguments**

query	A text string. The main query to use with the API. Please read the Squiggle documentation for information about valid queries
...	(optional) An optional argument provided to the <a href="#">Squiggle API</a> . See details for more info.
user_agent	(optional) Use this to set something meaningful so that Squiggle admin can contact you if needed.

**Details**

Optional arguments can be provided to further restrict the data you are pulling.

For full instructions, see [api.squiggle.com.au](http://api.squiggle.com.au)

**Value**

A dataframe, with the resultant data that matches the query specified in query, as well as any optional filters.

**Examples**

```
## Not run:
# Return a list of the sources, with ID's
sources <- fetch_squiggle_data("sources")

# Get tips for Round 1, 2018
tips <- fetch_squiggle_data(query = "tips", round = 1, year = 2018)

# Get tips from Squiggle 2019
squiggle <- fetch_squiggle_data(query = "tips", source = 1, year = 2019)

## End(Not run)
```

---

```
get_aflw_detailed_data
```

*Get detailed AFLW data*

---

**Description**

Get detailed AFLW data

**Usage**

```
get_aflw_detailed_data(matchids)
```

**Arguments**

matchids	vector of match IDs, like those returned by <code>get_aflw_match_data()</code>
----------	--

**Value**

Dataframe with detailed match data. Each row is a match.

**Examples**

```
## Not run:
get_aflw_detailed_data(c("CD_M20172640101", "CD_M20172640102"))

## End(Not run)
```

---

get\_aflw\_detailed\_match\_data

*Get detailed womens match data (internal function)*

---

**Description**

Gets detailed match data for a given match. Requires the match, round, and competition IDs, which are given in the tables produced by get\_aflw\_round\_data()

**Usage**

```
get_aflw_detailed_match_data(matchid, roundid, competitionid, cookie)
```

**Arguments**

matchid	matchid from get_match_data()
roundid	roundid from get_match_data()
competitionid	competitionid from get_match_data()
cookie	cookie from get_womens_cookie()

**Value**

Dataframe with detailed match data (wide)

**Examples**

```
## Not run:
get_aflw_detailed_match_data(
  "CD_M20172640101",
  "CD_R201726401", "CD_S2017264", get_aflw_cookie()
)

## End(Not run)
```

---

get_aflw_rounds	<i>Get rounds (internal function)</i>
-----------------	---------------------------------------

---

**Description**

Returns data frame for available round data. Includes the rounds played, as well as identifiers to make further requests, importantly the roundId.

**Usage**

```
get_aflw_rounds(cookie)
```

**Arguments**

cookie	a cookie produced by get_aflw_cookie()
--------	--

**Value**

A dataframe with information about each round

**Examples**

```
## Not run:  
get_aflw_rounds(get_aflw_cookie())  
  
## End(Not run)
```

---

get_aflw_round_data	<i>Get match data (internal function)</i>
---------------------	---

---

**Description**

For a given round ID, get the data for each match played in that round. Use the column roundId in the dataframe created by the get\_rounds() function to specify matches to fetch.

**Usage**

```
get_aflw_round_data(roundid, cookie)
```

**Arguments**

roundid	a round ID string
cookie	a cookie produced by get_womens_cookie()

**Value**

a dataframe containing match data

**Examples**

```
## Not run:  
get_aflw_round_data("CD_R201826401", get_aflw_cookie())  
  
## End(Not run)
```

---

get\_afl\_colour\_palettes

*Returns a table with the colour palettes for all teams*

---

**Description**

get\_afl\_colour\_palettes returns a data frame containing the AFL team's primary, secondary and tertiary colours as applicable. The data for this function is hosted on github.

**Usage**

```
get_afl_colour_palettes()
```

**Value**

a data table containing team long name, team abbreviation, and colours

**Examples**

```
## Not run:  
# Gets all data  
get_afl_colour_palettes()  
  
## End(Not run)
```

---

get\_afl\_cookie

*Get AFL Stats cookie (internal function)*

---

**Description**

Gets a cookie from <http://www.afl.com.au/> to authenticate further requests.

**Usage**

```
get_afl_cookie()
```

**Value**

token code

**Examples**

```
## Not run:
cookie <- get_afl_cookie()

## End(Not run)
```

---

```
get_score_progression_raw
```

*Get raw score progression data*

---

**Description****[Deprecated]**

This function has been deprecated due to its inefficiency

**Usage**

```
get_score_progression_raw()
```

**Examples**

```
#
## Not run:
get_match_results()
# ->
fetch_results_afltables()

## End(Not run)
```

---

```
parse_team_abbr
```

*Internal function to ensure names match between different sources and also name changes. This gets applied to any web scraper*

---

**Description**

Internal function to ensure names match between different sources and also name changes. This gets applied to any web scraper

**Usage**

```
parse_team_abbr(team_name)
```

**Arguments**

```
team_name
```

Team name

---

plot_score_worm	<i>Plot Score Worm</i>
-----------------	------------------------

---

**Description**

This function plots the score difference score worms for AFL games.

**Usage**

```
plot_score_worm(match_id)
```

**Arguments**

match\_id            AFL match ID (providerId) can be found using `fetch_fixture_afl()`

**Value**

A ggplot object showing the score worm.

---

plot_score_worm_totals	<i>Plot Score Worm Totals</i>
------------------------	-------------------------------

---

**Description**

This function plots the team totals score worm for AFL games.

**Usage**

```
plot_score_worm_totals(match_id)
```

**Arguments**

match\_id            AFL match ID (providerId) can be found using `fetch_fixture_afl()`

**Value**

A ggplot object showing the total score worm.

---

replace_teams	<i>Internal function to ensure names match between different sources and also name changes. This gets applied to any web scraper</i>
---------------	--

---

### Description

Internal function to ensure names match between different sources and also name changes. This gets applied to any web scraper

### Usage

```
replace_teams(team)
```

### Arguments

team	Team name
------	-----------

---

replace_venues	<i>Internal function to ensure venue names match between different sources and also name changes across time. This gets applied to any web scraper, transforming all of them to AFL Tables naming conventions.</i>
----------------	--

---

### Description

Internal function to ensure venue names match between different sources and also name changes across time. This gets applied to any web scraper, transforming all of them to AFL Tables naming conventions.

### Usage

```
replace_venues(venue)
```

### Arguments

venue	Venue name
-------	------------

---

team_abr_afl	<i>Internal function to return team name abbreviation for AFL API</i>
--------------	---

---

**Description**

Internal function to return team name abbreviation for AFL API

**Usage**

team\_abr\_afl(team)

**Arguments**

team	Team name
------	-----------



# Index

- \* **fetch fixture functions**
  - fetch\_fixture, [6](#)
  - fetch\_player\_stats, [12](#)
- \* **fetch ladder functions**
  - fetch\_ladder, [7](#)
- \* **fetch lineup functions**
  - fetch\_lineup, [9](#)
- \* **fetch player details functions**
  - fetch\_player\_details, [11](#)
- \* **fetch results functions**
  - fetch\_results, [14](#)

calculate\_coaches\_vote\_possibilities, [3](#)

fetch\_betting\_odds\_footywire, [4](#)

fetch\_coaches\_votes, [5](#)

fetch\_fixture, [6](#), [13](#)

fetch\_fixture\_afl, [7](#)

fetch\_fixture\_afl(fetch\_fixture), [6](#)

fetch\_fixture\_afl(), [6](#)

fetch\_fixture\_footywire, [7](#)

fetch\_fixture\_footywire(fetch\_fixture), [6](#)

fetch\_fixture\_footywire(), [6](#)

fetch\_fixture\_squiggle, [7](#)

fetch\_fixture\_squiggle(fetch\_fixture), [6](#)

fetch\_fixture\_squiggle(), [6](#)

fetch\_ladder, [7](#)

fetch\_ladder\_afl, [8](#)

fetch\_ladder\_afl(fetch\_ladder), [7](#)

fetch\_ladder\_afl(), [8](#)

fetch\_ladder\_afltables, [8](#)

fetch\_ladder\_afltables(fetch\_ladder), [7](#)

fetch\_ladder\_afltables(), [8](#)

fetch\_ladder\_squiggle, [8](#)

fetch\_ladder\_squiggle(fetch\_ladder), [7](#)

fetch\_ladder\_squiggle(), [8](#)

fetch\_lineup, [9](#)

fetch\_lineup\_afl, [10](#)

fetch\_lineup\_afl(fetch\_lineup), [9](#)

fetch\_lineup\_afl(), [9](#)

fetch\_player\_details, [11](#)

fetch\_player\_details\_afl, [12](#)

fetch\_player\_details\_afl(fetch\_player\_details), [11](#)

fetch\_player\_details\_afl(), [11](#)

fetch\_player\_details\_afltables(fetch\_player\_details), [11](#)

fetch\_player\_details\_afltables(), [11](#)

fetch\_player\_details\_footywire, [12](#)

fetch\_player\_details\_footywire(fetch\_player\_details), [11](#)

fetch\_player\_details\_footywire(), [11](#)

fetch\_player\_stats, [7](#), [12](#)

fetch\_player\_stats\_afl(fetch\_player\_stats), [12](#)

fetch\_player\_stats\_afltables(fetch\_player\_stats), [12](#)

fetch\_player\_stats\_afltables(), [12](#)

fetch\_player\_stats\_footywire, [13](#)

fetch\_player\_stats\_footywire(fetch\_player\_stats), [12](#)

fetch\_player\_stats\_footywire(), [12](#)

fetch\_player\_stats\_fryzigg, [13](#)

fetch\_player\_stats\_fryzigg(fetch\_player\_stats), [12](#)

fetch\_player\_stats\_fryzigg(), [12](#)

fetch\_results, [14](#)

fetch\_results\_afl, [15](#)

fetch\_results\_afl(fetch\_results), [14](#)

fetch\_results\_afl(), [14](#)

fetch\_results\_afltables, [15](#)

fetch\_results\_afltables(fetch\_results), [14](#)

fetch\_results\_afltables(), [8](#), [14](#)

fetch\_results\_footywire, [15](#)

fetch\_results\_footywire  
    (fetch\_results), [14](#)  
fetch\_results\_footywire(), [14](#)  
fetch\_results\_squiggle, [15](#)  
fetch\_results\_squiggle(fetch\_results),  
    [14](#)  
fetch\_results\_squiggle(), [14](#)  
fetch\_score\_worm\_data, [16](#)  
fetch\_squiggle\_data, [16](#)  
  
get\_afl\_colour\_palettes, [20](#)  
get\_afl\_cookie, [20](#)  
get\_aflw\_detailed\_data, [17](#)  
get\_aflw\_detailed\_match\_data, [18](#)  
get\_aflw\_round\_data, [19](#)  
get\_aflw\_rounds, [19](#)  
get\_score\_progression\_raw, [21](#)  
  
parse\_team\_abbr, [21](#)  
plot\_score\_worm, [22](#)  
plot\_score\_worm\_totals, [22](#)  
  
replace\_teams, [23](#)  
replace\_venues, [23](#)  
  
team\_abr\_afl, [24](#)