

Package ‘flipdownr’

July 22, 2025

Type Package
Title Implement a Countdown in 'RMarkdown' Documents and 'shiny' Applications
Version 0.1.1
Maintainer Mohamed El Fodil Ihaddaden <ihaddaden.fodeil@gmail.com>
Description
Allows the user to create a countdown in 'RMarkdown' documents and 'shiny' applications.
The package is a wrapper of the 'JavaScript' library 'flipdown.js'. See <<https://pbutcher.uk/flipdown/>> for more info.
License MIT + file LICENSE
Encoding UTF-8
LazyData true
RoxygenNote 7.1.1
Imports htmltools, glue, jsonlite, checkmate
URL <https://github.com/feddelegrand7/flipdownr>
BugReports <https://github.com/feddelegrand7/flipdownr/issues>
NeedsCompilation no
Author Mohamed El Fodil Ihaddaden [aut, cre],
Butcher Peter [ctb, cph] (flipdown.js library developer)
Repository CRAN
Date/Publication 2020-11-29 15:30:03 UTC

Contents

flipdown	2
flipdown_dependency	2
Index	3

flipdown	<i>Implement a countdown</i>
----------	------------------------------

Description

Implement a countdown

Usage

```
flipdown(
  downto,
  id,
  theme = "dark",
  headings = c("Days", "Hours", "Minutes", "Seconds")
)
```

Arguments

downto	the targeted date in 'yyyy-mm-dd' or 'yyyy-mm-dd hh:mm:ss' format
id	the id of the flipdown object
theme	the theme of the flipdown object. Possible choices: 'dark', 'light', 'gdila', 'youkous', 'ifri', 'saida'. Defaults to 'dark'
headings	a character vector specifying the heading related to each time part. Defaults to English headings: c("Days", "Hours", "Minutes", "Seconds")

Value

a countdown object

Examples

```
flipdown(downto = "2020-11-16 20:20:20 UTC", id = "first", theme = "dark")
```

flipdown_dependency	<i>Create an HTML dependency for flipdown.js</i>
---------------------	--

Description

Create an HTML dependency for flipdown.js

Usage

```
flipdown_dependency()
```

Index

flipdown, [2](#)

flipdown_dependency, [2](#)