

# Package ‘mistral’

July 22, 2025

**Version** 2.2.3

**Title** Methods in Structural Reliability

**Maintainer** Bertrand Iooss <biooss@yahoo.fr>

**Depends** R (>= 3.0.0)

**Imports** e1071, Matrix, mvtnorm, ggplot2, doParallel, foreach,  
iterators, DiceKriging, quadprog, Rcpp

**Suggests** microbenchmark, deSolve, scatterplot3d, KrigInv, rgenoud,  
kernlab, knitr, rmarkdown, markdown

**LinkingTo** Rcpp

**Description** Various reliability analysis methods for rare event inference (computing failure probability and quantile from model/function outputs).

**License** GPL-2

**NeedsCompilation** yes

**Repository** CRAN

**LazyData** true

**RoxygenNote** 7.0.2

**VignetteBuilder** knitr, rmarkdown

**Author** Bertrand Iooss [aut, cre],  
Clement Walter [aut],  
Gilles defaux [aut],  
Vincent Moutoussamy [aut]

**Date/Publication** 2025-07-16 05:00:02 UTC

## Contents

|  |    |
|--|----|
| mistral-package . . . . .              | 2  |
| AKMCS . . . . .                        | 4  |
| BMP . . . . .                          | 9  |
| cantilever . . . . .                   | 12 |
| ComputeDistributionParameter . . . . . | 13 |
| estimateSUR . . . . .                  | 14 |

|                                       |           |
|---------------------------------------|-----------|
| FORM . . . . .                        | 15        |
| FORMv0 . . . . .                      | 17        |
| generateK . . . . .                   | 18        |
| IRW . . . . .                         | 20        |
| kiureghian . . . . .                  | 23        |
| LSVM . . . . .                        | 23        |
| MetaIS . . . . .                      | 25        |
| MetropolisHastings . . . . .          | 29        |
| modelLSVM . . . . .                   | 31        |
| ModifCorrMatrix . . . . .             | 32        |
| MonotonicQuantileEstimation . . . . . | 33        |
| MonteCarlo . . . . .                  | 35        |
| MP . . . . .                          | 38        |
| ok . . . . .                          | 41        |
| oscillator_d6 . . . . .               | 43        |
| plotLSVM . . . . .                    | 43        |
| precomputeUpdateData . . . . .        | 45        |
| quantileWilks . . . . .               | 45        |
| rackwitz . . . . .                    | 47        |
| S2MART . . . . .                      | 47        |
| SMART . . . . .                       | 50        |
| SubsetSimulation . . . . .            | 53        |
| testConvexity . . . . .               | 56        |
| twodof . . . . .                      | 58        |
| updateLSVM . . . . .                  | 58        |
| updateSd . . . . .                    | 60        |
| updateSd.old . . . . .                | 61        |
| UtoX . . . . .                        | 61        |
| waarts . . . . .                      | 63        |
| WilksFormula . . . . .                | 64        |
| XtoU . . . . .                        | 65        |
| <b>Index</b>                          | <b>66</b> |

**Description**

Provide tools for structural reliability analysis (failure probability and quantile of model/function outputs).

**Details**

Package: mistral  
Type: Package  
License: GPL-2

This package provides tools for structural reliability analysis:

- Calculate failure probability with FORM method and importance sampling.
- Calculate failure probability with crude Monte Carlo method
- Calculate failure probability with Subset Simulation algorithm
- Calculate failure probability with metamodel based algorithms : AKMCS, SMART and MetaIS
- Calculate failure probability with a metamodel based Subset Simulation : S2SMART
- Wilks formula: Compute a quantile (or tolerance interval) with a given confidence level from a i.i.d. sample,
- Wilks formula: Compute the minimal sample size to estimate a quantile with a given confidence level,
- Calculate a quantile under monotonicity constraints

**Author(s)**

Bertrand Iooss, Clement Walter, Gilles Defaux, Vincent Moutoussamy, with contributions from Nicolas Bousquet, Claire Cannamela and Paul Lemaître (maintainer: Bertrand Iooss <biooss@yahoo.fr>)  
(maintainer: Bertrand Iooss <biooss@yahoo.fr>)

**References**

- S.-K. Au, J. L. Beck. Estimation of small failure probabilities in high dimensions by Subset Simulation. Probabilistic Engineering Mechanics, 2001
- J.-M. Bourinet, F. Deheeger, M. Lemaire. Assessing small failure probabilities by combined Subset Simulation and Support Vector Machines. Structural Safety, 2011
- N. Bousquet. Accelerated monte carlo estimation of exceedance probabilities under monotonicity constraints. Annales de la Faculte des Sciences de Toulouse. XXI(3), 557-592, 2012
- H.A. David and H.N. Nagaraja. Order statistics, Wiley, 2003
- F. Deheeger. Couplage mecano-fiabilite : 2SMART - methodologie d'apprentissage stochastique en fiabilite. PhD. Thesis, Universite Blaise Pascal - Clermont II, 2008
- A. Der Kiureghian, T. Dakessian. Multiple design points in first and second-order reliability. Structural Safety, vol.20, 1998
- O. Ditlevsen and H.O. Madsen. Structural reliability methods, Wiley, 1996
- V. Dubourg. Meta-modeles adaptatifs pour l'analyse de fiabilite et l'optimisation sous contrainte fiabilite. PhD. Thesis, Universite Blaise Pascal - Clermont II, 2011
- B. Echard, N. Gayton, M. Lemaire. AK-MCS : an Active learning reliability method combining Kriging and Monte Carlo Simulation

- M. Lemaire, A. Chateauneuf and J. Mitteau. Structural reliability, Wiley Online Library, 2009
- J. Morio and M. Balesdent. Estimation of rare event probabilities in complex aerospace and other systems. Woodhead Publishing, 2016
- V. Moutoussamy. Contributions to structural reliability analysis: accounting for monotonicity constraints in numerical models, PhD Thesis of Universite de Toulouse, France, 2015
- W.T. Nutt and G.B. Wallis. Evaluation of nuclear safety from the outputs of computer codes in the presence of uncertainties. Reliability Engineering and System Safety, 83:57-77, 2004
- P.-H. Waarts. Structural reliability using finite element methods: an appraisal of DARS, Directional Adaptive Response Surface Sampling. PhD. Thesis, Technical University of Delft, The Netherlands, 2000
- C. Walter. Using Poisson processes for rare event simulation, PhD Thesis of Universite Paris Diderot, France, 2016
- S.S. Wilks. Determination of Sample Sizes for Setting Tolerance Limits. Annals Mathematical Statistics, 12:91-96, 1941

## Examples

```
##### FORM #####
# u.dep is a starting point for the research of the Most Probable Failing Point
# N.calls is a total number of calls
form <- mistral::FORM(dimension = 2, mistral::kiureghian, N.calls = 1000,
                     u.dep = c(0,0))
form$p

# use IS=TRUE to use an Importance Sampling scheme with a Gaussian standard
# proposal distribution centred at the MPFP
form.IS <- mistral::FORM(dimension = 2, mistral::kiureghian, N.calls = 1000,
                       u.dep = c(0,0),
                       IS = TRUE)
form.IS$p

##### Wilks #####

N <- WilksFormula(0.95,0.95,order=1)
print(N)
```

## Description

Estimate a failure probability with the AKMCS method.

**Usage**

```

AKMCS(
  dimension,
  lsf,
  N = 5e+05,
  N1 = 10 * dimension,
  Nmax = 200,
  Nmin = 2,
  X = NULL,
  y = NULL,
  failure = 0,
  precision = 0.05,
  bayesian = TRUE,
  compute.PPP = FALSE,
  meta_model = NULL,
  kernel = "matern5_2",
  learn_each_train = TRUE,
  crit_min = 2,
  lower.tail = TRUE,
  limit_fun_MH = NULL,
  failure_MH = 0,
  sampling_strategy = "MH",
  first_DOE = "Gaussian",
  seeds = NULL,
  seeds_eval = limit_fun_MH(seeds),
  burnin = 30,
  plot = FALSE,
  limited_plot = FALSE,
  add = FALSE,
  output_dir = NULL,
  verbose = 0
)

```

**Arguments**

|           |  |
|-----------|--|
| dimension | dimension of the input space.                    |
| lsf       | the function defining the failure/safety domain. |
| N         | Monte-Carlo population size.                     |
| N1        | size of the first DOE.                           |
| Nmax      | maximum number of calls to the LSF.              |
| Nmin      | minimum number of calls during enrichment step.  |
| X         | coordinates of already known points.             |
| y         | value of the LSF on these points.                |
| failure   | failure threshold.                               |
| precision | maximum desired cov on the Monte-Carlo estimate. |

|                   |   |
|-------------------|---|
| bayesian          | estimate the conditional expectation $E_X [ P[\text{meta}(X) < \text{failure}] ]$ .   |
| compute.PPP       | to simulate a Poisson process at each iteration to estimate the conditional expectation and the SUR criteria based on the conditional variance: $h$ (average probability of misclassification at level failure) and $I$ (integral of $h$ over the whole interval $[\text{failure}, \text{inf}]$ ) |
| meta_model        | provide here a kriging metamodel from $km$ if wanted.   |
| kernel            | specify the kernel to use for $km$ .  |
| learn_each_train  | specify if kernel parameters are re-estimated at each train.  |
| crit_min          | minimum value of the criteria to be used for refinement.  |
| lower.tail        | as for $p$ xxxx functions, TRUE for estimating $P(\text{lsf}(X) < \text{failure})$ , FALSE for $P(\text{lsf}(X) > \text{failure})$  |
| limit_fun_MH      | define an area of exclusion with a limit function.  |
| failure_MH        | the threshold for the limit_fun_MH function.  |
| sampling_strategy | either MH for Metropolis-Hastings or AR for accept-reject.  |
| first_DOE         | either Gaussian or Uniform, to specify the population on which clustering is done. Set to "No" for no initial DoE (use together with a first DoE given in $X$ for instance).  |
| seeds             | if some points are already known to be in the appropriate subdomain.  |
| seeds_eval        | value of the metamodel on these points.   |
| burnin            | burnin parameter for MH.  |
| plot              | set to TRUE for a full plot, ie refresh at each iteration.  |
| limited_plot      | set to TRUE for a final plot with final DOE, metamodel and LSF.   |
| add               | if plots are to be added to a current device.   |
| output_dir        | if plots are to be saved in jpeg in a given directory.  |
| verbose           | either 0 for almost no output, 1 for medium size output and 2 for all outputs.  |

## Details

AKMCS strategy is based on a original Monte-Carlo population which is classified with a kriging-based metamodel. This means that no sampling is done during refinements steps. Indeed, it tries to classify this Monte-Carlo population with a confidence greater than a given value, for instance 'distance' to the failure should be greater than `crit_min` standard deviation.

Thus, while this criterion is not verified, the point minimizing it is added to the learning database and then evaluated.

Finally, once all points are classified or when the maximum number of calls has been reached, crude Monte-Carlo is performed. A final test controlling the size of this population regarding the targeted coefficient of variation is done; if it is too small then a new population of sufficient size (considering order of magnitude of found probability) is generated, and algorithm run again.

**Value**

An object of class `list` containing the failure probability and some more outputs as described below:

|                         |  |
|-------------------------|--|
| <code>p</code>          | the estimated failure probability.   |
| <code>cov</code>        | the coefficient of variation of the Monte-Carlo probability estimate.  |
| <code>Ncall</code>      | the total number of calls to the <code>lsf</code> .  |
| <code>X</code>          | the final learning database, ie. all points where <code>lsf</code> has been calculated.  |
| <code>y</code>          | the value of the <code>lsf</code> on the learning database.  |
| <code>h</code>          | the sequence of the estimated relative SUR criteria.   |
| <code>I</code>          | the sequence of the estimated integrated SUR criteria.   |
| <code>meta_fun</code>   | the metamodel approximation of the <code>lsf</code> . A call output is a list containing the value and the standard deviation.   |
| <code>meta_model</code> | the final metamodel. An S4 object from <b>DiceKriging</b> . Note that the algorithm enforces the problem to be the estimation of $P[\text{lsf}(X) < \text{failure}]$ and so using ‘predict’ with this object will return inverse values if <code>lower.tail==FALSE</code> ; in this scope prefer using directly <code>meta_fun</code> which handles this possible issue. |
| <code>points</code>     | points in the failure domain according to the metamodel.   |
| <code>meta_eval</code>  | evaluation of the metamodel on these points.   |
| <code>z_meta</code>     | if <code>plot==TRUE</code> , the evaluation of the metamodel on the plot grid.   |

**Note**

Problem is supposed to be defined in the standard space. If not, use [UtoX](#) to do so. Furthermore, each time a set of vector is defined as a matrix, ‘nrow’ = dimension and ‘ncol’ = number of vector to be consistent with `as.matrix` transformation of a vector.

Algorithm calls `lsf(X)` (where `X` is a matrix as defined previously) and expects a vector in return. This allows the user to optimise the computation of a batch of points, either by vectorial computation, or by the use of external codes (optimised C or C++ codes for example) and/or parallel computation; see examples in [MonteCarlo](#).

**Author(s)**

Clement WALTER <clementwalter@icloud.com>

**References**

- B. Echard, N. Gayton, M. Lemaire:  
*AK-MCS : an Active learning reliability method combining Kriging and Monte Carlo Simulation*  
 Structural Safety, Elsevier, 2011.

- B. Echard, N. Gayton, M. Lemaire and N. Relun:  
*A combined Importance Sampling and Kriging reliability method for small failure probabilities with time-demanding numerical models*  
Reliability Engineering and System Safety, 2012
- B. Echard, N. Gayton and A. Bignonnet:  
*A reliability analysis method for fatigue design*  
International Journal of Fatigue, 2014

### See Also

[SubsetSimulation MonteCarlo MetaIS km](#) (in package **DiceKriging**)

### Examples

```
## Not run:
res = AKMCS(dimension=2,lsf=kiureghian,plot=TRUE)

#Compare with crude Monte-Carlo reference value
N = 500000
dimension = 2
U = matrix(rnorm(dimension*N),dimension,N)
G = kiureghian(U)
P = mean(G<0)
cov = sqrt((1-P)/(N*P))

## End(Not run)

#See impact of kernel choice with serial function from Waarts:
waarts = function(u) {
  u = as.matrix(u)
  b1 = 3+(u[1,]-u[2,])^2/10 - sign(u[1,] + u[2,])*(u[1,]+u[2,])/sqrt(2)
  b2 = sign(u[2,]-u[1,])*(u[1,]-u[2,])+7/sqrt(2)
  val = apply(cbind(b1, b2), 1, min)
}

## Not run:
res = list()
res$matern5_2 = AKMCS(2, waarts, plot=TRUE)
res$matern3_2 = AKMCS(2, waarts, kernel="matern3_2", plot=TRUE)
res$gaussian = AKMCS(2, waarts, kernel="gauss", plot=TRUE)
res$exp = AKMCS(2, waarts, kernel="exp", plot=TRUE)

#Compare with crude Monte-Carlo reference value
N = 500000
dimension = 2
U = matrix(rnorm(dimension*N),dimension,N)
G = waarts(U)
P = mean(G<0)
cov = sqrt((1-P)/(N*P))
```



```
## End(Not run)
```

---

BMP

*Bayesian Moving Particles*


---

## Description

This function runs the Bayesian Moving Particles algorithm for estimating extreme probability and quantile.

## Usage

```
BMP(
  dimension,
  lsf,
  q,
  N = 1000,
  N.final = N,
  N.iter = 30,
  adaptive = FALSE,
  N.DoE = 5 * dimension,
  firstDoE = "uniform",
  radius = qnorm(1e-10, lower.tail = FALSE),
  X,
  Y,
  covariance = NULL,
  learn_each_train = Inf,
  km.param = list(nugget.estim = TRUE, multistart = 1, optim.method = "BFGS", coef.trend
    = q),
  burnin = 20,
  fast = TRUE,
  sur = list(integrated = TRUE, r = 1, approx.pnorm = FALSE),
  lower.tail = TRUE,
  save.dir,
  plot = FALSE,
  plot.lsf = TRUE,
  plot.lab = c("x_1", "x_2"),
  chi2 = FALSE,
  verbose = 1,
  breaks
)
```

## Arguments

|           |  |
|-----------|--|
| dimension | the dimension of the input space.                              |
| lsf       | the function defining the RV of interest $Y = \text{lsf}(X)$ . |

|                               |   |
|-------------------------------|---|
| <code>q</code>                | a given quantile to estimate the corresponding probability.   |
| <code>N</code>                | the total number of Poisson processes during the refinement step.   |
| <code>N.final</code>          | the total number of Poisson processes for the final alpha estimate.   |
| <code>N.iter</code>           | the total number of iteration of the algorithm, ie that total number of calls to the <code>lsf</code> will be <code>N.DoE + N.iter*r</code> .   |
| <code>adaptive</code>         | if the algorithm should stop automatically if the stopping criterion is verified, precisely the mean probability of misclassification of the particles being over a given threshold.  |
| <code>N.DoE</code>            | the number of points for the initial Design of Experiment   |
| <code>firstDoE</code>         | default is "uniform" for a random uniform sampling over a sphere of radius <code>radius</code> . Also available "maximim" for a maximim LHS.  |
| <code>radius</code>           | the size of the radius of the sphere for uniform DoE or the semi length of the interval on each dimension for maximin LHS   |
| <code>X</code>                | (optional) a first Design of Experiment to be used instead of building a new DoE  |
| <code>y</code>                | the value of <code>lsf</code> on the <code>X</code>   |
| <code>covariance</code>       | (optional) to give a covariance kernel for the <code>km</code> object.  |
| <code>learn_each_train</code> | a integer: after this limit the covariance parameters are not learnt any more and model is just updated with the new datapoints.  |
| <code>km.param</code>         | (optional) list of parameters to be passed to <code>DiceKriging::km</code> .  |
| <code>burnin</code>           | a burnin parameter for Markov Chain drawing of the metamodel based Poisson process (this does not change the number of calls to <code>lsf</code> ).   |
| <code>fast</code>             | in current implementation it appears that the call to the metamodel is faster when doing batch computation. This parameter lets do the Markov chain the other way around: instead of first selecting a starting point and then applying burnin times the transition kernel, it creates a working population by apply the kernel to all the particles and then makes some moves with the generated discretised distribution. |
| <code>sur</code>              | a list containing any parameters to be passed to <code>estimateSUR</code> . Default is <code>sur\$integrated=TRUE</code> and <code>sur\$r=1</code> for a one step ahead integrated SUR criterion.   |
| <code>lower.tail</code>       | as for <code>pxxxx</code> functions, TRUE for estimating $P(\text{lsf}(X) < q)$ , FALSE for $P(\text{lsf}(X) > q)$ .  |
| <code>save.dir</code>         | (optional) a directory to save the <code>X</code> and <code>y</code> at each iteration.   |
| <code>plot</code>             | to plot the DoE and the updated model.  |
| <code>plot.lsf</code>         | to plot the contour of the true <code>lsf</code> . Note that this requires its evaluation on a grid and should be used only on toy examples.  |
| <code>plot.lab</code>         | the labels of the axis for the plot.  |
| <code>chi2</code>             | for a chi2 test on the number of events.  |
| <code>verbose</code>          | controls the level of outputs of the algorithm.   |
| <code>breaks</code>           | optional, for the final histogram if <code>chi2 == TRUE</code> .  |

## Details

The Bayesian Moving Particles algorithm uses the point process framework for rare event to iteratively estimate the conditional expectation of the (random) limit-state function, to quantify the quality of the learning and to propose a new point to be added to the model with a SUR criterion.

## Value

An object of class `list` containing the outputs described below:

|                          |  |
|--------------------------|--|
| <code>alpha</code>       | the estimated conditional expectation of the probability.  |
| <code>alpha.seq</code>   | the sequence of estimated alpha during the refinement step.  |
| <code>cv2</code>         | an estimate of the squared coefficient of variation of alpha.  |
| <code>cv.seq</code>      | the sequence of the estimated coefficients of variations.  |
| <code>h</code>           | the sequence of the estimated upper bound of the conditional variance divided by estimated alpha.  |
| <code>I</code>           | the sequence of the estimated integrated h.  |
| <code>sur_min</code>     | a list containing the the sequence of corresponding thresholds and -log probability of the sample minimising the SUR criterion.  |
| <code>sur_stat</code>    | a list containing at each iterations number of points tried for the SUR criterion as well as the computational spent.  |
| <code>q</code>           | the reference quantile for the probability estimate.   |
| <code>ecdf</code>        | the empirical cdf, i.e. the estimation of the function $q \rightarrow E(\alpha(q))$ .  |
| <code>L_max</code>       | the farthest state reached by the random process. Validity range for the ecdf is then $(-\infty, L_{\max}]$ or $[L_{\max}, \infty)$ .  |
| <code>PPP</code>         | the last Poisson process generated with <code>N.final</code> particles.  |
| <code>meta_fun</code>    | the metamodel approximation of the <code>lsf</code> . A call output is a list containing the value and the standard deviation.   |
| <code>model</code>       | the final metamodel. An <code>S4</code> object from <b>DiceKriging</b> . Note that the algorithm enforces the problem to be the estimation of $P[lsf(X) > q]$ and so using 'predict' with this object will return inverse values if <code>lower.tail==TRUE</code> ; in this scope prefer using directly <code>meta_fun</code> which handles this possible issue. |
| <code>model.first</code> | the first metamodel with the initial DoE.  |
| <code>alpha_int</code>   | a 95% confidence interval on the estimate of alpha.  |
| <code>moves</code>       | a vector containing the number of moves for each one of the <code>N.batch</code> particles.  |
| <code>chi2</code>        | the output of the <code>chisq.test</code> function.  |

## Note

Probleme should be defined in the standard space. Transformations can be made using `UtoX` and `XtoU` functions.

## Author(s)

Clement WALTER <clementwalter@icloud.com>

## References

- A. Guyader, N. Hengartner and E. Matzner-Lober:  
*Simulation and estimation of extreme quantiles and extreme probabilities*  
Applied Mathematics and Optimization, 64(2), 171-196.
- C. Walter:  
*Moving Particles: a parallel optimal Multilevel Splitting method with application in quantiles estimation and meta-model based algorithms*  
Structural Safety, 55, 10-25.
- J. Bect, L. Li and E. Vazquez:  
*Bayesian subset simulation*  
arXiv preprint arXiv:1601.02557

## See Also

[SubsetSimulation MonteCarlo IRW MP](#)

## Examples

```
# Estimate P(g(X)<0)
## Not run: p <- BMP(dimension = 2, lsf = kiureghian, q = 0, N = 100, N.iter = 30, plot = TRUE)

# More extreme event
## Not run: p <- BMP(dimension = 2, lsf = waarts, q = -4, N = 100, N.iter = 50, plot = TRUE)

# One can also estimate probability of the form P(g(X)>q)
## Not run: p <- BMP(dimension = 2, lsf = cantilever, q = 1/325, N = 100, N.iter = 30, plot = TRUE)
```

---

cantilever

*A function calculating the deviation of a cantilever beam.*

---

## Description

The limit-state function is defined in the standard space and isoprobabilistic transformation is used internally.

## Usage

```
cantilever
```

## Format

The function can handle a vector or a matrix with column vectors.

## References

Gayton, N. and Bourinet, J.-M. and Lemaire, M.:  
*CD2RS: a new statistical approach to the response surface method for reliability analysis.*  
Structural Safety 25 99-121, 2003.

---

ComputeDistributionParameter

*Compute internal parameters and moments for univariate distribution functions*

---

## Description

Compute the internal parameters needed in the definition of several distribution functions when unknown

## Usage

```
ComputeDistributionParameter(margin)
```

## Arguments

|        |  |
|--------|--|
| margin | A list containing the definition of the marginal distribution function |
|--------|--|

## Value

|        |                  |
|--------|------------------|
| margin | The updated list |
|--------|------------------|

## Author(s)

gilles DEFAUX, <gilles.defaux@cea.fr>

## Examples

```
distX1 <- list(type='Lnorm', MEAN=120.0, STD=12.0, P1=NULL, P2=NULL, NAME='X1')
distX1 <- ComputeDistributionParameter(distX1)
print(distX1)
```

estimateSUR

*EstimateSUR***Description**

A function for estimating a SUR criterion with a realisation of a PPP

**Usage**

```
estimateSUR(
  PPP,
  xi_PPP_X,
  integrated = TRUE,
  N_ppp,
  method = "discrete",
  SUR_pop,
  r = N.batch,
  optimcontrol = list(pop.size = 50 * d, max.generations = 10 * d),
  approx.pnorm,
  J = 0,
  N.batch = foreach::getDoParWorkers(),
  verbose = 0,
  ...
)
```

**Arguments**

|              |  |
|--------------|--|
| PPP          | the Poisson point process generated to get alpha.  |
| xi_PPP_X     | the output of xi(cbind(PPP\$X, PPP\$final_X)).   |
| integrated   | boolean to specify if SUR criterion is standard or integrated.   |
| N_ppp        | the number of Poisson processes used for the SUR criterion estimation.   |
| method       | either "genoud" for an optimisation using the package rgenoud or "discrete" for a discrete search over SUR_pop.          |
| SUR_pop      | if optimcontrol\$method=="discrete", SUR_pop is the population onto which minimizer is sought. Should be a matrix d x n. |
| r            | number of points to be added to the DoE.   |
| optimcontrol | a list of control parameters for the optimisation of the SUR criterion using the rgenoud package.                        |
| approx.pnorm | (optional) an approximation of base pnorm function running faster.   |
| J            | the center of an interval of size 8 for pnorm approximation.   |
| N.batch      | Number of batches for parallel computation.  |
| verbose      | to control the print level of the algorithm  |
| ...          | further arguments to be passed to fSUR.  |

**Value**

a list containing the points minimising the criterion

---

 FORM

*First-order reliability method*


---

**Description**

The First-Order Reliability Method computes an estimation of the failure probability by approximating the limit-state function at the Most Probable Failure Point with a hyperplane.

**Usage**

```
FORM(
  dimension,
  lsf,
  u.dep = rep(0, dimension),
  N.calls = 100,
  eps = 1e-07,
  Method = "HLRF",
  IS = FALSE,
  IS.ratio = 0.5,
  plot = FALSE,
  plot.lsf = FALSE,
  plot.lab = c("x_1", "x_2")
)
```

**Arguments**

|           |  |
|-----------|--|
| dimension | the dimension of the input space.  |
| lsf       | the limit-state function.  |
| u.dep     | the starting point for the MPFP search.  |
| N.calls   | the total number of calls for the whole algorithm.   |
| eps       | stopping criterion: distance of two points between two iterations.   |
| Method    | choice of the method to search the design point: "AR" for Abdo-Rackwitz and "HLRF" for Hasofer-Lindt-Rackwitz-Fiessler.  |
| IS        | "TRUE" for using importance Sampling method with an standard Gaussian importance density centred at the MPFP.  |
| IS.ratio  | ratio of N.calls for the search of the design point by FORM. Default = 0.5. 1-IS.ratio = the remaining ratio to be used for importance sampling.                                 |
| plot      | to plot the generated samples.   |
| plot.lsf  | a boolean indicating if the lsf should be added to the plot. This requires the evaluation of the lsf over a grid and consequently should be used only for illustration purposes. |
| plot.lab  | the x and y labels for the plot.   |

## Details

The FORM method has to be used in the standard Gaussian input space. It is designed to estimate probability of the form  $P[g(\mathbf{X}) < 0]$  with  $g$  the limit-state function. This function has to be modified accordingly to fit into this framework

Furthermore, it should be able to handle matrix input of column vectors. See the mistral vignette for more info about lsf definition

## Value

A list containing the following objects

|               |   |
|---------------|---|
| p             | Failure probability   |
| indice.reliab | Reliability index   |
| Ncall         | Number of calls to f  |
| Design.Point  | Coordinates of the design point                             |
| fact.imp      | Importance factors  |
| variance      | Standard error of the probability estimator (if IS = TRUE)  |
| Interval.conf | Confidence interval of the estimator at 0.95 (if IS = TRUE) |
| DOE           | List which contains the design of experiments               |

## Author(s)

Vincent MOUTOUSSAMY and Clement WALTER <clementwalter@icloud.com>

## References

- O. Ditlevsen and H.O. Madsen. Structural reliability methods, Wiley, 1996
- M. Lemaire, A. Chateauneuf and J. Mitteau. Structural reliability, Wiley Online Library, 2009.

## Examples

```
## Not run:
# u.dep is a starting point for the research of the Most Probable Failing Point
# N.calls is a total number of calls
form <- mistral::FORM(dimension = 2, mistral::kiureghian, N.calls = 1000,
                     u.dep = c(0,0))

form$p

# use IS=TRUE to use an Importance Sampling scheme with a Gaussian standard
# proposal distribution centred at the MPFP
form.IS <- mistral::FORM(dimension = 2, mistral::kiureghian, N.calls = 1000,
                       u.dep = c(0,0),
                       IS = TRUE)

form.IS$p

## End(Not run)
```



FORMv0

*FORM method (old version)***Description**

Calculate failure probability by FORM method and important sampling.

**Usage**

```
FORMv0(f, u.dep, inputDist, N.calls, eps = 1e-7,
       Method = "HLRF", IS = FALSE, q = 0.5, copula = "unif")
```

**Arguments**

|           |   |
|-----------|---|
| f         | A failure fonction  |
| u.dep     | A vector, starting point to the research of the design point  |
| inputDist | A list which contains the name of the input distribution and their parameters. For the input "i", inputDistribution[[i]] = list("name_law",c(parameters1,..., parametersN)) |
| N.calls   | Number of calls to f allowed  |
| eps       | Stop criterion : distance of two points between two iterations  |
| Method    | Choice of the method to research the design point: "AR" for Abdo-Rackwitz and "HLRF" for Hasofer-Lindt-Rackwitz-Fiessler  |
| IS        | "TRUE" for using importance Sampling method (applied after FORM which provides the importance density). Default = "FALSE".  |
| q         | Ratio of N.calls for the research of the design point by FORM. Default = 0.5. 1-q = the remaining ratio to use importance sampling.   |
| copula    | Choice of the copula. Default = "unif" (uniform copula)   |

**Details**

This function estimate the probability that the output of the failure function is negative using FORM algorithm. The importance sampling procedure estimate a probability using a Gaussian distribution centered in the design point with a covariance matrix equal to the indenty.

**Value**

|              |  |
|--------------|--|
| pf           | Failure probability  |
| beta         | Reliability index (beta)                                   |
| compt.f      | Number of calls to f                                       |
| design.point | Coordinates of the design point                            |
| fact.imp     | Importance factors   |
| variance     | Standard error of the probability estimator (if IS = TRUE) |

|      |   |
|------|---|
| conf | Confidence interval of the estimator at 0.95 (if IS = TRUE)   |
| x    | A data frame containing the input design of experiments   |
| y    | A vector of model responses (corresponding to x)  |
| dy   | A data frame of model response derivatives (wrt each input and corresponding to x); for the IS sample, the derivatives are not computed |

**Author(s)**

Vincent Moutoussamy and Bertrand Iooss

**References**

O. Ditlevsen and H.O. Madsen. Structural reliability methods, Wiley, 1996  
M. Lemaire, A. Chateauneuf and J. Mitteau. Structural reliability, Wiley Online Library, 2009.

**Examples**

```
## Not run:
distribution = list()
distribution[[1]] = list("gamma",c(2,1))
distribution[[2]] = list("gamma",c(3,1))

f <- function(X){
  X[1]/sum(X) - qbeta((1e-5),2,3)
}

res <- mistral:::FORMv0(f, u.dep = c(0,0.1), inputDist = distribution,
  N.calls = 1000, eps = 1e-7, Method = "HLRF", IS = "TRUE",
  q = 0.1, copula = "unif")

names(res)
print(res)
print(res$pf)

## End(Not run)
```

---

|           |   |
|-----------|---|
| generateK | <i>Generate Standard Gaussian samples with a Gaussian transiiton kernel</i> |
|-----------|---|

---

**Description**

Generate Standard Gaussian samples with a Gaussian transiiton kernel

**Usage**

```
generateK(X, N = 100, thinning = 4, sigma = 1, lsf, burnin = 20)
```

**Arguments**

|          |   |
|----------|---|
| X        | the seeds for the Markov Chain. There are as many MC drawn as given seeds     |
| N        | the number of desired samples"  |
| thinning | the proportion of kept samples, ie. 1 each thinning draw.                     |
| sigma    | the exploration parameter for the transition kernel                           |
| lsf      | a boolean limit-state function for definig a subdomain of the input space.    |
| burnin   | the burnin parameter, ie. the number of discarded samples before keeping one. |

**Details**

This function generates standard Gaussian samples with a Markov Chain using a suitable transition kernel

**Value**

A matrix X with the number of desired samples

**Author(s)**

Clement WALTER <clementwalter@icloud.com>

**Examples**

```
# Get a seed in dimension 2
X <- matrix(rnorm(2), nrow = 2)
X <- generateK(X, N = 1000)

library(ggplot2)
ggplot(as.data.frame(t(X)), aes(x_1,x_2)) + geom_point()

# One can also specify a limit-state function
lsf <- function(X){
  sqrt(colSums(X^2)) > 2
}
X <- matrix(c(2, 2), nrow = 2)
X <- generateK(X, N = 1000, lsf = lsf)

ggplot(as.data.frame(t(X)), aes(x_1,x_2)) + geom_point()
```

---

IRW

---

*Increasing Random Walk*


---

### Description

Simulate the increasing random walk associated with a real-valued continuous random variable.

### Usage

```
IRW(
  dimension,
  lsf,
  N = 10,
  q = Inf,
  Nevent = Inf,
  X,
  y = lsf(X),
  K,
  burnin = 20,
  sigma = 0.3,
  last.return = TRUE,
  use.potential = TRUE,
  plot = FALSE,
  plot.lsf = FALSE,
  print_plot = FALSE,
  output_dir = NULL,
  plot.lab = c("x_1", "x_2")
)
```

### Arguments

|               |  |
|---------------|--|
| dimension     | dimension of the input space.  |
| lsf           | limit state function.  |
| N             | number of particles.   |
| q             | level until which the random walk is to be generated.  |
| Nevent        | the number of desired events.  |
| X             | to start with some given particles.  |
| y             | value of the lsf on X.   |
| K             | kernel transition for conditional generations.   |
| burnin        | burnin parameter.  |
| sigma         | radius parameter for K.  |
| last.return   | if the last event should be returned.  |
| use.potential | to use a 'potential' matrix to select starting point not directly related to the sample to be moved with the MH algorithm. |

|                         |   |
|-------------------------|---|
| <code>plot</code>       | if TRUE, the algorithm plots the evolution of the particles. This requires to evaluate the <code>lsf</code> on a grid and is only for visual purpose.   |
| <code>plot.lsf</code>   | a boolean indicating if the <code>lsf</code> should be added to the plot. This requires the evaluation of the <code>lsf</code> over a grid and consequently should be used only for illustration purposes.                                      |
| <code>print_plot</code> | if TRUE, print the updated plot after each iteration. This might be slow; use with a small <code>N</code> . Otherwise it only prints the final plot.  |
| <code>output_dir</code> | if plots are to be saved in pdf in a given directory. This will be pasted with ‘_IRW.pdf’. Together with <code>print_plot==TRUE</code> this will produce a pdf with a plot at each iteration, enabling ‘video’ reconstitution of the algorithm. |
| <code>plot.lab</code>   | the x and y labels for the plot   |

## Details

This function lets generate the increasing random walk associated with a continuous real-valued random variable of the form  $Y = \text{lsf}(X)$  where  $X$  is vectorial random variable.

This random walk can be associated with a Poisson process with parameter `N` and hence the number of iterations before a given threshold `q` is directly related to  $P[\text{lsf}(X) > q]$ . It is the core tool of algorithms such as nested sampling, Last Particle Algorithm or Tootsie Pop Algorithm.

Basically for `N = 1`, it generates a sample  $Y = \text{lsf}(X)$  and iteratively regenerates greater than the found value:  $Y_{n+1} \sim \mu^Y(\cdot \mid Y > Y_n)$ . This regeneration step is done with a Metropolis-Hastings algorithm and that is why it is useful to consider generating several chains all together (`N > 1`).

The algorithm stops when it has simulated the required number of events `Nevent` or when it has reached the sought threshold `q`.

## Value

An object of class `list` containing the following data:

|                         |   |
|-------------------------|---|
| <code>L</code>          | the events of the random walk.  |
| <code>M</code>          | the total number of iterations.   |
| <code>Ncall</code>      | the total number of calls to the <code>lsf</code> .   |
| <code>X</code>          | a matrix containing the final particles.  |
| <code>y</code>          | the value of <code>lsf</code> on <code>X</code> .   |
| <code>q</code>          | the threshold considered when generating the random walk.   |
| <code>Nevent</code>     | the target number of events when generating the random walk.  |
| <code>Nwmoves</code>    | the number of rejected transitions, ie when the proposed point was not strictly greater/lower than the current state. |
| <code>acceptance</code> | a vector containing the acceptance rate for each use of the MH algorithm.   |

**Note**

Problem is supposed to be defined in the standard space. If not, use [UtoX](#) to do so. Furthermore, each time a set of vector is defined as a matrix, 'nrow' = dimension and 'ncol' = number of vector to be consistent with `as.matrix` transformation of a vector.

Algorithm calls `lsf(X)` (where X is a matrix as defined previously) and expects a vector in return. This allows the user to optimise the computation of a batch of points, either by vectorial computation, or by the use of external codes (optimised C or C++ codes for example) and/or parallel computation; see examples in [MonteCarlo](#).

**Author(s)**

Clement WALTER <clementwalter@icloud.com>

**References**

- C. Walter:  
*Moving Particles: a parallel optimal Multilevel Splitting method with application in quantiles estimation and meta-model based algorithms*  
Structural Safety, 55, 10-25.
- C. Walter:  
*Point Process-based Monte Carlo estimation*  
Statistics and Computing, in press, 1-18.  
arXiv preprint arXiv:1412.6368.
- J. Skilling:  
*Nested sampling for general Bayesian computation*  
Bayesian Analysis, 1(4), 833-859.
- M. Huber and S. Schott:  
*Using TPA for Bayesian inference*  
Bayesian Statistics 9, 9, 257.
- A. Guyader, N. Hengartner and E. Matzner-Lober:  
*Simulation and estimation of extreme quantiles and extreme probabilities*  
Applied Mathematics and Optimization, 64(2), 171-196.

**See Also**

[MP](#)

**Examples**

```
# Get faililng samples for the kiureghian limit state function
# Failure is defined as lsf(X) < 0 so we have to invert the lsf
lsf <- function(x) -1*kiureghian(x)
## Not run:
fail.samp <- IRW(2, lsf, q = 0, N = 10, plot = TRUE)
```

## End(Not run)

---

|            |   |
|------------|---|
| kiureghian | <i>A limit-state-function defined by Der Kiureghian</i> |
|------------|---|

---

**Description**

The limit-state function is defined by:

$$f(x) = b - x_2 - \kappa * (x_1 - e)^2$$

with  $b = 5$ ,  $\kappa = 0.5$  and  $e = 0.1$ .

**Usage**

kiureghian

**Format**

The function can handle a vector or matrix with column vectors.

**References**

Der Kiureghian, A and Dakessian, T:  
*Multiple design points in first and second-order reliability*  
Structural Safety, 20, 1, 37-49, 1998.

---

|      |   |
|------|---|
| LSVM | <i>Linear Support Vector Machine under monotonicity constraints</i> |
|------|---|

---

**Description**

Produce a globally increasing binary classifier built from linear monotonic SVM

**Usage**

LSVM(x, A.model.lsvm, convexity)

**Arguments**

- |              |  |
|--------------|--|
| x            | a set of points where the class must be estimated.                                   |
| A.model.lsvm | a matrix containing the parameters of all hyperplanes.                               |
| convexity    | Either -1 if the set of data associated to the label "-1" is convex or +1 otherwise. |

**Details**

LSVM is a monotonic binary classifier built from linear SVM under the constraint that one of the two classes of data is convex.

**Value**

An object of class integer representing the class of x

res                    A vector of -1 or +1.

**Author(s)**

Vincent Moutoussamy

**References**

- R.T. Rockafellar:  
*Convex analysis*  
Princeton university press, 2015.
- N. Bousquet, T. Klein and V. Moutoussamy :  
*Approximation of limit state surfaces in monotonic Monte Carlo settings*  
Submitted .

**See Also**

[modelLSVM](#)

**Examples**

```
# A limit state function
f <- function(x){ sqrt(sum(x^2)) - sqrt(2)/2 }

# Creation of the data sets
n <- 200
X <- matrix(runif(2*n), nrow = n)
Y <- apply(X, MARGIN = 1, function(w){sign(f(w))})

#The convexity is known
## Not run:
model.A <- modelLSVM(X, Y, convexity = -1)
m <- 10
X.test <- matrix(runif(2*m), nrow = m)
classOf.X.test <- LSVM(X.test, model.A, convexity = -1)

## End(Not run)
```



MetaIS

*Metamodel based Impotance Sampling***Description**

Estimate failure probability by MetaIS method.

**Usage**

```
MetaIS(
  dimension,
  lsf,
  N = 5e+05,
  N_alpha = 100,
  N_DOE = 10 * dimension,
  N1 = N_DOE * 30,
  Ru = 8,
  Nmin = 30,
  Nmax = 200,
  Ncall_max = 1000,
  precision = 0.05,
  N_seeds = 2 * dimension,
  Niter_seed = Inf,
  N_alphaLOO = 5000,
  K_alphaLOO = 1,
  alpha_int = c(0.1, 10),
  k_margin = 1.96,
  lower.tail = TRUE,
  X = NULL,
  y = NULL,
  failure = 0,
  meta_model = NULL,
  kernel = "matern5_2",
  learn_each_train = TRUE,
  limit_fun_MH = NULL,
  failure_MH = 0,
  sampling_strategy = "MH",
  seeds = NULL,
  seeds_eval = limit_fun_MH(seeds),
  burnin = 20,
  compute.PPP = FALSE,
  plot = FALSE,
  limited_plot = FALSE,
  add = FALSE,
  output_dir = NULL,
  verbose = 0
)
```

**Arguments**

|                   |  |
|-------------------|--|
| dimension         | of the input space   |
| lsf               | the failure defining the failure/safety domain   |
| N                 | size of the Monte-Carlo population for P_epsilon estimate  |
| N_alpha           | initial size of the Monte-Carlo population for alpha estimate  |
| N_DOE             | size of the initial DOE got by clustering of the N1 samples  |
| N1                | size of the initial uniform population sampled in a hypersphere of radius Ru   |
| Ru                | radius of the hypersphere for the initial sampling   |
| Nmin              | minimum number of call for the construction step   |
| Nmax              | maximum number of call for the construction step   |
| Ncall_max         | maximum number of call for the whole algorithm   |
| precision         | desired maximal value of cov   |
| N_seeds           | number of seeds for MH algoritm while generating into the margin ( according to $MP * \text{gauss}$ )  |
| Niter_seed        | maximum number of iteration for the research of a seed for alphaLOO refinement sampling  |
| N_alphaLOO        | number of points to sample at each refinement step   |
| K_alphaLOO        | number of clusters at each refinement step   |
| alpha_int         | range for alpha to stop construction step  |
| k_margin          | margin width; default value means that points are classified with more than 97,5%  |
| lower.tail        | specify if one wants to estimate $P[\text{lsf}(X) < \text{failure}]$ or $P[\text{lsf}(X) > \text{failure}]$ .  |
| X                 | Coordinates of alrely known points   |
| y                 | Value of the LSF on these points   |
| failure           | Failure threshold  |
| meta_model        | Provide here a kriging metamodel from km if wanted   |
| kernel            | Specify the kernel to use for km   |
| learn_each_train  | Specify if kernel parameters are re-estimated at each train  |
| limit_fun_MH      | Define an area of exclusion with a limit function  |
| failure_MH        | Threshold for the limit_MH function  |
| sampling_strategy | Either MH for Metropolis-Hastings or AR for accept-reject  |
| seeds             | If some points are already known to be in the appropriate subdomain  |
| seeds_eval        | Value of the metamodel on these points   |
| burnin            | Burnin parameter for MH  |
| compute.PPP       | to simulate a Poisson process at each iteration to estimate the conditional expectation and the SUR criteria based on the conditional variance: h (average probability of misclassification at level failure) and I (integral of h over the whole interval [failure, infty)) |

|              |  |
|--------------|--|
| plot         | Set to TRUE for a full plot, ie refresh at each iteration                |
| limited_plot | Set to TRUE for a final plot with final DOE, metamodel and LSF           |
| add          | If plots are to be added to a current device                             |
| output_dir   | If plots are to be saved in jpeg in a given directory                    |
| verbose      | Either 0 for almost no output, or 1 for medium size or 2 for all outputs |

## Details

MetaIS is an Important Sampling based probability estimator. It makes use of a kriging surrogate to approximate the optimal density function, replacing the indicatrice by its kriging pendant, the probability of being in the failure domain. In this context, the normalizing constant of this quasi-optimal PDF is called the ‘augmented failure probability’ and the modified probability ‘alpha’.

After a first uniform Design of Experiments, MetaIS uses an alpha Leave-One-Out criterion combined with a margin sampling strategy to refine a kriging-based metamodel. Samples are generated according to the weighted margin probability with Metropolis-Hastings algorithm and some are selected by clustering; the  $N_{\text{seeds}}$  are got from an accept-reject strategy on a standard population.

Once criterion is reached or maximum number of call done, the augmented failure probability is estimated with a crude Monte-Carlo. Then, a new population is generated according to the quasi-optimal instrumenal PDF; burnin and thinning are used here and alpha is evaluated. While the coefficient of variation of alpha estimate is greater than a given threshold and some computation spots still available (defined by  $N_{\text{call\_max}}$ ) the estimate is refined with extra calculus.

The final probability is the product of  $p_{\text{epsilon}}$  and alpha, and final squared coefficient of variation is the sum of  $p_{\text{epsilon}}$  and alpha one’s.

## Value

An object of class `list` containing the failure probability and some more outputs as described below:

|                         |   |
|-------------------------|---|
| <code>p</code>          | The estimated failure probability.  |
| <code>cov</code>        | The coefficient of variation of the Monte-Carlo probability estimate.   |
| <code>Ncall</code>      | The total number of calls to the <code>lsf</code> .   |
| <code>X</code>          | The final learning database, ie. all points where <code>lsf</code> has been calculated.   |
| <code>y</code>          | The value of the <code>lsf</code> on the learning database.   |
| <code>meta_fun</code>   | The metamodel approximation of the <code>lsf</code> . A call output is a list containing the value and the standard deviation.  |
| <code>meta_model</code> | The final metamodel. An S4 object from <b>DiceKriging</b> . Note that the algorithm enforces the problem to be the estimation of $P[\text{lsf}(X) < \text{failure}]$ and so using ‘predict’ with this object will return inverse values if <code>lower.tail==FALSE</code> ; in this scope prefer using directly <code>meta_fun</code> which handle this possible issue. |
| <code>points</code>     | Points in the failure domain according to the metamodel.  |
| <code>h</code>          | the sequence of the estimated relative SUR criteria.  |
| <code>I</code>          | the sequence of the estimated integrated SUR criteria.  |

**Note**

Problem is supposed to be defined in the standard space. If not, use [UtoX](#) to do so. Furthermore, each time a set of vector is defined as a matrix, 'nrow' = dimension and 'ncol' = number of vector to be consistent with `as.matrix` transformation of a vector.

Algorithm calls `lsf(X)` (where X is a matrix as defined previously) and expects a vector in return. This allows the user to optimise the computation of a batch of points, either by vectorial computation, or by the use of external codes (optimised C or C++ codes for example) and/or parallel computation; see examples in [MonteCarlo](#).

**Author(s)**

Clement WALTER <clementwalter@icloud.com>

**References**

- V. Dubourg:  
Meta-modeles adaptatifs pour l'analyse de fiabilite et l'optimisation sous contrainte fiabiliste  
PhD Thesis, Universite Blaise Pascal - Clermont II, 2011
- V. Dubourg, B. Sudret, F. Deheeger:  
Metamodel-based importance sampling for structural reliability analysis Original Research  
Article  
Probabilistic Engineering Mechanics, Volume 33, July 2013, Pages 47-57
- V. Dubourg, B. Sudret:  
Metamodel-based importance sampling for reliability sensitivity analysis.  
Accepted for publication in Structural Safety, special issue in the honor of Prof. Wilson  
Tang.(2013)
- V. Dubourg, B. Sudret and J.-M. Bourinet:  
Reliability-based design optimization using kriging surrogates and subset simulation.  
Struct. Multidisc. Optim.(2011)

**See Also**

[SubsetSimulation MonteCarlo km](#) (in package **DiceKriging**)

**Examples**

```
kiureghian = function(x, b=5, kappa=0.5, e=0.1) {
  x = as.matrix(x)
  b = x[2,] - kappa*(x[1,]-e)^2
}
```

```
## Not run:
res = MetaIS(dimension=2,lsf=kiureghian,plot=TRUE)
```

```

#Compare with crude Monte-Carlo reference value
N = 500000
dimension = 2
U = matrix(rnorm(dimension*N),dimension,N)
G = kiureghian(U)
P = mean(G<0)
cov = sqrt((1-P)/(N*P))

## End(Not run)

#See impact of kernel choice with Waarts function :
waarts = function(u) {
  u = as.matrix(u)
  b1 = 3+(u[1,]-u[2,])^2/10 - sign(u[1,] + u[2,])*(u[1,]+u[2,])/sqrt(2)
  b2 = sign(u[2,]-u[1,])*(u[1,]-u[2,])+7/sqrt(2)
  val = apply(cbind(b1, b2), 1, min)
}

## Not run:
res = list()
res$matern5_2 = MetaIS(2,waarts,plot=TRUE)
res$matern3_2 = MetaIS(2,waarts,kernel="matern3_2",plot=TRUE)
res$gaussian = MetaIS(2,waarts,kernel="gauss",plot=TRUE)
res$exp = MetaIS(2,waarts,kernel="exp",plot=TRUE)

#Compare with crude Monte-Carlo reference value
N = 500000
dimension = 2
U = matrix(rnorm(dimension*N),dimension,N)
G = waarts(U)
P = mean(G<0)
cov = sqrt((1-P)/(N*P))

## End(Not run)

```

---

|                    |   |
|--------------------|---|
| MetropolisHastings | <i>The modified Metropolis-Hastings algorithm</i> |
|--------------------|---|

---

## Description

The function implements the specific modified Metropolis-Hastings algorithm as described first by Au and Beck and including another scaling parameter for an extended search in initial steps of the SMART algorithm.

## Usage

```

MetropolisHastings(
  x0,
  eval_x0 = -1,

```

```

    chain_length,
    modified = TRUE,
    sigma = 0.3,
    proposal = "Uniform",
    lambda = 1,
    limit_fun = function(x) {      -1 },
    burnin = 20,
    thinning = 4
  )

```

### Arguments

|                           |   |
|---------------------------|---|
| <code>x0</code>           | the starting point of the Markov chain  |
| <code>eval_x0</code>      | the value of the limit-state function on <code>x0</code>  |
| <code>chain_length</code> | the length of the Markov chain. At the end the chain will be <code>chain_length + 1</code> long   |
| <code>modified</code>     | a boolean to use either the original Metropolis-Hastings transition kernel or the coordinate-wise one   |
| <code>sigma</code>        | a radius parameter for the Gaussian or Uniform proposal   |
| <code>proposal</code>     | either "Uniform" for a Uniform random variable in an interval $[-\text{sigma}, \text{sigma}]$ or "Gaussian" for a centred Gaussian random variable with standard deviation <code>sigma</code> |
| <code>lambda</code>       | the coefficient to increase the likelihood ratio  |
| <code>limit_fun</code>    | the limite-state function delimiting the domain to sample in  |
| <code>burnin</code>       | a burnin parameter, ie a number of initial discards samples   |
| <code>thinning</code>     | a thinning parameter, ie that one sample over thinning samples is kept along the chain  |

### Details

The modified Metropolis-Hastings algorithm is supposed to be used in the Gaussian standard space. Instead of using a proposed point for the multidimensional Gaussian random variable, it applies a Metropolis step to each coordinate. Then it generates the multivariate candidate by checking if it lies in the right domain.

This version proposed by Bourinet et al. includes an scaling parameter `lambda`. This parameter is multiplied with the likelihood ratio in order to increase the chance of accepting the candidate. While it biases the output distribution of the Markov chain, the authors of SMART suggest its use ( $\lambda > 1$ ) for the exploration phase. Note such a value disable to possiblity to use the output population for Monte Carlo estimation.

### Value

A list containing the following entries:

|                     |  |
|---------------------|--|
| <code>points</code> | the generated Markov chain                                     |
| <code>eval</code>   | the value of the limit-state function on the generated samples |

|              |   |
|--------------|---|
| acceptation  | the acceptance rate   |
| Ncall        | the total number of call to the limit-state function              |
| samples      | all the generated samples   |
| eval_samples | the evaluation of the limit-state function on the samples samples |

---

modelLSVM

*Estimation of the parameters of the LSVM*


---

## Description

Produce a matrix containing the parameters of a set of hyperplanes separating the two classes of data

## Usage

```
modelLSVM(X, Y, convexity)
```

## Arguments

|           |  |
|-----------|--|
| X         | a matrix containing the data sets  |
| Y         | a vector containing -1 or +1 that represents the class of each elements of X.        |
| convexity | Either -1 if the set of data associated to the label "-1" is convex or +1 otherwise. |

## Details

modelLSVM evaluate the classifier on a set of points.

## Value

An object of class `matrix` containing the parameters of a set of hyperplanes

`res`                      A matrix where each lines contains the parameters of a hyperplane.

## Author(s)

Vincent Moutoussamy

## References

- R.T. Rockafellar:  
*Convex analysis*  
Princeton university press, 2015.
- N. Bousquet, T. Klein and V. Moutoussamy :  
*Approximation of limit state surfaces in monotonic Monte Carlo settings*  
Submitted .

**See Also**[LSVM](#)**Examples**

```
# A limit state function
f <- function(x){ sqrt(sum(x^2)) - sqrt(2)/2 }

# Creation of the data sets
n <- 200
X <- matrix(runif(2*n), nrow = n)
Y <- apply(X, MARGIN = 1, function(w){sign(f(w))})

#The convexity is known
## Not run:
  model.A <- modelLSVM(X, Y, convexity = -1)

## End(Not run)
```

ModifCorrMatrix

*Modification of a correlation matrix to use in UtoX***Description**

ModifCorrMatrix modifies a correlation matrix originally defined using SPEARMAN correlation coefficients to the correlation matrix to be used in the NATAF transformation performed in UtoX.

**Usage**

```
ModifCorrMatrix(Rs)
```

**Arguments**

**Rs** Original correlation matrix defined using SPEARMAN correlation coefficient :

$$R_s = [\rho_{ij}^s]$$

**Value**

**R0** Modified correlation matrix

**Note**

The NATAF distribution is reviewed from the (normal) copula viewpoint as a particular and convenient means to describe a joint probabilistic model assuming that the normal copula fits to the description of the input X. The normal copula is defined by a symmetric positive definite matrix R0. Even though the off-diagonal terms in this matrix are comprised in ]-1; 1[ and its diagonal terms are equal to 1, it shall not be confused with the more usual correlation matrix. Lebrun and Dutfoy point



out that the SPEARMAN (or rank) correlation coefficient is better suited to parametrize a copula because it leads to a simpler closed-form expression for  $\rho_{ij}$ .

**Author(s)**

Gilles DEFAUX, <gilles.defaux@cea.fr>

**References**

- M. Lemaire, A. Chateauneuf and J. Mitteau. Structural reliability, Wiley Online Library, 2009
- Lebrun, R. and A. Dutfoy. A generalization of the Nataf transformation to distributions with elliptical copula. Prob. Eng. Mech., 24(2), 172-178.
- V. Dubourg, Meta-modeles adaptatifs pour l'analyse de fiabilite et l'optimisation sous contrainte fiabiliste, PhD Thesis, Universite Blaise Pascal - Clermont II, 2011

**See Also**

[UtoX](#)

**Examples**

```
Dim <- 2
input.Rho <- matrix( c(1.0, 0.5,
                      0.5, 1.0), nrow=Dim)

input.R0 <- ModifCorrMatrix(input.Rho)
print(input.R0)
```

---

MonotonicQuantileEstimation

*Quantile estimation under monotonicity constraints*

---

**Description**

Estimate a quantile with the constraints that the function is monotone

**Usage**

```
MonotonicQuantileEstimation(f,
                             inputDimension,
                             inputDistribution,
                             dir.monot,
                             N.calls,
                             p,
                             method,
                             X.input = NULL,
                             Y.input = NULL)
```

**Arguments**

|                                |   |
|--------------------------------|---|
| <code>f</code>                 | a failure fonction  |
| <code>inputDimension</code>    | dimension of the inputs   |
| <code>inputDistribution</code> | a list of length 'inputDimension' which contains the name of the input distribution and their parameters. For the input "i", <code>inputDistribution[[i]] = list("name_law", c(parameters1,..., parametersN))</code>  |
| <code>dir.monot</code>         | vector of size <code>inputDimension</code> which represents the monotonicity of the failure function. <code>dir.monot[i] = -1</code> (resp. <code>1</code> ) if the failure function <code>f</code> is decreasing (resp. increasing) according with direction <code>i</code> .  |
| <code>N.calls</code>           | Number of calls to <code>f</code> allowed   |
| <code>method</code>            | there are four methods available. "MonteCarloWB" provides the empirical quantile estimator, "MonteCarloWB" provides the empirical quantile estimator as well as two bounds for the searched quantile, "Bounds" provides two bounds for a quantile from a set of points and "MonteCarloIS" provides an estimate of a quantile based on a sequential framework of simulation. |
| <code>p</code>                 | the probability associated to the quantile  |
| <code>X.input</code>           | a set of points   |
| <code>Y.input</code>           | value of <code>f</code> on <code>X.input</code>   |

**Details**

MonotonicQuantileEstimation provides many methods to estimate a quantile under monotonicity constraints.

**Value**

An object of class `list` containing the quantile as well as:

|                    |   |
|--------------------|---|
| <code>qm</code>    | A lower bound of the quantile.  |
| <code>qM</code>    | A upperer bound of the quantile.  |
| <code>q.hat</code> | An estimate of the quantile.  |
| <code>Um</code>    | A lower bounds of the probability obtained from the desing of experiments.  |
| <code>UM</code>    | An upper bounds of the probability obtained from the desing of experiments. |
| <code>XX</code>    | Design of experiments   |
| <code>YY</code>    | Values of on <code>XX</code>  |

**Note**

Inputs `X.input` and `Y.input` are useful only for `method = "Bounds"`

**Author(s)**

Vincent Moutoussamy

## References

Bousquet, N. (2012) Accelerated monte carlo estimation of exceedance probabilities under monotonicity constraints. *Annales de la Faculte des Sciences de Toulouse*. XXI(3), 557-592.

## Examples

```
## Not run:
inputDistribution <- list()
inputDistribution[[1]] <- list("norm",c(4,1))
inputDistribution[[2]] <- list("norm",c(0,1))

inputDimension <- length(inputDistribution)
dir.monot <- c(1, -1)
N.calls <- 80

f <- function(x){
  return(x[1] - x[2])
}

probability <- 1e-2

trueQuantile <- qnorm(probability,
  inputDistribution[[1]][[2]][1] - inputDistribution[[2]][[2]][1],
  sqrt(inputDistribution[[1]][[2]][2] + inputDistribution[[2]][[2]][2]))

resQuantile <- MonotonicQuantileEstimation(f, inputDimension, inputDistribution,
  dir.monot, N.calls, p = probability, method = "MonteCarloIS")

quantileEstimate <- resQuantile[[1]][N.calls, 3]

## End(Not run)
```

---

MonteCarlo

---

*Crude Monte Carlo method*


---

## Description

Estimate a failure probability using a crude Monte Carlo method.

## Usage

```
MonteCarlo(
  dimension,
  lsf,
  N_max = 5e+05,
  N_batch = foreach::getDoParWorkers(),
  q = 0,
  lower.tail = TRUE,
```

```

precision = 0.05,
plot = FALSE,
output_dir = NULL,
save.X = TRUE,
verbose = 0
)

```

### Arguments

|            |  |
|------------|--|
| dimension  | the dimension of the input space.  |
| lsf        | the function defining safety/failure domain.   |
| N_max      | maximum number of calls to the lsf.  |
| N_batch    | number of points evaluated at each iteration.  |
| q          | the quantile.  |
| lower.tail | as for pxxxx functions, TRUE for estimating $P(\text{lsf}(X) < q)$ , FALSE for $P(\text{lsf}(X) > q)$ .          |
| precision  | a targeted maximum value for the coefficient of variation.   |
| plot       | to plot the contour of the lsf as well as the generated samples.   |
| output_dir | to save a copy of the plot in a pdf. This name will be pasted with "_Monte_Carlo_brut.pdf".                      |
| save.X     | to save all the samples generated as a matrix. Can be set to FALSE to reduce output size.                        |
| verbose    | to control the level of outputs in the console; either 0 or 1 or 2 for almost no outputs to a high level output. |

### Details

This implementation of the crude Monte Carlo method works with evaluating batches of points sequentially until a given precision is reached on the final estimator

### Value

An object of class `list` containing the failure probability and some more outputs as described below:

|       |   |
|-------|---|
| p     | the estimated probability.  |
| ecdf  | the empirical cdf got with the generated samples.                               |
| cov   | the coefficient of variation of the Monte Carlo estimator.                      |
| Ncall | the total number of calls to the lsf, ie the total number of generated samples. |
| X     | the generated samples.  |
| Y     | the value $\text{lsf}(X)$ .   |

**Note**

Problem is supposed to be defined in the standard space. If not, use [UtoX](#) to do so. Furthermore, each time a set of vector is defined as a matrix, 'nrow' = dimension and 'ncol' = number of vector to be consistent with `as.matrix` transformation of a vector.

Algorithm calls `lsf(X)` (where `X` is a matrix as defined previously) and expects a vector in return. This allows the user to optimise the computation of a batch of points, either by vectorial computation, or by the use of external codes (optimised C or C++ codes for example) and/or parallel computation.

**Author(s)**

Clement WALTER <clementwalter@icloud.com>

**References**

- R. Rubinstein and D. Kroese:  
*Simulation and the Monte Carlo method*  
Wiley (2008)

**See Also**

[SubsetSimulation](#)

**Examples**

```
#First some considerations on the usage of the lsf.
#Limit state function defined by Kiureghian & Dakessian :
# Remember you have to consider the fact that the input will be a matrix ncol >= 1
lsf_wrong = function(x, b=5, kappa=0.5, e=0.1) {
  b - x[2] - kappa*(x[1]-e)^2 # work only with a vector of lenght 2
}
lsf_correct = function(x){
  apply(x, 2, lsf_wrong)
}
lsf = function(x, b=5, kappa=0.5, e=0.1) {
  x = as.matrix(x)
  b - x[2,] - kappa*(x[1,]-e)^2 # vectorial computation, run fast
}

y = lsf(X <- matrix(rnorm(20), 2, 10))
#Compare running time
## Not run:
require(microbenchmark)
X = matrix(rnorm(2e5), 2)
microbenchmark(lsf(X), lsf_correct(X))

## End(Not run)

#Example of parallel computation
require(doParallel)
```

```
lsf_par = function(x){
  foreach(x=iter(X, by='col'), .combine = 'c') %dopar% lsf(x)
}

#Try Naive Monte Carlo on a given function with different failure level
## Not run:
  res = list()
  res[[1]] = MonteCarlo(2,lsf,q = 0,plot=TRUE)
  res[[2]] = MonteCarlo(2,lsf,q = 1,plot=TRUE)
  res[[3]] = MonteCarlo(2,lsf,q = -1,plot=TRUE)

## End(Not run)

#Try Naive Monte Carlo on a given function and change number of points.
## Not run:
  res = list()
  res[[1]] = MonteCarlo(2,lsf,N_max = 10000)
  res[[2]] = MonteCarlo(2,lsf,N_max = 100000)
  res[[3]] = MonteCarlo(2,lsf,N_max = 500000)

## End(Not run)
```

---

MP

---

*Moving Particles*


---

## Description

This function runs the Moving Particles algorithm for estimating extreme probability and quantile.

## Usage

```
MP(
  dimension,
  lsf,
  N = 100,
  N.batch = foreach::getDoParWorkers(),
  p,
  q,
  lower.tail = TRUE,
  Niter_1fold,
  alpha = 0.05,
  compute_confidence = FALSE,
  verbose = 0,
  chi2 = FALSE,
  breaks = N.batch/5,
  ...
)
```

**Arguments**

|                                 |   |
|---------------------------------|---|
| <code>dimension</code>          | the dimension of the input space.   |
| <code>lsf</code>                | the function defining the RV of interest $Y = \text{lsf}(X)$ .  |
| <code>N</code>                  | the total number of particles,  |
| <code>N.batch</code>            | the number of parallel batches for the algorithm. Each batch will then have $N/N.\text{batch}$ particles. Typically this could be <code>detectCores()</code> or some other machine-derived parameters. Note that $N/N.\text{batch}$ has to be an integer. |
| <code>p</code>                  | a given probability to estimate the corresponding quantile (as in <code>qxxxx</code> functions).  |
| <code>q</code>                  | a given quantile to estimate the corresponding probability (as in <code>pxxxx</code> functions).  |
| <code>lower.tail</code>         | as for <code>pxxxx</code> functions, TRUE for estimating $P(\text{lsf}(X) < q)$ , FALSE for $P(\text{lsf}(X) > q)$ .  |
| <code>Niter_1fold</code>        | a function = <code>fun(N)</code> giving the deterministic number of iterations for the first pass.  |
| <code>alpha</code>              | when using default <code>Niter_1fold</code> function, this is the risk not to have simulated enough samples to produce a quantile estimator.  |
| <code>compute_confidence</code> | if TRUE, the algorithm runs a little bit longer to produces a 95% interval on the quantile estimator.   |
| <code>verbose</code>            | to control level of print (either 0, or 1, or 2).   |
| <code>chi2</code>               | for a chi2 test on the number of events.  |
| <code>breaks</code>             | for the final histogram is <code>chi2 == TRUE</code> .  |
| <code>...</code>                | further arguments past to <a href="#">IRW</a> .   |

**Details**

MP is a wrap up of [IRW](#) for probability and quantile estimation. By construction, the several calls to [IRW](#) are parallel (**foreach**) and so is the algorithm. Especially, with `N.batch=1`, this is the Last Particle Algorithm, which is a specific version of [SubsetSimulation](#) with  $p_0 = 1-1/N$ . However, note that this algorithm not only gives a quantile or a probability estimate but also an estimate of the whole cdf until the given threshold  $q$ .

The probability estimator only requires to generate several random walks as it is the estimation of the parameter of a Poisson random variable. The quantile estimator is a little bit more complicated and requires a 2-passes algorithm. It is thus not exactly fully parallel as cluster/cores have to communicate after the first pass. During the first pass, particles are moved a given number of times, during the second pass particles are moved until the farthest event reach during the first pass. Hence, the random process is completely simulated until this given state.

For an easy user experiment, all the parameters are defined by default with the optimised values as described in the reference paper (see References below) and a typical use will only specify `N` and `N.batch`.

**Value**

An object of class `list` containing the outputs described below:

|                    |   |
|--------------------|---|
| <code>p</code>     | the estimated probability or the reference for the quantile estimate.   |
| <code>q</code>     | the estimated quantile or the reference for the probability estimate.   |
| <code>cv</code>    | the coefficient of variation of the probability estimator.  |
| <code>ecdf</code>  | the empirical cdf.  |
| <code>L</code>     | the states of the random walk.  |
| <code>L_max</code> | the farthest state reached by the random process. Validity range for the ecdf is then $(-\infty, L\_max]$ or $[L\_max, \infty)$ . |
| <code>times</code> | the <i>times</i> of the random process.   |
| <code>Ncall</code> | the total number of calls to the <code>lsf</code> .   |
| <code>X</code>     | the $N$ particles in their final state.   |
| <code>y</code>     | the value of the <code>lsf(X)</code> .  |
| <code>moves</code> | a vector containing the number of moves for each batch.   |
| <code>p_int</code> | a 95% confidence interval on the probability estimate.  |
| <code>cov</code>   | the coefficient of variation of the estimator   |
| <code>q_int</code> | a 95% confidence interval on the quantile estimate.   |
| <code>chi2</code>  | the output of the <code>chisq.test</code> function.   |

**Note**

The alpha parameter is set to 0.05 by default. Indeed it should not be set too small as it is defined approximating the Poisson distribution with the Gaussian one. However if no estimate is produced then the algorithm can be restarted for the few missing events. In any cases, setting `Niter_1fold = -N/N.batch*log(p)` gives 100% chances to produce a quantile estimator.

**Author(s)**

Clement WALTER <clementwalter@icloud.com>

**References**

- A. Guyader, N. Hengartner and E. Matzner-Lober:  
*Simulation and estimation of extreme quantiles and extreme probabilities*  
Applied Mathematics and Optimization, 64(2), 171-196.
- C. Walter:  
*Moving Particles: a parallel optimal Multilevel Splitting method with application in quantiles estimation and meta-model based algorithms*  
Structural Safety, 55, 10-25.
- E. Simonnet:  
*Combinatorial analysis of the adaptive last particle method*  
Statistics and Computing, 1-20.



**See Also**

[SubsetSimulation MonteCarlo IRW](#)

**Examples**

```
## Not run:
# Estimate some probability and quantile with the parabolic lsf
p.est <- MP(2, kiureghian, N = 100, q = 0) # estimate P(lsf(X) < 0)
p.est <- MP(2, kiureghian, N = 100, q = 7.8, lower.tail = FALSE) # estimate P(lsf(X) > 7.8)

q.est <- MP(2, kiureghian, N = 100, p = 1e-3) # estimate q such that P(lsf(X) < q) = 1e-3
q.est <- MP(2, kiureghian, N = 100, p = 1e-3, lower.tail = FALSE) # estimate q such
# that P(lsf(X) > q) = 1e-3

# plot the empirical cdf
plot(xplot <- seq(-3, p.est$L_max, l = 100), sapply(xplot, p.est$ecdf_MP))

# check validity range
p.est$ecdf_MP(p.est$L_max - 1)
# this example will fail because the quantile is greater than the limit
tryCatch({
  p.est$ecdf_MP(p.est$L_max + 0.1)},
  error = function(cond) message(cond))

# Run in parallel
library(doParallel)
registerDoParallel()
p.est <- MP(2, kiureghian, N = 100, q = 0, N.batch = getDoParWorkers())

## End(Not run)
```

---

 ok

---

*Class of Ordinary Kriging*


---

**Description**

An implementation of Ordinary Kriging based upon a km-class object that should be faster than usual predict method.

**Usage**

```
ok(model, beta = NULL)
```

**Arguments**

|       |   |
|-------|---|
| model | a kriging model object from DiceKriging::km-class |
| beta  | the trend of the model                            |

## Details

The Ordinary Kriging is a special case of kriging where the trend is supposed to be and unknown constant. Consequently some linear algebra operations can be reduced by knowing that the vector of parameter  $\beta$  is indeed a real.

The `ok` class defines three functions: `xi` the kriging predictor, `updateSd` and `updateSdfast` two methods for updating the kriging variance when some points are virtually added to the model. These two last functions differ in their implementation: the first one allows for the user to specify which are the predicted points and which are the added points. The second one outputs a matrix where the kriging variances of all the points is updated when each one is iteratively added to the Design of Experiments.

The faster between looping `updateSd` and using `updateSdfast` is indeed problem dependent (depending on parallel computer, size of the data, etc.) and should be benchmark by the user.

## Value

An object of S3 class 'ok' containing

|                           |  |
|---------------------------|--|
| <code>Kinv</code>         | the inverse of the covariance matrix of the data   |
| <code>beta</code>         | the estimated coefficient of the trend   |
| <code>y_centred</code>    | the data centred according to the estimated trend  |
| <code>sigma_beta</code>   | the standard deviation of the estimation of $\beta$  |
| <code>xi</code>           | the kriging predictor  |
| <code>updateSd</code>     | a function to calculate the updated kriging variance when $X_{\text{new}}$ points are added to the Design of Experiments                             |
| <code>updateSdfast</code> | a function to calculate the update kriging variance when the SUR criterion is minimised over a population which is also the one used to estimate it. |

## Author(s)

Clement WALTER <clementwalter@icloud.com>

## Examples

```
# Generate a dataset
X <- data.frame(x1 = rnorm(10), x2 = rnorm(10))
y <- cos(sqrt(rowSums(X^2)))

# Learn a model
krig <- DiceKriging::km(design=X, response=y)

# Create Ordinary Kriging object
OK <- ok(krig)

# Microbenchmark
# create a dataset
X = data.frame(x1 = rnorm(100), x2 = rnorm(100))
microbenchmark::microbenchmark(OK$xi(t(X)), predict(krig, X, type="UK"))
```

```
# Check identical results
X <- rnorm(2)
OK$xi(X)[c('mean', 'sd')]
predict(krig, data.frame(x1=X[1], x2=X[2]), type="UK")[c('mean', 'sd')]
```

---

|               |  |
|---------------|--|
| oscillator_d6 | <i>A limit-state-function defined with a non-linear oscillator in dimension 6.</i> |
|---------------|--|

---

### Description

The limit-state function is defined in the standard space and isoprobabilistic transformation is used internally.

### Usage

```
oscillator_d6
```

### Format

The function can handle a vector or a matrix with column vectors.

### References

Echard, B and Gayton, N and Lemaire, M and Relun, N:  
*A combined Importance Sampling and Kriging reliability method for small failure probabilities with time-demanding numerical models*  
 Reliability Engineering and System Safety 111 232-240, 2013.

---

|          |                     |
|----------|---------------------|
| plotLSVM | <i>plot of LSVM</i> |
|----------|---------------------|

---

### Description

Make a plot of the data and the LSVM classifier

### Usage

```
plotLSVM(X,
          Y,
          A.model.lsvm,
          hyperplanes = FALSE,
          limit.state.estimate = TRUE,
          convexity)
```

**Arguments**

|                      |  |
|----------------------|--|
| X                    | a matrix containing the data sets  |
| Y                    | a vector containing -1 or +1 that represents the class of each elements of X.        |
| A.model.lsvm         | a matrix containing the parameters of all hyperplanes.                               |
| hyperplanes          | A boolean. If TRUE, plot the hyperplanes obtained.                                   |
| limit.state.estimate | A boolean. If TRUE, plot the estimate of the limit state.                            |
| convexity            | Either -1 if the set of data associated to the label "-1" is convex or +1 otherwise. |

**Details**

plotLSVM makes a plot of the data as well as the estimate limit state and the hyperplanes involved in this construction.

**Note**

This function is useful only in dimension 2.

**Author(s)**

Vincent Moutoussamy

**References**

- R.T. Rockafellar:  
*Convex analysis*  
Princeton university press, 2015.
- N. Bousquet, T. Klein and V. Moutoussamy :  
*Approximation of limit state surfaces in monotonic Monte Carlo settings*  
Submitted .

**See Also**

[LSVM modelLSVM](#)

**Examples**

```
# A limit state function
f <- function(x){ sqrt(sum(x^2)) - sqrt(2)/2 }

# Creation of the data sets

n <- 200
X <- matrix(runif(2*n), nrow = n)
Y <- apply(X, MARGIN = 1, function(w){sign(f(w))})
```

```
## Not run:
  model.A <- modelLSVM(X,Y, convexity = -1)
  plotLSVM(X, Y, model.A, hyperplanes = FALSE, limit.state.estimate = TRUE, convexity = -1)

## End(Not run)
```

---

```
precomputeUpdateData  precomputeUpdateData
```

---

### Description

precomputeUpdateData

### Usage

```
precomputeUpdateData(model, integration.points)
```

### Arguments

model                    a object from km  
 integration.points       the points onto which the updated variance will be computed

### Value

A list containing the following elements

Kinv.c.olddata    kriging weights for the integrations.points over krig@X  
 Kinv.F            The matrix product of the inverse covariance and F the matrix of the trend functions at model@X  
 first.member

---

```
quantileWilks                    Computing quantiles with the Wilks formula
```

---

### Description

From the Wilks formula, compute a quantile (or a tolerance interval) with a given confidence level from a i.i.d. sample, or compute the minimal sample size to estimate a quantile (or a tolerance interval) with a given confidence level.

### Usage

```
quantileWilks(alpha=0.95,beta=0.95,data=NULL,bilateral=FALSE)
```

**Arguments**

|           |  |
|-----------|--|
| alpha     | level of the unilateral or bilateral quantile (default = 0.95)   |
| beta      | level of the confidence interval on quantile value(s) (default = 0.95)   |
| data      | the data sample (vector format) to compute the quantile(s); if data=NULL (by default), the function returns the minimal sample size to compute the required quantile |
| bilateral | TRUE for bilateral quantile (default = unilateral = FALSE)   |

**Value**

4 output values if 'data' is specified; 1 output value (nmin) if 'data' is not specified

|       |  |
|-------|--|
| lower | lower bound of the bilateral tolerance interval; if bilateral=FALSE, no value  |
| upper | upper bound of the tolerance interval (bilateral case) or quantile value (unilateral case)   |
| nmin  | minimal size of the required i.i.d. sample for given alpha and beta: - bilateral case: tolerance interval will be composed with the min and max of the sample; - unilateral case: the quantile will correspond to max of the sample. |
| ind   | the index (unilateral case) or indices (bilateral case) of the quantiles in the ordered sample (increasing order)  |

**Author(s)**

Claire Cannamela and Bertrand Iooss

**References**

- H.A. David and H.N. Nagaraja. Order statistics, Wiley, 2003.
- W.T. Nutt and G.B. Wallis. Evaluation of nuclear safety from the outputs of computer codes in the presence of uncertainties. Reliability Engineering and System Safety, 83:57-77, 2004.
- S.S. Wilks. Determination of Sample Sizes for Setting Tolerance Limits. Annals Mathematical Statistics, 12:91-96, 1941.

**Examples**

```
N <- quantileWilks(alpha=0.95,beta=0.95)
print(N)
```

rackwitz

*A limit-state-function defined by Rackwitz***Description**

The function is defined in the standard space and internal normal-lognormal transformation is done. Its definition with iid lognormal random variables is:

$$d + a\sigma\sqrt{d} - \sum_{i=1}^d x_i$$

Default values are:  $a = 1$ , mean=1 and  $\sigma = 0.2$ .

**Usage**

```
rackwitz
```

**Format**

The function can handle a vector or a matrix with column vectors.

**References**

Rackwitz, R:  
*Reliability analysis: a review and some perspectives*  
 Structural Safety, 23, 4, 365-395, 2001.

S2MART

*Subset by Support vector Margin Algorithm for Reliability esTimation***Description**

S2MART introduces a metamodeling step at each subset simulation threshold, making number of necessary samples lower and the probability estimation better according to subset simulation by itself.

**Usage**

```
S2MART(  
  dimension,  
  lsf,  
  Nn = 100,  
  alpha_quantile = 0.1,  
  failure = 0,
```

```

    lower.tail = TRUE,
    ...,
    plot = FALSE,
    output_dir = NULL,
    verbose = 0
)

```

### Arguments

|                |   |
|----------------|---|
| dimension      | the dimension of the input space  |
| lsf            | the function defining the failure domain. Failure is $lsf(X) < failure$   |
| Nn             | number of samples to evaluate the quantiles in the subset step  |
| alpha_quantile | cutoff probability for the subsets  |
| failure        | the failure threshold   |
| lower.tail     | as for pxxxx functions, TRUE for estimating $P(lsf(X) < failure)$ , FALSE for $P(lsf(X) > failure)$   |
| ...            | All others parameters of the metamodel based algorithm  |
| plot           | to produce a plot of the failure and safety domain. Note that this requires a lot of calls to the lsf and is thus only for training purpose |
| output_dir     | to save the plot into the given directory. This will be pasted with "_S2MART.pdf"   |
| verbose        | either 0 for almost no output, 1 for medium size output and 2 for all outputs   |

### Details

S2MART algorithm is based on the idea that subset simulations conditional probabilities are estimated with a relatively poor precision as it requires calls to the expensive-to-evaluate limit state function and does not take benefit from its numerous calls to the limit state function in the Metropolis-Hastings algorithm. In this scope, the key concept is to reduce the subset simulation population to its minimum and use it only to estimate crudely the next quantile. Then the use of a metamodel-based algorithm lets refine the border and calculate an accurate estimation of the conditional probability by the mean of a crude Monte-Carlo.

In this scope, a compromise has to be found between the two sources of calls to the limit state function as total number of calls =  $(Nn + \text{number of calls to refine the metamodel}) \times (\text{number of subsets})$  :

- $Nn$  calls to find the next threshold value : the bigger  $Nn$ , the more accurate the 'decreasing speed' specified by the `alpha_quantile` value and so the smaller the number of subsets
- total number of calls to refine the metamodel at each threshold

### Value

An object of class `list` containing the failure probability and some more outputs as described below:

|     |   |
|-----|---|
| p   | The estimated failure probability.                                    |
| cov | The coefficient of variation of the Monte-Carlo probability estimate. |



|            |  |
|------------|--|
| Ncall      | The total number of calls to the lsf.                                      |
| X          | The final learning database, ie. all points where lsf has been calculated. |
| y          | The value of the lsf on the learning database.                             |
| meta_model | The final metamodel. An object from <b>e1071</b> .                         |

### Note

Problem is supposed to be defined in the standard space. If not, use [UtoX](#) to do so. Furthermore, each time a set of vector is defined as a matrix, 'nrow' = dimension and 'ncol' = number of vector to be consistent with `as.matrix` transformation of a vector.

Algorithm calls `lsf(X)` (where X is a matrix as defined previously) and expects a vector in return. This allows the user to optimise the computation of a batch of points, either by vectorial computation, or by the use of external codes (optimised C or C++ codes for example) and/or parallel computation; see examples in [MonteCarlo](#).

### Author(s)

Clement WALTER <clementwalter@icloud.com>

### References

- J.-M. Bourinet, F. Deheeger, M. Lemaire:  
*Assessing small failure probabilities by combined Subset Simulation and Support Vector Machines*  
Structural Safety (2011)
- F. Deheeger:  
*Couplage m?cano-fiabiliste : 2SMART - m?thodologie d'apprentissage stochastique en fiabilit?*  
PhD. Thesis, Universit? Blaise Pascal - Clermont II, 2008
- S.-K. Au, J. L. Beck:  
*Estimation of small failure probabilities in high dimensions by Subset Simulation*  
Probabilistic Engineering Mechanics (2001)
- A. Der Kiureghian, T. Dakessian:  
*Multiple design points in first and second-order reliability*  
Structural Safety, vol.20 (1998)
- P.-H. Waarts:  
*Structural reliability using finite element methods: an appraisal of DARS: Directional Adaptive Response Surface Sampling*  
PhD. Thesis, Technical University of Delft, The Netherlands, 2000

### See Also

[SMART SubsetSimulation MonteCarlo km](#) (in package **DiceKriging**) [svm](#) (in package **e1071**)

## Examples

```
## Not run:
res = S2SMART(dimension = 2,
              lsf = kiureghian,
              N1 = 1000, N2 = 5000, N3 = 10000,
              plot = TRUE)

#Compare with crude Monte-Carlo reference value
reference = MonteCarlo(2, kiureghian, N_max = 500000)

## End(Not run)

#See impact of metamodel-based subset simulation with Waarts function :
## Not run:
res = list()
# SMART stands for the pure metamodel based algorithm targeting directly the
# failure domain. This is not recommended by its authors which for this purpose
# designed S2SMART : Subset-SMART
res$SMART = mistral::SMART(dimension = 2, lsf = waarts, plot=TRUE)
res$S2SMART = S2SMART(dimension = 2,
                      lsf = waarts,
                      N1 = 1000, N2 = 5000, N3 = 10000,
                      plot=TRUE)
res$SS = SubsetSimulation(dimension = 2, waarts, n_init_samples = 10000)
res$MC = MonteCarlo(2, waarts, N_max = 500000)

## End(Not run)
```

---

SMART

---

*Support-vector Margin Algorithm for Reliability esTimation*


---

## Description

Calculate a failure probability with SMART method. This should not be used by itself but only through S2SMART.

## Usage

```
SMART(
  dimension,
  lsf,
  N1 = 10000,
  N2 = 50000,
  N3 = 2e+05,
  Nu = 50,
  lambda1 = 7,
  lambda2 = 3.5,
  lambda3 = 1,
```

```

tune_cost = c(1, 10, 100, 1000),
tune_gamma = c(0.5, 0.2, 0.1, 0.05, 0.02, 0.01),
clusterInMargin = TRUE,
alpha_margin = 1,
k1 = round(6 * (dimension/2)^(0.2)),
k2 = round(12 * (dimension/2)^(0.2)),
k3 = k2 + 16,
X = NULL,
y = NULL,
failure = 0,
limit_fun_MH = NULL,
sampling_strategy = "MH",
seeds = NULL,
seeds_eval = NULL,
burnin = 20,
thinning = 4,
plot = FALSE,
limited_plot = FALSE,
add = FALSE,
output_dir = NULL,
z_MH = NULL,
z_lsf = NULL,
verbose = 0
)

```

### Arguments

|                 |  |
|-----------------|--|
| dimension       | the dimension of the input space   |
| lsf             | the limit-state function   |
| N1              | Number of samples for the (L)ocalisation step  |
| N2              | Number of samples for the (S)tabilisation step   |
| N3              | Number of samples for the (C)onvergence step   |
| Nu              | Size of the first Design of Experiments  |
| lambda1         | Relaxing parameter for MH algorithm at step L  |
| lambda2         | Relaxing parameter for MH algorithm at step S  |
| lambda3         | Relaxing parameter for MH algorithm at step C  |
| tune_cost       | Input for tuning cost paramter of the SVM  |
| tune_gamma      | Input for tuning gamma parameter of the SVM  |
| clusterInMargin | Enforce selected clusterised points to be in margin  |
| alpha_margin    | a real value defining the margin. While 1 is the ‘real’ margin for a SVM, one can decide here to stretch it a bit. |
| k1              | Rank of the first iteration of step S  |
| k2              | Rank of the first iteration of step C  |

|                   |   |
|-------------------|---|
| k3                | Rank of the last iteration of step C  |
| x                 | Coordinates of already known points   |
| y                 | Value of the LSF on these points  |
| failure           | Failure threshold   |
| limit_fun_MH      | Define an area of exclusion with a limit function                               |
| sampling_strategy | Either MH for Metropolis-Hastings or AR for accept-reject                       |
| seeds             | If some points are already known to be in the subdomain defined by limit_fun_MH |
| seeds_eval        | Value of the metamodel on these points  |
| burnin            | Burnin parameter for MH   |
| thinning          | Thinning parameter for MH   |
| plot              | Set to TRUE for a full plot, ie. refresh at each iteration                      |
| limited_plot      | Set to TRUE for a final plot with final DOE, metamodel and LSF                  |
| add               | If plots are to be added to the current device                                  |
| output_dir        | If plots are to be saved in jpeg in a given directory                           |
| z_MH              | For plots, if the limit_fun_MH has already been evaluated on the grid           |
| z_lsf             | For plots, if LSF has already been evaluated on the grid                        |
| verbose           | Either 0 for almost no output, 1 for medium size output and 2 for all outputs   |

### Details

SMART is a reliability method proposed by J.-M. Bourinet et al. It makes use of a SVM-based metamodel to approximate the limit state function and calculates the failure probability with a crude Monte-Carlo method using the metamodel-based limit state function. As SVM is a classification method, it makes use of limit state function values to create two classes : greater and lower than the failure threshold. Then the border is taken as a surrogate of the limit state function.

Concerning the refinement strategy, it distinguishes 3 stages, known as Localisation, Stabilisation and Convergence stages. The first one is proposed to reduce the margin as much as possible, the second one focuses on switching points while the last one works on the final Monte-Carlo population and is designed to insure a strong margin; see F. Deheeger PhD thesis for more information.

### Value

An object of class `list` containing the failure probability and some more outputs as described below:

|          |   |
|----------|---|
| proba    | The estimated failure probability.  |
| cov      | The coefficient of variation of the Monte-Carlo probability estimate.   |
| Ncall    | The total number of calls to the <code>limit_state_function</code> .  |
| x        | The final learning database, ie. all points where <code>lsf</code> has been calculated.   |
| y        | The value of the <code>limit_state_function</code> on the learning database.  |
| meta_fun | The metamodel approximation of the <code>limit_state_function</code> . A call output is a list containing the value and the standard deviation. |

|            |  |
|------------|--|
| meta_model | The final metamodel.   |
| points     | Points in the failure domain according to the metamodel.         |
| meta_eval  | Evaluation of the metamodel on these points.                     |
| z_meta     | If plot==TRUE, the evaluation of the metamodel on the plot grid. |

**Note**

Problem is supposed to be defined in the standard space. If not, use [UtoX](#) to do so.

Furthermore, each time a set of vector is defined as a matrix, 'nrow' = dimension and 'ncol' = number of vector.

**Author(s)**

Clement WALTER <clementwalter@icloud.com>

**References**

- J.-M. Bourinet, F. Deheeger, M. Lemaire:  
*Assessing small failure probabilities by combined Subset Simulation and Support Vector Machines*  
Structural Safety (2011)
- F. Deheeger:  
*Couplage mecano-fiabiliste : 2SMART - methodologie d'apprentissage stochastique en fiabilite*  
PhD. Thesis, Universite Blaise Pascal - Clermont II, 2008

**See Also**

[SubsetSimulation MonteCarlo svm](#) (in package **e1071**) [S2MART](#)

---

|                  |                                      |
|------------------|--------------------------------------|
| SubsetSimulation | <i>Subset Simulation Monte Carlo</i> |
|------------------|--------------------------------------|

---

**Description**

Estimate a probability of failure with the Subset Simulation algorithm (also known as Multilevel Splitting or Sequential Monte Carlo for rare events).

**Usage**

```
SubsetSimulation(
  dimension,
  lsf,
  p_0 = 0.1,
  N = 10000,
  q = 0,
```

```

lower.tail = TRUE,
K,
thinning = 20,
save.all = FALSE,
plot = FALSE,
plot.level = 5,
plot.lsf = TRUE,
output_dir = NULL,
plot.lab = c("x", "y"),
verbose = 0
)

```

### Arguments

|            |  |
|------------|--|
| dimension  | the dimension of the input space.  |
| lsf        | the function defining failure/safety domain.   |
| p_0        | a cutoff probability for defining the subsets.   |
| N          | the number of samples per subset, ie the population size for the Monte Carlo estimation of each conditional probability.   |
| q          | the quantile defining the failure domain.  |
| lower.tail | as for pxxx functions, TRUE for estimating $P(\text{lsf}(X) < q)$ , FALSE for $P(\text{lsf}(X) > q)$   |
| K          | a transition Kernel for Markov chain drawing in the regeneration step. $K(X)$ should propose a matrix of candidate sample (same dimension as $X$ ) on which $\text{lsf}$ will be then evaluated and transition accepted or rejected. Default kernel is the one defined $K(X) = (X + \sigma W) / \sqrt{1 + \sigma^2}$ with $W \sim N(0, 1)$ . |
| thinning   | a thinning parameter for the the regeneration step.  |
| save.all   | if TRUE, all the samples generated during the algorithms are saved and return at the end. Otherwise only the working population is kept at each iteration.   |
| plot       | to plot the generated samples.   |
| plot.level | maximum number of expected levels for color consistency. If number of levels exceeds this value, the color scale will change according to ggplot2 default policy.  |
| plot.lsf   | a boolean indicating if the $\text{lsf}$ should be added to the plot. This requires the evaluation of the $\text{lsf}$ over a grid and consequently should be used only for illustration purposes.   |
| output_dir | to save the plot into a pdf file. This variable will be paster with "_Subset_Simulation.pdf"   |
| plot.lab   | the x and y labels for the plot  |
| verbose    | Either 0 for almost no output, 1 for medium size output and 2 for all outputs  |

### Details

This algorithm uses the property of conditional probabilities on nested subsets to calculate a given probability defined by a limit state function.

It operates iteratively on ‘populations’ to estimate the quantile corresponding to a probability of  $p_0$ . Then, it generates samples conditionnaly to this threshold, until found threshold be lower than 0.

Finally, the estimate is the product of the conditional probabilities.

### Value

An object of class `list` containing the failure probability and some more outputs as described below:

|                         |   |
|-------------------------|---|
| <code>p</code>          | the estimated failure probability.  |
| <code>cv</code>         | the estimated coefficient of variation of the estimate.   |
| <code>Ncall</code>      | the total number of calls to the <code>lsf</code> .   |
| <code>X</code>          | the working population.   |
| <code>Y</code>          | the value <code>lsf(X)</code> .   |
| <code>Xtot</code>       | if <code>save.list==TRUE</code> , all the <code>Ncall</code> samples generated by the algorithm.  |
| <code>Ytot</code>       | the value <code>lsf(Xtot)</code> .  |
| <code>sigma.hist</code> | if default kernel is used, <code>sigma</code> is initialized with 0.3 and then further adaptively updated to have an average acceptance rate of 0.3 |

### Note

Problem is supposed to be defined in the standard space. If not, use [UtoX](#) to do so. Furthermore, each time a set of vector is defined as a matrix, ‘`nrow`’ = dimension and ‘`ncol`’ = number of vector to be consistent with `as.matrix` transformation of a vector.

Algorithm calls `lsf(X)` (where `X` is a matrix as defined previously) and expects a vector in return. This allows the user to optimise the computation of a batch of points, either by vectorial computation, or by the use of external codes (optimised C or C++ codes for example) and/or parallel computation; see examples in [MonteCarlo](#).

### Author(s)

Clement WALTER <clementwalter@icloud.com>

### References

- S.-K. Au, J. L. Beck:  
*Estimation of small failure probabilities in high dimensions by Subset Simulation*  
Probabilistic Engineering Mechanics (2001)
- A. Guyader, N. Hengartner and E. Matzner-Lober:  
*Simulation and estimation of extreme quantiles and extreme probabilities*  
Applied Mathematics and Optimization, 64(2), 171-196.
- F. Cerou, P. Del Moral, T. Furon and A. Guyader:  
*Sequential Monte Carlo for rare event estimation*  
Statistics and Computing, 22(3), 795-808.

**See Also**

[IRW MP MonteCarlo](#)

**Examples**

```
#Try Subset Simulation Monte Carlo on a given function and change number of points.

## Not run:
res = list()
res[[1]] = SubsetSimulation(2,kiureghian,N=10000)
res[[2]] = SubsetSimulation(2,kiureghian,N=100000)
res[[3]] = SubsetSimulation(2,kiureghian,N=500000)

## End(Not run)

# Compare SubsetSimulation with MP
## Not run:
p <- res[[3]]$p # get a reference value for p
p_0 <- 0.1 # the default value recommended by Au and Beck
N_mp <- 100
# to get approximately the same number of calls to the lsf
N_ss <- ceiling(N_mp*log(p)/log(p_0))
comp <- replicate(50, {
  ss <- SubsetSimulation(2, kiureghian, N = N_ss)
  mp <- MP(2, kiureghian, N = N_mp, q = 0)
  comp <- c(ss$p, mp$p, ss$Ncall, mp$Ncall)
  names(comp) = rep(c("SS", "MP"), 2)
  comp
})
boxplot(t(comp[1:2,])) # check accuracy
sd.comp <- apply(comp,1,sd)
print(sd.comp[1]/sd.comp[2]) # variance increase in SubsetSimulation compared to MP

colMeans(t(comp[3:4,])) # check similar number of calls

## End(Not run)
```

---

testConvexity

*Test the convexity of set of data*


---

**Description**

Provides the

**Usage**

```
testConvexity(X,Y)
```



**Arguments**

X                      a matrix containing the data sets  
 Y                      a vector containing -1 or +1 that represents the class of each elements of X.

**Details**

testConvexity test if one of the two data set is potentially convex.

**Value**

An object of class `list` containing the number of the class which is convex and the parameters of a set of hyperplanes separating the two classes

**Author(s)**

Vincent Moutoussamy

**References**

- R.T. Rockafellar:  
*Convex analysis*  
 Princeton university press, 2015.

**See Also**

[LSVM modelLSVM](#)

**Examples**

```
# A limit state function
f <- function(x){ sqrt(sum(x^2)) - sqrt(2)/2 }

# Creation of the data sets
n <- 200
X <- matrix(runif(2*n), nrow = n)
Y <- apply(X, MARGIN = 1, function(w){sign(f(w))})

## Not run:
TEST.Convexity <- testConvexity(X, Y)
if(length(TEST.Convexity) == 2){
  Convexity <- TEST.Convexity[[1]]
  model.A <- TEST.Convexity[[2]]
}
if(length(TEST.Convexity) == 1){
  # The problem is not convex
  Convexity <- 0 #the problem is not convex
}

## End(Not run)
```

---

|        |   |
|--------|---|
| twodof | <i>A limit-state-function defined with a two degrees of freedom damped oscillator</i> |
|--------|---|

---

**Description**

The limit-state function is defined in the standard space and isoprobabilistic transformation is used internally.

Parameters mean\_Fs and p can be specified and default are 27.5 and 3 respectively.

**Usage**

```
twodof
```

**Format**

The function can handle a vector or a matrix with column vectors.

**References**

Dubourg, V and Deheeger, F and Sudret, B:  
*Metamodel-based importance sampling for the simulation of rare events*  
 arXiv preprint arXiv:1104.3476, 2011.

---

|            |                               |
|------------|-------------------------------|
| updateLSVM | <i>Update LSVM classifier</i> |
|------------|-------------------------------|

---

**Description**

Update the existing classifier LSVM with a new set of data.

**Usage**

```
updateLSVM(X.new,
            Y.new,
            X,
            Y,
            A.model.lsvm,
            convexity,
            PLOTSVM = FALSE,
            step.plot.LSVM = 1,
            hyperplanes = FALSE,
            limit.state.estimate = TRUE)
```

**Arguments**

|                                   |   |
|-----------------------------------|---|
| <code>X.new</code>                | a matrix containing a new data sets   |
| <code>Y.new</code>                | a vector containing -1 or +1 that represents the class of each elements of <code>X.new</code> . |
| <code>X</code>                    | a matrix containing the data sets   |
| <code>Y</code>                    | a vector containing -1 or +1 that represents the class of each elements of <code>X</code> .     |
| <code>A.model.lsvm</code>         | a matrix containing the parameters of all hyperplanes.  |
| <code>convexity</code>            | Either -1 if the set of data associated to the label "-1" is convex or +1 otherwise.            |
| <code>PLOTSVM</code>              | A boolean. If TRUE, plot the data.  |
| <code>step.plot.LSVM</code>       | A plot is made each <code>step.plot.LSVM</code> steps.  |
| <code>hyperplanes</code>          | A boolean. If TRUE, plot the hyperplanes obtained.  |
| <code>limit.state.estimate</code> | A boolean. If TRUE, plot the estimate of the limit state.                                       |

**Details**

updateLSVM allows to make an update of the classifier LSVM.

**Value**

An object of class `matrix` containing the parameters of a set of hyperplanes

**Note**

The argument `PLOTSVM` is useful only in dimension 2.

**Author(s)**

Vincent Moutoussamy

**References**

- R.T. Rockafellar:  
*Convex analysis*  
Princeton university press, 2015.
- N. Bousquet, T. Klein and V. Moutoussamy :  
*Approximation of limit state surfaces in monotonic Monte Carlo settings*  
Submitted .

**See Also**

[LSVM modelLSVM](#)

**Examples**

```
# A limit state function
f <- function(x){ sqrt(sum(x^2)) - sqrt(2)/2 }

# Creation of the data sets

n <- 200
X <- matrix(runif(2*n), nrow = n)
Y <- apply(X, MARGIN = 1, function(w){sign(f(w))})

## Not run:
model.A <- modelLSVM(X,Y, convexity = -1)
M <- 20
X.new <- matrix(runif(2*M), nrow = M)
Y.new <- apply(X.new, MARGIN = 1, function(w){ sign(f(w))})

X.new.S <- X.new[which(Y.new > 0), ]
Y.new.S <- Y.new[which(Y.new > 0)]
model.A.new <- updateLSVM(X.new.S, Y.new.S, X, Y,
                          model.A, convexity = -1, PLOTSVM = TRUE, step.plot.LSVM = 5)

## End(Not run)
```

updateSd

*UpdateSd***Description**

Update kriging variance when adding new points to the DoE

**Usage**

```
updateSd(
  X.new,
  integration.points.oldsd,
  model,
  precalc.data,
  integration.points
)
```

**Arguments**

**X.new** the  $d \times N$  matrix containing the points added to the model for the update of the kriging variance.

**integration.points.oldsd** a vector containing the standard deviation of the points to be added to the meta-model learning database.

model                the current kriging model (a km object).  
precalc.data        precomputed data from KrigInv::precomputeUpdateData.  
integration.points        points where the updated sd is to be calculated.

**Value**

a vector containing the kriging sd at points integration.points

---

|              |                     |
|--------------|---------------------|
| updateSd.old | <i>UpdateSd.old</i> |
|--------------|---------------------|

---

**Description**

UpdateSd.old

**Usage**

updateSd.old(X.new, newdata.oldsd, model, precalc.data, integration.points)

**Arguments**

X.new                the d x N matrix containing the points added to the model for the update of the kriging variance.  
newdata.oldsd        a vector containing the standard deviation of the points to be added to the meta-model learning database.  
model                the current kriging model (a km object).  
precalc.data        precomputed data from KrigInv::precomputeUpdateData.  
integration.points        points where the updated sd is to be calculated.

---

|      |   |
|------|---|
| UtoX | <i>Iso-probabilistic transformation from U space to X space</i> |
|------|---|

---

**Description**

UtoX performs as iso-probabilistic transformation from standardized space (U) to physical space (X) according to the NATAF transformation, which requires only to know the means, the standard deviations, the correlation matrix  $\rho(X_i, X_j) = \rho_{ij}$  and the marginal distributions of Xi. In standard space, all random variables are uncorrelated standard normal distributed variables whereas they are correlated and defined using the following distribution functions: Normal (or Gaussian), Lognormal, Uniform, Gumbel, Weibull and Gamma.

**Usage**

```
UtoX(U, input.margin, L0)
```

**Arguments**

|              |  |
|--------------|--|
| U            | a matrix containing the realisation of all random variables in U-space   |
| input.margin | A list containing one or more list defining the marginal distribution functions of all random variables to be used   |
| L0           | the lower matrix of the Cholesky decomposition of correlation matrix R0 (result of <a href="#">ModifCorrMatrix</a> ) |

**Details**

Supported distributions are :

- NORMAL: distribution, defined by its mean and standard deviation

```
distX <- list(type = "Norm", MEAN = 0.0, STD = 1.0, NAME = "X1")
```

- LOGNORMAL: distribution, defined by its internal parameters P1=meanlog and P2=sdlog ([plnorm](#))

```
distX <- list(type = "Lnorm", P1 = 10.0, P2 = 2.0, NAME = "X2")
```

- UNIFORM: distribution, defined by its internal parameters P1=min and P2=max ([punif](#))

```
distX <- list(type = "Unif", P1 = 2.0, P2 = 6.0, NAME = "X3")
```

- GUMBEL: distribution, defined by its internal parameters P1 and P2

```
distX <- list(type = 'Gumbel', P1 = 6.0, P2 = 2.0, NAME = 'X4')
```

- WEIBULL: distribution, defined by its internal parameters P1=shape and P2=scale ([pweibull](#))

```
distX <- list(type = 'Weibull', P1 = NULL, P2 = NULL, NAME = 'X5')
```

- GAMMA: distribution, defined by its internal parameters P1=shape and P2=scale ([pgamma](#))

```
distX <- list(type = 'Gamma', P1 = 6.0, P2 = 6.0, NAME = 'X6')
```

- BETA: distribution, defined by its internal parameters P1=shape1 and P2=shapze2 ([pbeta](#))

```
distX <- list(type = 'Beta', P1 = 6.0, P2 = 6.0, NAME = 'X7')
```

**Value**

|   |  |
|---|--|
| X | a matrix containing the realisation of all random variables in X-space |
|---|--|

**Author(s)**

gilles DEFAUX, <gilles.defaux@cea.fr>

## References

- M. Lemaire, A. Chateauneuf and J. Mitteau. Structural reliability, Wiley Online Library, 2009
- V. Dubourg, Meta-modeles adaptatifs pour l'analyse de fiabilite et l'optimisation sous contrainte fiabiliste, PhD Thesis, Universite Blaise Pascal - Clermont II, 2011

## See Also

[ModifCorrMatrix](#), [ComputeDistributionParameter](#)

## Examples

```
Dim = 2

distX1 <- list(type='Norm', MEAN=0.0, STD=1.0, P1=NULL, P2=NULL, NAME='X1')
distX2 <- list(type='Norm', MEAN=0.0, STD=1.0, P1=NULL, P2=NULL, NAME='X2')

input.margin <- list(distX1,distX2)
input.Rho <- matrix( c(1.0, 0.5,
                      0.5, 1.0),nrow=Dim)
input.R0 <- ModifCorrMatrix(input.Rho)
L0 <- t(chol(input.R0))

lsf = function(U) {
  X <- UtoX(U, input.margin, L0)
  G <- 5.0 - 0.2*(X[1,]-X[2,])^2.0 - (X[1,]+X[2,])/sqrt(2.0)
  return(G)
}

u0 <- as.matrix(c(1.0,-0.5))
lsf(u0)
```

---

waarts

*A limit-state-function defined by Waarts*

---

## Description

The limit-state function is defined by:

$$b1 = 3 + (u_1 - u_2)^2/10 - \text{sign}(u_1 + u_2) * (u_1 + u_2)/\text{sqrt}(2)$$

$$b2 = \text{sign}(u_2 - u_1) * (u_1 - u_2) + 7/\text{sqrt}(2)$$

$$f(u) = \min(b1, b2)$$

## Usage

waarts

**Format**

The function can handle a vector or matrix with column vectors.

**References**

Waarts, PH:  
*An appraisal of DARS: directional adaptive response surface sampling*  
 Delft University Press, The Netherlands, 2000.

---

 WilksFormula

*Sample size by Wilks formula*


---

**Description**

Compute Wilks formula for setting size of a i.i.d. sample for quantile estimation with confidence level or for tolerance intervals

**Usage**

```
WilksFormula(alpha=0.95,beta=0.95,bilateral=FALSE,order=1)
```

**Arguments**

|           |  |
|-----------|--|
| alpha     | order of the quantile (default = 0.95)                     |
| beta      | level of the confidence interval (default = 0.95)          |
| bilateral | TRUE for bilateral quantile (default = unilateral = FALSE) |
| order     | order of the Wilks formula (default = 1)                   |

**Value**

|   |  |
|---|--|
| N | The minimal sample size to apply Wilks formula |
|---|--|

**Author(s)**

Paul Lemaitre and Bertrand Iooss

**References**

H.A. David and H.N. Nagaraja. Order statistics, Wiley, 2003.  
 W.T. Nutt and G.B. Wallis. Evaluation of nuclear safety from the outputs of computer codes in the presence of uncertainties. Reliability Engineering and System Safety, 83:57-77, 2004.  
 S.S. Wilks. Determination of Sample Sizes for Setting Tolerance Limits. Annals Mathematical Statistics, 12:91-96, 1941.



**Examples**

```
N <- WilksFormula(0.95,0.95,order=1)
print(N)
```

---

XtoU

*From X to standard space*

---

**Description**

XtoU lets transform datapoint in the original space X to the standard Gaussian space U with isoprobabilistic transformation.

**Usage**

```
XtoU(X, input.margin, L0)
```

**Arguments**

|              |  |
|--------------|--|
| X            | the matrix d x n of the input points   |
| input.margin | A list containing one or more list defining the marginal distribution functions of all random variables to be used   |
| L0           | the lower matrix of the Cholesky decomposition of correlation matrix R0 (result of <a href="#">ModifCorrMatrix</a> ) |

**Author(s)**

Clement WALTER <clement.walter@cea.fr>

**See Also**

UtoX

# Index

- \* **datasets**
  - cantilever, [12](#)
  - kiureghian, [23](#)
  - oscillator\_d6, [43](#)
  - rackwitz, [47](#)
  - twodof, [58](#)
  - waarts, [63](#)
- \* **package**
  - mistral-package, [2](#)
- AKMCS, [4](#)
- BMP, [9](#)
- cantilever, [12](#)
- ComputeDistributionParameter, [13](#), [63](#)
- estimateSUR, [14](#)
- FORM, [15](#)
- FORMv0, [17](#)
- generateK, [18](#)
- IRW, [12](#), [20](#), [39](#), [41](#), [56](#)
- kiureghian, [23](#)
- km, [8](#), [28](#), [49](#)
- LPA (MP), [38](#)
- LSVM, [23](#), [32](#), [44](#), [57](#), [59](#)
- MetaIS, [8](#), [25](#)
- MetropolisHastings, [29](#)
- mistral (mistral-package), [2](#)
- mistral-package, [2](#)
- modellLSVM, [24](#), [31](#), [44](#), [57](#), [59](#)
- ModifCorrMatrix, [32](#), [62](#), [63](#), [65](#)
- MonotonicQuantileEstimation, [33](#)
- MonteCarlo, [7](#), [8](#), [12](#), [22](#), [28](#), [35](#), [41](#), [49](#), [53](#), [55](#), [56](#)
- MP, [12](#), [22](#), [38](#), [56](#)
- NestedSampling (IRW), [20](#)
- ok, [41](#)
- oscillator\_d6, [43](#)
- oscillator\_d8 (twodof), [58](#)
- pbeta, [62](#)
- pgamma, [62](#)
- plnorm, [62](#)
- plotLSVM, [43](#)
- precomputeUpdateData, [45](#)
- punif, [62](#)
- pweibull, [62](#)
- quantileWilks, [45](#)
- rackwitz, [47](#)
- S2MART, [47](#), [53](#)
- SMART, [49](#), [50](#)
- ss (SubsetSimulation), [53](#)
- subset (SubsetSimulation), [53](#)
- SubsetSimulation, [8](#), [12](#), [28](#), [37](#), [39](#), [41](#), [49](#), [53](#), [53](#)
- svm, [49](#), [53](#)
- testConvexity, [56](#)
- TPA (IRW), [20](#)
- twodof, [58](#)
- updateLSVM, [58](#)
- updateSd, [60](#)
- updateSd.old, [61](#)
- UtoX, [7](#), [22](#), [28](#), [33](#), [37](#), [49](#), [53](#), [55](#), [61](#)
- waarts, [63](#)
- WilksFormula, [64](#)
- XtoU, [65](#)