

Package ‘sectorgap’

July 23, 2025

Type Package

Title Consistent Economic Trend Cycle Decomposition

Version 0.1.0

Description Determining potential output and the output gap - two inherently unobservable variables - is a major challenge for macroeconomists. 'sectorgap' features a flexible modeling and estimation framework for a multivariate Bayesian state space model identifying economic output fluctuations consistent with subsectors of the economy. The proposed model is able to capture various correlations between output and a set of aggregate as well as subsector indicators. Estimation of the latent states and parameters is achieved using a simple Gibbs sampling procedure and various plotting options facilitate the assessment of the results. For details on the methodology and an illustrative example, see Streicher (2024) <<https://www.research-collection.ethz.ch/handle/20.500.11850/653682>>.

License GPL-3

Encoding UTF-8

RoxygenNote 7.2.3

Imports stats, KFAS, zoo, ggplot2, MCMCpack, dplyr, tidyr, tempdisagg

Depends R (>= 2.10)

LazyData true

NeedsCompilation no

Author Sina Streicher [aut, cre] (ORCID:
<<https://orcid.org/0000-0001-7848-1842>>)

Maintainer Sina Streicher <streicher.sina@gmail.com>

Repository CRAN

Date/Publication 2024-01-22 17:40:02 UTC

Contents

compute_mcmc_results	2
data_ch	3
define_ssmodel	4
estimate_ssmodel	5

initialize_prior	6
initialize_settings	8
is.settings	9
plot.ss_fit	10
prepate_data	11
print.prior	13
print.settings	13
print.ss_fit	14
print.ss_model	14
recessions_ch	15
recessions_us	15
transform_results	16

Index	18
--------------	-----------

compute_mcmc_results	<i>Results for sampled parameters and states</i>
----------------------	--

Description

Computes estimation results for the MCMC sampling output for a specific HPDI and evaluation function (e.g. mean or median).

Usage

```
compute_mcmc_results(
  model,
  settings,
  mcmc,
  data,
  HPDIprob = NULL,
  fit = NULL,
  ...
)
```

Arguments

model	state space model object, returned by the function <code>define_ssmodel</code>
settings	list with model setting, in the format returned by the function <code>initialize_settings</code>
mcmc	list with draws of parameters and states (including burnin phase)
data	list with at least two named components: <code>tsm</code> is a multiple time series object that contains all observation series, <code>weights</code> is a named list of time series with (nominal) weights, the list names correspond to the different groups, i.e., <code>group1</code> , <code>group2</code> , <code>subgroup1</code> , if present in the model
HPDIprob	probability of highest posterior density interval, optional if <code>fit</code> is supplied
fit	(optional) an object of class <code>fit</code> (returned by the function <code>estimate_ssmodel</code> and this function).
...	additional arguments (in case <code>fit</code> is supplied)

Details

If `fit` is supplied, the arguments `model`, `settings`, `mcmc` will be taken from this object.

Value

An object of class `ss_fit`.

data_ch	<i>Swiss data set</i>
---------	-----------------------

Description

A dataset containing quarterly Swiss economic data, sourced on November 20, 2023.

Usage

```
data_ch
```

Format

A list object with two lists. The first list contains all untransformed endogenous variables:

output Gross domestic product at 2020 prices, in million
vaA value added in sector A: Goods-producing industries, at 2020 prices in million
vaB value added in sector B: Service industries, at 2020 prices in million
vaC value added in sector C: Government and adjustments, at 2020 prices in million
exp1 expenditure side sector i: Total consumption, at 2020 prices in million
exp2 expenditure side sector ii: Investment, at 2020 prices in million
exp3 expenditure side sector iii: Exports, at 2020 prices in million
exp4 expenditure side sector iv: Imports, at 2020 prices in million
fteA full-time equivalent employment in sector A: Goods-producing industries, in thousand
fteB full-time equivalent employment in sector B: Service industries, in thousand
fteC full-time equivalent employment in government sector, in thousand
employment full-time equivalent employment, in thousand
urate ILO unemployment rate, in percent
inflation consumer price inflation, year on year in percent

Source

KOF Swiss Economic Institute, ETH Zurich, Switzerland

define_ssmodel	<i>State space model</i>
----------------	--------------------------

Description

Defines a state space model for the provided settings and data.

Usage

```
define_ssmodel(settings, data)
```

Arguments

settings	list with model setting, in the format returned by the function <code>initialize_settings</code>
data	list with at least two named components: <code>tsm</code> is a multiple time series object that contains all observation series, <code>weights</code> is a named list of time series with (nominal) weights, the list names correspond to the different groups, i.e., <code>group1</code> , <code>group2</code> , <code>subgroup1</code> , if present in the model

Details

`data` is preferably the output of function `prepare_data`.

Value

A state space model object of class `ss_model`, which consists of an object returned by the function `SSModel` of the package `KFAS` and in addition a list item called `names` which contains information on the parameters to be estimated.

Examples

```
data("data_ch")
settings <- initialize_settings()
data <- prepare_data(
  settings = settings,
  tsl = data_ch$tsl,
  tsl_n = data_ch$tsl_n
)
model <- define_ssmodel(
  settings = settings,
  data = data
)
```

estimate_ssmodel	<i>Bayesian estimation via Gibbs sampling</i>
------------------	---

Description

Estimates the parameters and states of a multi-dimensional state space model by Bayesian methods using a Gibbs sampling procedure.

Usage

```
estimate_ssmodel(
  model,
  settings,
  data,
  prior = initialize_prior(model),
  R = 10000,
  burnin = 0.5,
  thin = 1,
  HPDIprob = 0.68,
  fit = NULL
)
```

Arguments

model	state space model object, returned by the function <code>define_ssmodel</code>
settings	list with model setting, in the format returned by the function <code>initialize_settings</code>
data	list with at least two named components: <code>tsm</code> is a multiple time series object that contains all observation series, <code>weights</code> is a named list of time series with (nominal) weights, the list names correspond to the different groups, i.e., <code>group1</code> , <code>group2</code> , <code>subgroup1</code> , if present in the model
prior	list of matrices, each list item corresponds to one endogenous variable. See <code>initialize_prior</code>
R	number of draws, the default is 10000
burnin	share of draws as burnin period, the default is 0.5
thin	thinning parameter defining how many draws are discarded. 1 means no draw is discarded, 2 means each second draw is kept, and so on
HPDIprob	probability of highest posterior density interval, the default is <code>HPDIprob = 0.68</code>
fit	already fitted object of class <code>ss_fit</code> , to continue drawing, see details

Details

If `fit` is supplied, the function will continue drawing `R` additional repetitions. In this case, all input variables except for `fit` and `R` are ignored.

Value

An object of class `ss_fit`.

Examples

```
data("data_ch")
settings <- initialize_settings()
data <- prepate_data(
  settings = settings,
  tsl = data_ch$tsl,
  tsl_n = data_ch$tsl_n
)
model <- define_ssmodel(
  settings = settings,
  data = data
)
prior <- initialize_prior(
  model = model,
  settings = settings
)

fit <- estimate_ssmodel(
  model = model,
  settings = settings,
  data = data,
  prior = prior,
  R = 100
)
```

initialize_prior	<i>Prior distribution</i>
------------------	---------------------------

Description

Initializes the prior distributions.

Usage

```
initialize_prior(model, settings, lambda_d = 100, lambda_t = 100, df = 6)
```

Arguments

model	state space model object, returned by the function <code>define_ssmodel</code>
settings	list with model setting, in the format returned by the function <code>initialize_settings</code>
lambda_d	drift smoothing constant (default: 100)
lambda_t	trend smoothing constant (default: 100)
df	degrees of freedom for inverse gamma distributions

Details

All loadings and autoregressive parameters are assumed to be normal with mean zero and variance 1000.

All variance parameters are assumed to be inverse gamma distributed. The cycle variance has prior mean 1, and the trend variances have prior mean 1/100.

The normal distribution is parametrized via mean and variance.

the inverse gamma distribution is parametrized degrees of freedom ν and scale s .

The mean of the inverse gamma distribution is given by $\beta / (\alpha - 1) = \beta / 2 = s$, where $s = 2 \beta$, $\nu = 2 \alpha$.

Value

A data frame with one row per parameter and the following columns:

variable	name of endogeneous variable of equation
parameter_name	name of parameter
par1	first parameter of specified distribution, mean for normal parameters and scale for inverse gamma parameters
par2	second parameter of specified distribution, variance for normal parameters and degrees of freedom for inverse gamma parameters
ini	initial value for Gibbs sampler, i.e. mean of distribution given par1 and par2
distribution	name of prior distribution

Examples

```
data("data_ch")
settings <- initialize_settings()
data <- prepate_data(
  settings = settings,
  tsl = data_ch$tsl,
  tsl_n = data_ch$tsl_n
)
model <- define_ssmodel(
  settings = settings,
  data = data
)
prior <- initialize_prior(
  model = model,
  settings = settings
)
```

initialize_settings *Model settings*

Description

Initializes settings with a basic example.

Usage

```
initialize_settings(
  FUN_transform = function(x) 100 * log(x),
  FUN_transform_inv = function(x) exp(x/100),
  DFUN_transform_inv = function(x) 1/100 * exp(x/100)
)
```

Arguments

FUN_transform transformation function, the default is `function(x) 100 * log(x)`

FUN_transform_inv inverse transformation function, the default is `function(x) exp(x / 100)`

DFUN_transform_inv derivative of inverse transformation function, the default is `function(x) 1 exp(x / 100)`, only used if non-linear constraints are present

Value

A nested list with settings for the following groups:

agg	settings for the aggregate variable
group1	settings for group1, all variables in this group load on the aggregate variable, unless otherwise specified
group2	settings for group2, all variables in this group load on the aggregate variable, unless otherwise specified
subgroup1	settings for subgroup1, each variable in this group loads on the respective variable in group1
agggroup	settings for a group of variables that all load on the same variable
misc	settings for variables that require individual settings

Each group contains at least the following list items:

trend	4 is a local linear trend, 3 a local linear trend with AR(1) drift, 2 a local linear drift without shocks to trend growth, 0 implies no trend (e.g. if a variable shares a trend with another one)
cycle	2 is an AR(2) cycle, 1 an AR(1) cycle, and 0 a white noise cycle, each with normal innovations

transform	logical indicating if the transformation function should be applied to the variable or group of variables
variable	variable name(s)
variable_label	variable label(s)
label	label of group

The blocks group1, group2, subgroup1 additionally contain the following list items:

corr	4 implies that trends and drifts are correlated, 2 that only drifts are correlated, 1 that only trends are correlated, and 0 or NA implies no correlation. Only applicable for group1, group2, subgroup1
load_name	name of the variable that all variables in the group load (for group1, group2) and which is used for the aggregation
load_lag	lags of the of the variable that all variables in the group load (for group1, group2)
constr_drift	logical indicating if constraints for the drifts should be enforced
constr_trends	logical indicating if constraints for the trends should be enforced
constr_trends_linear	logical indicating if constraints for the trends are linear or nonlinear, the default is FALSE in which case the constraint is enforced on the level series, else, it is enforced on the growth rates.
variable_neg	variable names that are negative and thus need to be subtracted when constructing weights

The block subgroup1 additionally contain the following list item:

match_group1	a character vector of the same length as variable indicating the matching variables in group1, in the same order as variable, NA indicates no match
--------------	---

is.settings	<i>Settings object validity check</i>
-------------	---------------------------------------

Description

Checks if settings are a valid object of class settings.

Usage

```
is.settings(x, df1 = NULL, return.logical = FALSE)
```

Arguments

x	settings object
df1	list of data frames, returned by function settings_to_df
return.logical	If return.logical = FALSE (default), an error message is printed if the object is not of class settings, if return.logical = TRUE, a logical value is returned

Value

A logical value or nothing, depending on the value of `return.logical`.

plot.ss_fit

Plots of results

Description

Creates a set of time series, density, or trace plots.

Usage

```
## S3 method for class 'ss_fit'
plot(
  x,
  plot_type = "timeseries",
  estimate = "median",
  data = data,
  n_col = 3,
  n_sep = 5,
  file_path = NULL,
  title = TRUE,
  save = FALSE,
  device = "jpg",
  width = 10,
  height = 3,
  units = "in",
  highlighted_area = NULL,
  plot_start = NULL,
  plot_end = NULL,
  alpha = 0.05,
  include_burnin = FALSE,
  ...
)
```

Arguments

<code>x</code>	object of class <code>ss_fit</code>
<code>plot_type</code>	type of plots, options are "timeseries", "density", "trace"
<code>estimate</code>	character specifying the posterior estimate. Valid options are "mean" and "median", the default is <code>estimate = "median"</code> .
<code>data</code>	list with at least two named components: <code>tsm</code> is a multiple time series object that contains all observation series, <code>weights</code> is a named list of time series with (nominal) weights, the list names correspond to the different groups, i.e., <code>group1</code> , <code>group2</code> , <code>subgroup1</code> , if present in the model

n_col	number of columns for grid plots
n_sep	increments of x axis ticks in years
file_path	file path for plots
title	boolean indicating if plots should contain titles
save	boolean indicating if plots should be saved, if FALSE, the plots will be printed instead, default is save = FALSE (ignored if file_path is provided)
device	character string with format used in ggsave
width	plot width in units, for grid plots adjusted for the number of plot columns n_col
height	plot height in units, for grid plots adjusted for the number of plot rows implied by n_col
units	units for plot size ("in", "cm", "mm", or "px")
highlighted_area	data frame with two columns called start and end containing start and end date, e.g. 1990.25 and 1992.75 for 1990 Q2 until 1992 Q4 (only used if plot_type = "timeseries")
plot_start	start of x axis in years, e.g., 1990.5 (only used if plot_type = "timeseries")
plot_end	end of x axis in years, e.g., 2010.25 (only used if plot_type = "timeseries")
alpha	cut off value for posterior (only used if plot_type = "density")
include_burnin	logical indicating if burnin phase should be included (only used if plot_type = "trace")
...	ignored

Value

nothing

```
prebate_data      Input data
```

Description

Prepares the required input data, it performs the transformations to the raw data and computes the necessary weights for the constraints.

Usage

```
prebate_data(
  settings,
  tsl,
  tsl_n = NULL,
  tsl_p = NULL,
  ts_start = NULL,
  ts_end = NULL,
  extend_weights = FALSE
)
```

Arguments

<code>settings</code>	list with model setting, in the format returned by the function <code>initialize_settings</code>
<code>tsl</code>	time series list with all untransformed endogenous series
<code>tsl_n</code>	time series list with nominal level series for aggregate output <code>agg</code> and its sub-components in <code>group1</code> , <code>group2</code>
<code>tsl_p</code>	time series list with price series for aggregate output <code>agg</code> and its subcomponents in <code>group1</code> , <code>group2</code>
<code>ts_start</code>	start date, e.g. <code>c(2000, 2)</code> or <code>2000.25</code>
<code>ts_end</code>	end date, e.g. <code>c(2000, 2)</code> or <code>2000.25</code>
<code>extend_weights</code>	logical indicating if missing weights at beginning/end of sample should be filled with the last/first available value

Details

Either `tsl_n` or `tsl_p` must be supplied.

Weights are forward/backward extended with the first/last value if the supplied time series do not cover the entire period.

Value

A list with five components:

<code>tsm</code>	multiple time series object with all (transformed) endogeneous variables
<code>real</code>	multiple time series object with real series of <code>agg</code> , <code>group1</code> , <code>group2</code>
<code>nominal</code>	multiple time series object with nominal series of <code>agg</code> , <code>group1</code> , <code>group2</code>
<code>prices</code>	multiple time series object with price series of <code>agg</code> , <code>group1</code> , <code>group2</code>
<code>weights_growth</code>	list of multiple time series objects with weights for the growth constraints, i.e., for series <code>group1</code> , <code>group2</code> , <code>subgroup1</code> if applicable
<code>weights_level</code>	list of multiple time series objects with weights for the non linear level constraints, i.e., for series <code>group1</code> , <code>group2</code> , <code>subgroup1</code> if applicable

Examples

```
data("data_ch")
settings <- initialize_settings()
data <- prebate_data(
  settings = settings,
  tsl = data_ch$tsl,
  tsl_n = data_ch$tsl_n
)
```

print.prior	<i>Print prior object</i>
-------------	---------------------------

Description

Prints the model specifications of an object of class prior.

Usage

```
## S3 method for class 'prior'  
print(x, call = TRUE, check = TRUE, ...)
```

Arguments

x	object of class prior
call	logical, if TRUE, the call will be printed
check	logical, if TRUE, the model class will be checked
...	ignored.

Value

No return value

print.settings	<i>Print settings object</i>
----------------	------------------------------

Description

Prints the model settings.

Usage

```
## S3 method for class 'settings'  
print(x, call = TRUE, check = TRUE, ...)
```

Arguments

x	object of class settings
call	logical, if TRUE, the call will be printed
check	logical, if TRUE, the model class will be checked
...	ignored.

Value

No return value

print.ss_fit	<i>Print ss_fit object.</i>
--------------	-----------------------------

Description

Prints the model specifications of an object of class `ss_fit`.

Usage

```
## S3 method for class 'ss_fit'  
print(x, call = TRUE, check = TRUE, ...)
```

Arguments

x	object of class <code>ss_fit</code>
call	logical, if TRUE, the call will be printed
check	logical, if TRUE, the model class will be checked
...	ignored.

Value

No return value

print.ss_model	<i>Print ss_model object</i>
----------------	------------------------------

Description

Prints the model specifications of an object of class `ss_model`.

Usage

```
## S3 method for class 'ss_model'  
print(x, call = TRUE, check = TRUE, ...)
```

Arguments

x	object of class <code>ss_model</code>
call	logical, if TRUE, the call will be printed
check	logical, if TRUE, the model class will be checked
...	ignored.

Value

No return value

recessions_ch	<i>Swiss recessions</i>
---------------	-------------------------

Description

Recession periods in Switzerland since 1990.

Usage

recessions_ch

Format

A data frame with two columns:

start start date of recession, in quarters

end end date of recession, in quarters

recessions_us	<i>US recessions</i>
---------------	----------------------

Description

Recession periods in the United States since 1960.

Usage

recessions_us

Format

A data frame with two columns:

start start date of recession, in quarters

end end date of recession, in quarters

Source

National Bureau of Economic Research (NBER)

transform_results	<i>Format results</i>
-------------------	-----------------------

Description

Formats the output series into a tibble in long format and computes contribution series.

Usage

```
transform_results(
  fit,
  data,
  settings,
  estimate = "median",
  HPDIprob = 0.68,
  transformed = TRUE
)
```

Arguments

fit	fitted object
data	list with at least two named components: prices is a multiple time series object that contains price indices for all relevant series, weights, is a named list of time series with (nominal) weights, the list names correspond to the different groups, i.e., group1, group2, subgroup1, if present in the model
settings	list with model setting, in the format returned by the function initialize_settings
estimate	character specifying the posterior estimate. Valid options are "mean" and "median", the default is estimate = "median".
HPDIprob	probability of highest posterior density interval, the default is HPDIprob = 0.68
transformed	boolean indicating if the transformed series should be used.

Details

data is preferably the output of funtion prepare_data.

Value

A data frame with results in long format.

Examples

```
data("data_ch")
settings <- initialize_settings()
data <- prepare_data(
  settings = settings,
  tsl = data_ch$tsl,
  tsl_n = data_ch$tsl_n
)
```



```
)  
model <- define_ssmodel(  
  settings = settings,  
  data = data  
)  
prior <- initialize_prior(  
  model = model,  
  settings = settings  
)  
  
fit <- estimate_ssmodel(  
  model = model,  
  settings = settings,  
  data = data,  
  prior = prior,  
  R = 100  
)  
df <- transform_results(  
  fit = fit,  
  data = data,  
  estimate = "median"  
)
```

Index

* **datasets**

data_ch, [3](#)

recessions_ch, [15](#)

recessions_us, [15](#)

compute_mcmc_results, [2](#)

data_ch, [3](#)

define_ssmodel, [4](#)

estimate_ssmodel, [5](#)

initialize_prior, [6](#)

initialize_settings, [8](#)

is.settings, [9](#)

plot.ss_fit, [10](#)

prepare_data, [11](#)

print.prior, [13](#)

print.settings, [13](#)

print.ss_fit, [14](#)

print.ss_model, [14](#)

recessions_ch, [15](#)

recessions_us, [15](#)

transform_results, [16](#)